

# PRESCRIPTIONS DRUGS FORMULARY 2



**MCS** Classicare (HMO)

**2024**

[www.mcsclassicare.com](http://www.mcsclassicare.com)

# MCS CLASSICARE

## 2024 Formulary

### List of Covered Drugs

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 24446, Version Number 11

This formulary was updated on 04/18/2024. For more recent information or other questions, please contact MCS Classicare Customer Service Call Center at 1-866-627-8183 (Toll free) (TTY users should call 1-866-627-8182), from Monday through Sunday from 8:00 a.m. to 8:00 p.m. from October 1 to March 31 and 8:00 a.m. to 8:00 Monday through Friday and Saturday from 8:00 a.m. to 4:30 p.m. from April 1 to September 30, or visit [www.mcsclassicare.com](http://www.mcsclassicare.com)

**Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you. Call our Call Center for more information.

**Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.

**Important Message About What You Pay for oral Antivirals drugs for COVID-19 treatment** - Our plan covers most Part D oral Antivirals drugs for COVID-19 treatment at no cost to you. Call our Call Center for more information.

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to "we," "us", or "our," it means MCS Classicare. When it refers to "plan" or "our plan," it means MCS Classicare Del Caribe (HMO), MCS Classicare En Tu Hogar (HMO), MCS Classicare Efectivo (HMO), MCS Classicare Essential (HMO-POS), MCS Classicare Exacto (HMO), MCS Classicare Excede (HMO), MCS Classicare Firme (HMO), MCS Classicare Hero (HMO), MCS Classicare Intelicare (HMO), MCS Classicare MA-PD Group (HMO-POS), MCS Classicare Primero (HMO C-SNP).

This document includes list of the drugs (formulary) for our plan which is current as of May 1, 2024. For updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2024, and from time to time during the year.

H5577\_2280723\_C

## What is the MCS Classicare Formulary?

A formulary is a list of covered drugs selected by MCS Classicare in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. MCS Classicare will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MCS Classicare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1 but may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the **MCS Classicare Del Caribe (HMO), MCS Classicare En Tu Hogar (HMO), MCS Classicare Efectivo (HMO), MCS Classicare Essential (HMO-POS), MCS Classicare Exacto (HMO), MCS Classicare Excede (HMO), MCS Classicare Firme (HMO), MCS Classicare Hero (HMO), MCS Classicare Intelicare (HMO), MCS Classicare MA-PD Group (HMO-POS), MCS Classicare Primero (HMO C-SNP)**. Formulary?”

**Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the MCS Classicare Del Caribe (HMO), MCS Classicare En Tu Hogar (HMO), MCS Classicare Efectivo (HMO), MCS Classicare Essential (HMO-POS), MCS Classicare Exacto (HMO), MCS Classicare Excede (HMO), MCS Classicare Firme (HMO), MCS Classicare Hero (HMO), MCS Classicare Intelicare (HMO), MCS Classicare MA-PD Group (HMO-POS), MCS Classicare Primero (HMO C-SNP) Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of May 1, 2024. To get updated information about the drugs covered by MCS Classicare please contact us. Our contact information appears on the front and back cover pages.

In the event of mid-year non-maintenance formulary changes, all affected members will be notified via mail (at least 60 days before the change becomes effective). In addition, an updated version of our printed formulary will be updated during the last week of the previous month, effective the first day of the month and posted on our website at [www.mcsclassicare.com](http://www.mcsclassicare.com).

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 115. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

MCS Classicare covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** MCS Classicare requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from MCS Classicare before you fill your prescriptions. If you don't get approval, MCS Classicare may not cover the drug.
- **Quantity Limits:** For certain drugs, MCS Classicare limits the amount of the drug that MCS Classicare will cover. For example, MCS Classicare provides 30 tablets per prescription for JANUVIA®. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, MCS Classicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MCS Classicare may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MCS Classicare will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MCS Classicare to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the MCS Classicare Del Caribe (HMO), MCS Classicare En Tu Hogar (HMO), MCS Classicare Efectivo (HMO), MCS Classicare Essential (HMO-POS), MCS Classicare Exacto (HMO), MCS Classicare Excede (HMO), MCS Classicare Firme (HMO), MCS Classicare Hero (HMO), MCS Classicare Intelicare (HMO), MCS Classicare MA-PD Group (HMO-POS), MCS Classicare Primero (HMO C-SNP).formulary?" on page V for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service Call Center and ask if your drug is covered.

If you learn that MCS Classicare does not cover your drug, you have two options:

- You can ask Customer Service Call Center for a list of similar drugs that are covered by MCS Classicare. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by MCS Classicare.

- You can ask MCS Classicare to make an exception and cover your drug. See below for information about how to request an exception.

**How do I request an exception to the MCS Classicare Del Caribe (HMO), MCS Classicare En Tu Hogar (HMO), MCS Classicare Efectivo (HMO), MCS Classicare Essential (HMO-POS), MCS Classicare Exacto (HMO), MCS Classicare Excede (HMO), MCS Classicare Firme (HMO), MCS Classicare Hero (HMO), MCS Classicare Intelicare (HMO), MCS Classicare MA-PD Group (HMO-POS), MCS Classicare Primero (HMO C-SNP) Formulary?**

You can ask MCS Classicare to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, MCS Classicare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, MCS Classicare will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

**What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.



If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Please note that our transition policy applies only to those drugs that are “Part D drugs” and bought at a network pharmacy. The transition policy cannot be used to buy a non-Part D drug at an out of network pharmacy, unless you qualify for out of network access. For those members that are released from a hospital, or other care facility to their home, or if your ability to get your drugs is limited, our plan will cover a temporary 30 day supply for the drugs that are not in our formulary or have a utilization restriction, while you ask your physician to prescribe a similar drug that is covered by our plan

### **For more information**

For more detailed information about your MCS Classicare prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MCS Classicare, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 day a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

**MCS Classicare Del Caribe (HMO), MCS Classicare En Tu Hogar (HMO), MCS Classicare Efectivo (HMO), MCS Classicare Essential (HMO-POS), MCS Classicare Exacto (HMO), MCS Classicare Excede (HMO), MCS Classicare Firme (HMO), MCS Classicare Hero (HMO), MCS Classicare Intelicare (HMO), MCS Classicare MA-PD Group (HMO-POS), MCS Classicare Primero (HMO C-SNP) Formulary.**

The formulary below provides coverage information about the drugs covered by MCS Classicare. If you have trouble finding your drug in the list, turn to the Index that begins on page 115. The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., JANUVIA) and generic drugs are listed in lower-case italics (e.g., *metformin*).

The information in the Requirements/Limits column tells you if MCS Classicare has any special requirements for coverage of your drug.

## Abbreviations used in the formulary

(See Chapter 5, Section 4.2 “What kinds of restrictions”, of the Evidence of Coverage to learn which restrictions apply to your specific coverage.)

**PA** – Prior Authorization

**QL** – Quantity Limit - For certain drugs, MCS Classicare limits the amount of the drug that MCS Classicare will cover. This may be in addition to a standard one-month or three-month supply.

**ST** – Step Therapy

**GC** – Gap Coverage. We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.

**EXCL** – Excluded Drugs. This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage.) In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug. These drugs will only be available up to a 30-day supply for every fill.

**LA** – Limited Access. This prescription may be available only at certain pharmacies. For more information, consult your Providers and Pharmacies Directory or call our Customer Service Call Center at 1-866-627-8183 (Toll free) (TTY users should call 1-866-627-8182), from Monday through Sunday from 8:00 a.m. to 8:00 p.m. from October 1 to March 31 and 8:00 a.m. to 8:00 Monday through Friday and Saturday from 8:00 a.m. to 4:30 p.m. from April 1 to September 30, or visit [www.mcsclassicare.com](http://www.mcsclassicare.com).

**FFQL** – First Fill Quantity Limit. In order to provide you and your doctor with an opportunity to properly assess the effectiveness of a drug, only the first prescription fill will be covered for 30 days for some of the drugs available for a long-term supply.

**NeDS** – Non-Extended Day Supply. Drugs identified will not be available as an extended days’ supply. These drugs will only be available up to a 30-day supply for every fill.

**MO** – Mail Order. We provide coverage for some prescriptions through mail order pharmacy. For more information, call our Customer Service Call Center.

**PA BvsD** - This prescription drug requires prior authorization and may be covered under our medical benefit. For more information, call Customer Service Call Center at 1-866-627-8183 (Toll free) (TTY users should call 1-866-627-8182), from Monday through Sunday from 8:00 a.m. to 8:00 p.m. from October 1 to March 31 and 8:00 a.m. to 8:00 Monday through Friday and Saturday from 8:00 a.m. to 4:30 p.m. from April 1 to September 30 or visit [www.mcsclassicare.com](http://www.mcsclassicare.com).



<b>MCS Classicare Del Caribe (HMO)</b>					
Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$0	\$0	\$0	\$0
4	Non-Preferred Brand	\$0	\$0	\$0	\$0
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5	*A long-term supply is not available for drugs in tier 5	*A long-term supply is not available for drugs in tier 5
6	Select Care Drugs	\$0	\$0	\$0	\$0

**MCS Classicare En Tu Hogar (HMO)**

Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$5	\$10	\$15	\$10
4	Non-Preferred Brand	\$15	\$30	\$45	\$30
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5	*A long-term supply is not available for drugs in tier 5	*A long-term supply is not available for drugs in tier 5
6	Select Care Drugs	\$0	\$0	\$0	\$0

MCS Classicare Efectivo (HMO)					
Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$4	\$8	\$12	\$8
4	Non-Preferred Brand	\$14	\$28	\$42	\$28
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5	*A long-term supply is not available for drugs in tier 5	*A long-term supply is not available for drugs in tier 5
6	Select Care Drugs	\$0	\$0	\$0	\$0

<b>MCS Classicare Essential (HMO-POS)</b>					
Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$0	\$0	\$0	\$0
4	Non-Preferred Brand	\$0	\$0	\$0	\$0
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5	*A long-term supply is not available for drugs in tier 5	*A long-term supply is not available for drugs in tier 5
6	Select Care Drugs	\$0	\$0	\$0	\$0

MCS Classicare Exacto (HMO)					
Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$0	\$0	\$0	\$0
4	Non-Preferred Brand	\$0	\$0	\$0	\$0
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.
6	Select Care Drugs	\$0	\$0	\$0	\$0

MCS Classicare Excede (HMO)					
Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$0	\$0	\$0	\$0
4	Non-Preferred Brand	\$0	\$0	\$0	\$0
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.
6	Select Care Drugs	\$0	\$0	\$0	\$0



MCS Classicare Firme (HMO)					
Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$0	\$0	\$0	\$0
4	Non-Preferred Brand	\$0	\$0	\$0	\$0
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.
6	Select Care Drugs	\$0	\$0	\$0	\$0

<b>MCS Classicare Hero (HMO)</b>					
<b>Tier</b>	<b>Description</b>	<b>Standard Retail Cost-Sharing (30 days)</b>	<b>Standard Retail Cost-Sharing (60 days)</b>	<b>Standard Retail Cost-Sharing (90 days)</b>	<b>Standard Mail Order Cost-Sharing (90 days)</b>
1	Preferred Generic	\$5	\$10	\$15	\$10
2	Generic	\$10	\$20	\$30	\$20
3	Preferred Brand	\$30	\$60	\$90	\$60
4	Non-Preferred Brand	25%	25%	25%	25%
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.
6	Select Care Drugs	\$5	\$10	\$15	\$10

<b>MCS Classicare Intelicare (HMO)</b>					
Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$0	\$0	\$0	\$0
4	Non-Preferred Brand	\$0	\$0	\$0	\$0
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.
6	Select Care Drugs	\$0	\$0	\$0	\$0

**MCS Classicare MA-PD Group (HMO-POS)**

Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	<p>See chapter 6, “What you pay for your part D prescription drugs” of the Evidence of Coverage for specific cost-sharing for your group.</p> <p>*A long-term supply (60 and 90 days) is not available for drugs in tier 5.</p> <p>Mail Order is not available for drugs in tier 5- specialty drugs.</p>			
2	Generic				
3	Preferred Brand				
4	Non-Preferred Brand				
5	Specialty Tier				
6	Select Care Drugs				

<b>MCS Classicare Primero (HMO C-SNP)</b>					
Tier	Description	Standard Retail Cost-Sharing (30 days)	Standard Retail Cost-Sharing (60 days)	Standard Retail Cost-Sharing (90 days)	Standard Mail Order Cost-Sharing (90 days)
1	Preferred Generic	\$0	\$0	\$0	\$0
2	Generic	\$0	\$0	\$0	\$0
3	Preferred Brand	\$0	\$0	\$0	\$0
4	Non-Preferred Brand	\$0	\$0	\$0	\$0
5	Specialty Tier	33%	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.	*A long-term supply is not available for drugs in tier 5.
6	Select Care Drugs	\$0	\$0	\$0	\$0

## List of Covered Drugs

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>ANALGESICS</b>			
<b>ANALGESICS</b>			
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	Tencon	2	PA; GC; QL (180 per 30 days); NEDS
<i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i>	Bac	2	PA; GC; QL (180 per 30 days); NEDS
<b>NONSTEROIDAL ANTI-INFLAMMATORY DRUGS</b>			
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	CeleBREX	2	ST; GC; MO; QL (60 per 30 days)
<i>diclofenac epolamine external patch 1.3 %</i>	Flector	2	PA; GC; NEDS
<i>diclofenac potassium oral tablet 50 mg</i>		2	GC; MO
<i>diclofenac sodium er oral tablet extended release 24 hour 100 mg</i>		1	GC; MO
<i>diclofenac sodium external gel 1 %</i>	Aleve Arthritis Pain	2	GC; QL (1000 per 30 days); NEDS
<i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i>		2	GC; MO
<i>diclofenac-misoprostol oral tablet delayed release 50-0.2 mg, 75-0.2 mg</i>	Arthrotec	2	GC; MO
<i>diflunisal oral tablet 500 mg</i>		2	GC; MO
<i>ec-naproxen oral tablet delayed release 500 mg</i>	EC-Naprosyn	1	GC; MO
<i>etodolac er oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg</i>		2	GC; MO
<i>etodolac oral capsule 200 mg, 300 mg</i>		2	GC; MO
<i>etodolac oral tablet 400 mg</i>	Lodine	2	GC; MO
<i>etodolac oral tablet 500 mg</i>		2	GC; MO
<i>flurbiprofen oral tablet 100 mg</i>		2	GC; MO
<b>IBU ORAL TABLET 600 MG, 800 MG</b>		1	GC; MO
<i>ibuprofen oral suspension 100 mg/5ml</i>	Childrens Advil	1	GC; NEDS
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	IBU	1	GC; MO
<i>ketoprofen oral capsule 25 mg</i>	Kiprofen	2	GC; MO
<i>ketoprofen oral capsule 50 mg</i>		2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>ketorolac tromethamine oral tablet 10 mg</i>		2	GC; QL (20 per 5 days); NEDS
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>		1	GC; MO; QL (30 per 30 days)
<i>nabumetone oral tablet 500 mg, 750 mg</i>		1	GC; MO
<i>naproxen oral suspension 125 mg/5ml</i>	Naprosyn	2	GC; MO
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	GC; MO
<i>naproxen oral tablet 500 mg</i>	Naprosyn	1	GC; MO
<i>naproxen oral tablet delayed release 375 mg</i>	EC-Naprosyn	1	GC; MO
<i>naproxen sodium oral tablet 275 mg</i>		2	GC; MO
<i>naproxen sodium oral tablet 550 mg</i>	Anaprox DS	2	GC; MO
<i>oxaprozin oral tablet 600 mg</i>	Daypro	2	GC; MO
<i>piroxicam oral capsule 10 mg, 20 mg</i>	Feldene	2	GC; MO
<i>sulindac oral tablet 150 mg, 200 mg</i>		1	GC; MO
<b>OPIOID ANALGESICS, LONG-ACTING</b>			
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>		2	GC; QL (10 per 30 days); NEDS
<i>methadone hcl oral solution 5 mg/5ml</i>		2	GC; QL (3600 per 30 days); NEDS
<i>methadone hcl oral tablet 10 mg, 5 mg</i>		2	GC; QL (180 per 30 days); NEDS
<i>morphine sulfate er oral tablet extended release 100 mg</i>	MS Contin	2	GC; QL (120 per 30 days); NEDS
<i>morphine sulfate er oral tablet extended release 15 mg, 30 mg, 60 mg</i>	MS Contin	2	GC; QL (180 per 30 days); NEDS
<i>oxycodone hcl er oral tablet er 12 hour abuse-deterrent 10 mg, 20 mg</i>	OxyCONTIN	4	QL (60 per 30 days); NEDS
<i>tramadol hcl (er biphasic) oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg</i>		2	GC; QL (30 per 30 days); NEDS
<i>tramadol hcl er oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg</i>		2	GC; QL (30 per 30 days); NEDS
<b>OPIOID ANALGESICS, SHORT-ACTING</b>			

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>acetaminophen-codeine oral solution 120-12 mg/5ml</i>		2	GC; QL (4500 per 30 days); NEDS
<i>acetaminophen-codeine oral tablet 300-15 mg</i>		2	GC; QL (390 per 30 days); NEDS
<i>acetaminophen-codeine oral tablet 300-30 mg</i>		2	GC; QL (42 per 7 days); NEDS
<i>acetaminophen-codeine oral tablet 300-60 mg</i>		2	GC; QL (180 per 30 days); NEDS
<i>codeine sulfate oral tablet 15 mg</i>		1	GC; QL (720 per 30 days); NEDS
<i>codeine sulfate oral tablet 30 mg</i>		1	GC; QL (360 per 30 days); NEDS
<i>codeine sulfate oral tablet 60 mg</i>		1	GC; QL (180 per 30 days); NEDS
ENDOCET ORAL TABLET 10-325 MG		2	GC; QL (180 per 30 days); NEDS
ENDOCET ORAL TABLET 2.5-325 MG, 5-325 MG		2	GC; QL (360 per 30 days); NEDS
ENDOCET ORAL TABLET 7.5-325 MG		2	GC; QL (240 per 30 days); NEDS
<i>fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 600 mcg, 800 mcg</i>		5	PA; QL (120 per 30 days); NEDS
<i>fentanyl citrate buccal lozenge on a handle 200 mcg, 400 mcg</i>		4	PA; QL (120 per 30 days); NEDS
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml</i>		2	GC; QL (3600 per 30 days); NEDS
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i>		2	GC; QL (180 per 30 days); NEDS
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>		2	GC; QL (360 per 30 days); NEDS
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i>		2	GC; QL (240 per 30 days); NEDS
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>		2	GC; QL (150 per 30 days); NEDS
<i>hydromorphone hcl oral tablet 2 mg</i>	Dilaudid	2	GC; QL (960 per 30 days); NEDS
<i>hydromorphone hcl oral tablet 4 mg</i>	Dilaudid	2	GC; QL (480 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>hydromorphone hcl oral tablet 8 mg</i>	Dilaudid	2	GC; QL (21 per 7 days); NEDS
<i>morphine sulfate (concentrate) oral solution 20 mg/ml</i>		2	GC; QL (42 per 7 days); NEDS
<i>morphine sulfate oral solution 10 mg/5ml</i>		2	GC; QL (2700 per 30 days); NEDS
<i>morphine sulfate oral solution 20 mg/5ml</i>		2	GC; QL (1350 per 30 days); NEDS
<i>morphine sulfate oral tablet 15 mg</i>		2	GC; QL (360 per 30 days); NEDS
<i>morphine sulfate oral tablet 30 mg</i>		2	GC; QL (180 per 30 days); NEDS
<i>oxycodone hcl oral capsule 5 mg</i>		2	GC; QL (720 per 30 days); NEDS
<i>oxycodone hcl oral tablet 10 mg</i>		2	GC; QL (360 per 30 days); NEDS
<i>oxycodone hcl oral tablet 15 mg</i>	Roxicodone	2	GC; QL (240 per 30 days); NEDS
<i>oxycodone hcl oral tablet 20 mg</i>		2	GC; QL (180 per 30 days); NEDS
<i>oxycodone hcl oral tablet 30 mg</i>	Roxicodone	2	GC; QL (14 per 7 days); NEDS
<i>oxycodone hcl oral tablet 5 mg</i>		2	GC; QL (720 per 30 days); NEDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	Endocet	2	GC; QL (180 per 30 days); NEDS
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	Endocet	2	GC; QL (360 per 30 days); NEDS
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	Endocet	2	GC; QL (240 per 30 days); NEDS
<i>tramadol hcl oral tablet 100 mg</i>		2	GC; QL (120 per 30 days); NEDS
<i>tramadol hcl oral tablet 50 mg</i>		2	GC; QL (240 per 30 days); NEDS
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>		2	GC; QL (56 per 7 days); NEDS
<b>ANESTHETICS</b>			
<b>LOCAL ANESTHETICS</b>			

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>lidocaine external ointment 5 %</i>		2	PA; GC; QL (50 per 30 days); NEDS
<i>lidocaine external patch 5 %</i>	Lidocan	2	GC; QL (90 per 30 days); NEDS
<i>lidocaine hcl external solution 4 %</i>		2	PA; GC; NEDS
<i>lidocaine viscous hcl mouth/throat solution 2 %</i>		2	GC; NEDS
<i>lidocaine-prilocaine external cream 2.5-2.5 %</i>		2	GC; QL (30 per 30 days); NEDS
<b>ANTI-ADDICTION/ SUBSTANCE ABUSE TREATMENT AGENTS</b>			
<b>ALCOHOL DETERRENTS/ANTI-CRAVING</b>			
<i>acamprosate calcium oral tablet delayed release 333 mg</i>		2	GC; MO
<i>disulfiram oral tablet 250 mg</i>		2	GC; MO
<i>naltrexone hcl oral tablet 50 mg</i>		1	GC; NEDS
<b>OPIOID DEPENDENCE</b>			
<i>buprenorphine hcl sublingual tablet sublingual 2 mg</i>		2	GC; QL (240 per 30 days); NEDS
<i>buprenorphine hcl sublingual tablet sublingual 8 mg</i>		2	GC; QL (90 per 30 days); NEDS
<i>buprenorphine hcl-naloxone hcl sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i>	Suboxone	2	GC; QL (60 per 30 days); NEDS
<i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg, 8-2 mg</i>		2	GC; QL (120 per 30 days); NEDS
<b>OPIOID REVERSAL AGENTS</b>			
<i>naloxone hcl injection solution 0.4 mg/ml</i>		1	GC; NEDS
<i>naloxone hcl injection solution cartridge 0.4 mg/ml</i>		1	GC; NEDS
<i>naloxone hcl injection solution prefilled syringe 2 mg/2ml</i>		1	GC; NEDS
<i>naloxone hcl nasal liquid 4 mg/0.1ml</i>	Narcan	2	GC; NEDS
ZIMHI INJECTION SOLUTION PREFILLED SYRINGE 5 MG/0.5ML		1	GC; QL (1 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>SMOKING CESSATION AGENTS</b>			
<i>bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg</i>		2	GC; QL (60 per 30 days); NEDS
NICOTROL INHALATION INHALER 10 MG		4	NEDS
NICOTROL NS NASAL SOLUTION 10 MG/ML		4	NEDS
<i>varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 &amp; 1 mg x 42</i>		3	QL (53 per 28 days); NEDS
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i>		3	QL (56 per 28 days); NEDS
<b>ANTIBACTERIALS</b>			
<b>AMINOGLYCOSIDES</b>			
ARIKAYCE INHALATION SUSPENSION 590 MG/8.4ML		5	PA; NEDS
<i>gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%</i>		2	GC; NEDS
<i>gentamicin sulfate external cream 0.1 %</i>		2	GC; NEDS
<i>gentamicin sulfate external ointment 0.1 %</i>		2	GC; NEDS
<i>gentamicin sulfate injection solution 40 mg/ml</i>		1	GC; NEDS
<i>neomycin sulfate oral tablet 500 mg</i>		2	GC; NEDS
<i>streptomycin sulfate intramuscular solution reconstituted 1 gm</i>		2	GC; NEDS
<i>tobramycin sulfate injection solution 10 mg/ml, 80 mg/2ml</i>		2	PA-BvsD; GC; NEDS
ZEMDRI INTRAVENOUS SOLUTION 500 MG/10ML		5	NEDS
<b>ANTIBACTERIALS, OTHER</b>			
<i>aztreonam injection solution reconstituted 1 gm, 2 gm</i>	Azactam	2	GC; NEDS
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	Cleocin	1	GC; NEDS
<i>clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml</i>	Cleocin	2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>clindamycin phosphate in d5w intravenous solution 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i>		2	GC; NEDS
<i>clindamycin phosphate injection solution 600 mg/4ml, 900 mg/6ml</i>	Cleocin Phosphate	2	PA-BvsD; GC; NEDS
<i>clindamycin phosphate vaginal cream 2 %</i>	Cleocin	2	GC; NEDS
<i>colistimethate sodium (cba) injection solution reconstituted 150 mg</i>	Coly-Mycin M	2	PA-BvsD; GC; NEDS
<i>daptomycin intravenous solution reconstituted 350 mg</i>		5	NEDS
<i>daptomycin intravenous solution reconstituted 500 mg</i>	Cubicin RF	5	NEDS
<i>fosfomycin tromethamine oral packet 3 gm</i>		2	GC; NEDS
<i>linezolid intravenous solution 600 mg/300ml</i>	Zyvox	4	PA; NEDS
<i>linezolid oral suspension reconstituted 100 mg/5ml</i>	Zyvox	5	PA; QL (1800 per 30 days); NEDS
<i>linezolid oral tablet 600 mg</i>	Zyvox	2	PA; GC; QL (60 per 30 days); NEDS
<i>methenamine hippurate oral tablet 1 gm</i>	Hiprex	2	GC; NEDS
<i>metronidazole external cream 0.75 %</i>	MetroCream	2	GC; NEDS
<i>metronidazole external gel 0.75 %</i>		2	GC; NEDS
<i>metronidazole external gel 1 %</i>	Metrogel	2	GC; NEDS
<i>metronidazole external lotion 0.75 %</i>	MetroLotion	2	GC; NEDS
<i>metronidazole intravenous solution 500 mg/100ml</i>		2	PA-BvsD; GC; NEDS
<i>metronidazole oral tablet 250 mg, 500 mg</i>		1	GC; NEDS
<i>metronidazole vaginal gel 0.75 %</i>	Vandazole	2	GC; NEDS
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	Macrochantin	2	GC; QL (60 per 30 days); NEDS
<i>nitrofurantoin monohyd macro oral capsule 100 mg</i>	Macrobid	2	GC; QL (60 per 30 days); NEDS
<i>nitrofurantoin oral suspension 25 mg/5ml</i>		2	GC; NEDS
<i>tigecycline intravenous solution reconstituted 50 mg</i>	Tygacil	5	PA-BvsD; NEDS
<i>tinidazole oral tablet 250 mg, 500 mg</i>		2	GC; NEDS
<i>trimethoprim oral tablet 100 mg</i>		1	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>vancomycin hcl intravenous solution reconstituted 1 gm</i>		4	NEDS
<i>vancomycin hcl oral capsule 125 mg</i>	Vancocin	4	QL (300 per 30 days); NEDS
<i>vancomycin hcl oral capsule 250 mg</i>	Vancocin	4	QL (170 per 30 days); NEDS
<i>vancomycin hcl oral solution reconstituted 25 mg/ml, 250 mg/5ml</i>	Firvanq	2	GC; NEDS
VANDAZOLE VAGINAL GEL 0.75 %		4	NEDS
XIFAXAN ORAL TABLET 200 MG		4	NEDS
XIFAXAN ORAL TABLET 550 MG		4	MO
<b>BETA-LACTAM, CEPHALOSPORINS</b>			
<i>cefaclor oral capsule 250 mg, 500 mg</i>		2	GC; NEDS
<i>cefadroxil oral capsule 500 mg</i>		1	GC; NEDS
<i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i>		2	GC; NEDS
<i>cefadroxil oral tablet 1 gm</i>		2	GC; NEDS
<i>cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 500 mg</i>		2	GC; NEDS
<i>cefdinir oral capsule 300 mg</i>		2	GC; NEDS
<i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>		2	GC; NEDS
<i>cefepime hcl injection solution reconstituted 1 gm</i>		2	GC; NEDS
<i>cefepime hcl intravenous solution reconstituted 2 gm</i>		2	GC; NEDS
<i>cefixime oral capsule 400 mg</i>		2	GC; NEDS
<i>cefixime oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>		2	GC; NEDS
<i>cefoxitin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>		2	PA-BvsD; GC; NEDS
<i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i>		1	GC; NEDS
<i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i>		2	GC; NEDS
<i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>cefprozil oral tablet 250 mg, 500 mg</i>		2	GC; NEDS
<i>ceftazidime injection solution reconstituted 1 gm</i>	Tazicef	2	GC; NEDS
<i>ceftazidime injection solution reconstituted 6 gm</i>		2	GC; NEDS
<i>ceftazidime intravenous solution reconstituted 2 gm</i>	Tazicef	2	GC; NEDS
<i>ceftriaxone sodium injection solution reconstituted 1 gm, 2 gm, 250 mg, 500 mg</i>		2	GC; NEDS
<i>ceftriaxone sodium intravenous solution reconstituted 10 gm</i>		2	GC; NEDS
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>		2	GC; NEDS
<i>cefuroxime sodium injection solution reconstituted 750 mg</i>		2	PA-BvsD; GC; NEDS
<i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i>		2	PA-BvsD; GC; NEDS
<i>cephalexin oral capsule 250 mg, 500 mg</i>		1	GC; NEDS
<i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>		2	GC; NEDS
<i>cephalexin oral tablet 250 mg, 500 mg</i>		2	GC; NEDS
<b>TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG</b>		5	PA-BvsD; NEDS
<b>BETA-LACTAM, PENICILLINS</b>			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>		1	GC; NEDS
<i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i>		1	GC; NEDS
<i>amoxicillin oral tablet 500 mg, 875 mg</i>		1	GC; NEDS
<i>amoxicillin oral tablet chewable 125 mg, 250 mg</i>		1	GC; NEDS
<i>amoxicillin-pot clavulanate er oral tablet extended release 12 hour 1000-62.5 mg</i>		4	NEDS
<i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml</i>		2	GC; NEDS
<i>amoxicillin-pot clavulanate oral suspension reconstituted 600-42.9 mg/5ml</i>	Augmentin ES-600	2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>		2	GC; NEDS
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i>	Augmentin	2	GC; NEDS
<i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg, 400-57 mg</i>		2	GC; NEDS
<i>ampicillin oral capsule 500 mg</i>		1	GC; NEDS
<i>ampicillin sodium injection solution reconstituted 1 gm, 125 mg</i>		2	PA-BvsD; GC; NEDS
<i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2- 1) gm</i>	Unasyn	2	GC; NEDS
<i>ampicillin-sulbactam sodium intravenous solution reconstituted 15 (10-5) gm</i>	Unasyn	2	GC; NEDS
BICILLIN C-R 900/300 INTRAMUSCULAR SUSPENSION 900000-300000 UNIT/2ML		4	NEDS
BICILLIN C-R INTRAMUSCULAR SUSPENSION 1200000 UNIT/2ML		4	NEDS
BICILLIN L-A INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1200000 UNIT/2ML, 2400000 UNIT/4ML, 600000 UNIT/ML		4	NEDS
<i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i>		2	GC; NEDS
<i>nafcillin sodium injection solution reconstituted 1 gm, 2 gm</i>		2	GC; NEDS
<i>nafcillin sodium intravenous solution reconstituted 10 gm</i>		2	GC; NEDS
<i>penicillin g potassium injection solution reconstituted 20000000 unit</i>	Pfizerpen	4	PA-BvsD; NEDS
<i>penicillin g sodium injection solution reconstituted 5000000 unit</i>		4	PA-BvsD; NEDS
<i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i>		2	GC; NEDS
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>		1	GC; NEDS
<i>piperacillin sod-tazobactam so intravenous solution reconstituted 2.25 (2- 0.25) gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>piperacillin sod-tazobactam so intravenous solution reconstituted 40.5 (36-4.5) gm</i>		1	GC; NEDS
<b>CARBAPENEMS</b>			
<i>ertapenem sodium injection solution reconstituted 1 gm</i>		2	GC; NEDS
<i>imipenem-cilastatin intravenous solution reconstituted 250 mg</i>		2	GC; NEDS
<i>imipenem-cilastatin intravenous solution reconstituted 500 mg</i>	Primaxin IV	2	GC; NEDS
<i>meropenem intravenous solution reconstituted 1 gm, 500 mg</i>		2	GC; NEDS
<b>MACROLIDES</b>			
<i>azithromycin intravenous solution reconstituted 500 mg</i>	Zithromax	2	PA-BvsD; GC; NEDS
<i>azithromycin oral packet 1 gm</i>	Zithromax	2	GC; NEDS
<i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>	Zithromax	2	GC; NEDS
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack)</i>	Zithromax	1	GC; NEDS
<i>azithromycin oral tablet 600 mg</i>		2	GC; NEDS
<i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>		2	GC; NEDS
<i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>		2	GC; NEDS
<i>clarithromycin oral tablet 250 mg, 500 mg</i>		2	GC; NEDS
DIFICID ORAL TABLET 200 MG		5	ST; QL (20 per 10 days); NEDS
ERYTHROCIN STEARATE ORAL TABLET 250 MG		4	NEDS
<i>erythromycin base oral capsule delayed release particles 250 mg</i>		2	GC; NEDS
<i>erythromycin base oral tablet 250 mg, 500 mg</i>		2	GC; NEDS
<i>erythromycin ethylsuccinate oral suspension reconstituted 200 mg/5ml</i>	E.E.S. Granules	4	NEDS
<i>erythromycin ethylsuccinate oral tablet 400 mg</i>	E.E.S. 400	2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>erythromycin oral tablet delayed release 250 mg, 333 mg, 500 mg</i>	Ery-Tab	2	GC; NEDS
<b>QUINOLONES</b>			
<i>ciprofloxacin hcl ophthalmic solution 0.3 %</i>		1	GC; QL (30 per 30 days); NEDS
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i>	Cipro	1	GC; NEDS
<i>ciprofloxacin hcl oral tablet 750 mg</i>		1	GC; NEDS
<i>ciprofloxacin in d5w intravenous solution 200 mg/100ml</i>		2	PA-BvsD; GC; NEDS
<i>levofloxacin in d5w intravenous solution 500 mg/100ml, 750 mg/150ml</i>		2	GC; NEDS
<i>levofloxacin oral solution 25 mg/ml</i>		2	GC; NEDS
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>		2	GC; NEDS
<i>moxifloxacin hcl in nacl intravenous solution 400 mg/250ml</i>		4	NEDS
<i>moxifloxacin hcl oral tablet 400 mg</i>		4	NEDS
<i>ofloxacin oral tablet 300 mg, 400 mg</i>		2	GC; NEDS
<b>SULFONAMIDES</b>			
<i>sulfacetamide sodium (acne) external lotion 10 %</i>	Klaron	2	GC; NEDS
<i>sulfadiazine oral tablet 500 mg</i>		2	GC; NEDS
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>	Sulfatrim Pediatric	2	GC; NEDS
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	Bactrim	1	GC; NEDS
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	Bactrim DS	1	GC; NEDS
<b>TETRACYCLINES</b>			
<i>demeclocycline hcl oral tablet 150 mg, 300 mg</i>		2	GC; NEDS
<b>DOXY 100 INTRAVENOUS SOLUTION RECONSTITUTED 100 MG</b>		2	PA-BvsD; GC; NEDS
<i>doxycycline hyclate oral capsule 100 mg</i>	Vibramycin	2	GC; NEDS
<i>doxycycline hyclate oral capsule 50 mg</i>		2	GC; NEDS
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>doxycycline monohydrate oral capsule 100 mg</i>	Mondoxyne NL	1	GC; NEDS
<i>doxycycline monohydrate oral capsule 50 mg</i>		1	GC; NEDS
<i>doxycycline monohydrate oral suspension reconstituted 25 mg/5ml</i>	Vibramycin	2	GC; NEDS
<i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i>		2	GC; NEDS
<i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i>		1	GC; NEDS
<i>minocycline hcl oral tablet 100 mg, 50 mg, 75 mg</i>		2	GC; NEDS
<i>tetracycline hcl oral capsule 250 mg, 500 mg</i>		2	GC; NEDS
<b>ANTICONVULSANTS</b>			
<b>ANTICONVULSANTS, OTHER</b>			
BRIVIACT ORAL SOLUTION 10 MG/ML		5	PA; NEDS
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG		5	PA; NEDS
DIACOMIT ORAL CAPSULE 250 MG, 500 MG		5	PA; NEDS
DIACOMIT ORAL PACKET 250 MG, 500 MG		5	PA; NEDS
EPIDIOLEX ORAL SOLUTION 100 MG/ML		5	PA; NEDS
<i>felbamate oral suspension 600 mg/5ml</i>		5	NEDS
<i>felbamate oral tablet 400 mg, 600 mg</i>	Felbatol	2	GC; MO
FINTEPLA ORAL SOLUTION 2.2 MG/ML		5	PA; NEDS
FYCOMPA ORAL SUSPENSION 0.5 MG/ML		5	PA; NEDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG		5	PA; NEDS
FYCOMPA ORAL TABLET 2 MG		4	PA; MO; FFQL
<i>lamotrigine er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	LaMICtal XR	2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>lamotrigine oral kit 21 x 25 mg &amp; 7 x 50 mg, 25 &amp; 50 &amp; 100 mg, 42 x 50 mg &amp; 14x100 mg</i>	LaMICtal ODT	2	GC; NEDS
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	LaMICtal	1	GC; MO
<i>lamotrigine oral tablet chewable 25 mg, 5 mg</i>	LaMICtal	2	GC; MO
<i>lamotrigine oral tablet dispersible 100 mg, 200 mg, 25 mg, 50 mg</i>	LaMICtal ODT	2	GC; MO
<i>lamotrigine starter kit-blue oral kit 35 x 25 mg</i>	LaMICtal Starter	2	GC; NEDS
<i>lamotrigine starter kit-green oral kit 84 x 25 mg &amp; 14x100 mg</i>	LaMICtal Starter	2	GC; NEDS
<i>lamotrigine starter kit-orange oral kit 42 x 25 mg &amp; 7 x 100 mg</i>	LaMICtal Starter	2	GC; NEDS
<i>levetiracetam er oral tablet extended release 24 hour 500 mg</i>	Keppra XR	2	GC; MO; QL (180 per 30 days)
<i>levetiracetam er oral tablet extended release 24 hour 750 mg</i>	Keppra XR	2	GC; MO; QL (120 per 30 days)
<i>levetiracetam oral solution 100 mg/ml</i>	Keppra	2	GC; MO
<i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i>	Keppra	2	GC; MO
<i>phenobarbital oral elixir 20 mg/5ml</i>		2	GC; MO
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>		2	GC; MO
<i>primidone oral tablet 125 mg</i>		1	GC; MO
<i>primidone oral tablet 250 mg, 50 mg</i>	Mysoline	1	GC; MO
SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG		4	MO; QL (90 per 30 days); FFQL
SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 250 MG, 500 MG, 750 MG		4	MO; QL (120 per 30 days); FFQL
<i>valproic acid oral capsule 250 mg</i>		2	GC; MO
<i>valproic acid oral solution 250 mg/5ml</i>		2	GC; MO
XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG		5	PA; QL (56 per 28 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200 MG		5	PA; QL (56 per 28 days); NEDS
XCOPRI ORAL TABLET 100 MG, 50 MG		5	PA; QL (30 per 30 days); NEDS
XCOPRI ORAL TABLET 150 MG, 200 MG		5	PA; QL (60 per 30 days); NEDS
XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG		4	PA; QL (28 per 28 days); NEDS
XCOPRI ORAL TABLET THERAPY PACK 14 X 150 MG & 14 X 200 MG, 14 X 50 MG & 14 X 100 MG		5	PA; QL (28 per 28 days); NEDS
ZTALMY ORAL SUSPENSION 50 MG/ML		5	PA; QL (1100 per 30 days); NEDS
<b>CALCIUM CHANNEL MODIFYING AGENTS</b>			
<i>ethosuximide oral capsule 250 mg</i>	Zarontin	2	GC; MO
<i>ethosuximide oral solution 250 mg/5ml</i>	Zarontin	2	GC; MO
<i>methsuximide oral capsule 300 mg</i>	Celontin	2	GC; MO
ZONISADE ORAL SUSPENSION 100 MG/5ML		4	MO; FFQL
<i>zonisamide oral capsule 100 mg, 25 mg</i>	Zonegran	2	GC; MO
<i>zonisamide oral capsule 50 mg</i>		2	GC; MO
<b>GAMMA-AMINO BUTYRIC ACID (GABA) AUGMENTING AGENTS</b>			
<i>clobazam oral suspension 2.5 mg/ml</i>	Onfi	2	PA; GC; MO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	Onfi	2	PA; GC; MO; QL (60 per 30 days)
<i>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</i>		2	GC; NEDS
<i>gabapentin oral capsule 100 mg, 300 mg</i>	Neurontin	1	GC; MO; QL (300 per 30 days)
<i>gabapentin oral capsule 400 mg</i>	Neurontin	1	GC; MO; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5ml</i>	Neurontin	2	GC; MO; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	Neurontin	1	GC; MO; QL (180 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>gabapentin oral tablet 800 mg</i>	Neurontin	1	GC; MO; QL (120 per 30 days)
NAYZILAM NASAL SOLUTION 5 MG/0.1ML		4	PA; NEDS
SYMPAZAN ORAL FILM 10 MG, 20 MG		5	PA; QL (60 per 30 days); NEDS
SYMPAZAN ORAL FILM 5 MG		4	PA; MO; QL (60 per 30 days); FFQL
<i>tiagabine hcl oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>		2	GC; MO
VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML		4	NEDS
VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 7.5 MG/0.1ML		4	NEDS
VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 10 MG/0.1ML		4	NEDS
VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML		4	NEDS
<i>vigabatrin oral packet 500 mg</i>	Vigpoder	5	PA; QL (180 per 30 days); NEDS
<i>vigabatrin oral tablet 500 mg</i>	Vigadrone	5	PA; QL (180 per 30 days); NEDS
VIGADRONE ORAL TABLET 500 MG		5	PA; QL (180 per 30 days); NEDS
VIGPODER ORAL PACKET 500 MG		5	PA; QL (180 per 30 days); NEDS
<b>SODIUM CHANNEL AGENTS</b>			
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG		5	PA; QL (60 per 30 days); NEDS
<i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i>	Carbatrol	2	GC; MO
<i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i>	TEGretol-XR	2	GC; MO
<i>carbamazepine oral suspension 100 mg/5ml</i>	TEGretol	2	GC; MO
<i>carbamazepine oral tablet 200 mg</i>	Epitol	2	GC; MO
<i>carbamazepine oral tablet chewable 100 mg</i>		2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>lacosamide oral solution 10 mg/ml</i>	Vimpat	2	GC; MO; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	Vimpat	2	GC; MO; QL (60 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5ml</i>	Trileptal	2	GC; MO
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	Trileptal	2	GC; MO
<i>phenytoin oral suspension 125 mg/5ml</i>	Dilantin	2	GC; MO
<i>phenytoin oral tablet chewable 50 mg</i>	Dilantin Infatabs	1	GC; MO
<i>phenytoin sodium extended oral capsule 100 mg</i>	Dilantin	2	GC; MO
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	Phenytek	2	GC; MO
<i>rufinamide oral suspension 40 mg/ml</i>	Banzel	5	PA; QL (2400 per 30 days); NEDS
<i>rufinamide oral tablet 200 mg</i>	Banzel	4	PA; MO; QL (240 per 30 days); FFQL
<i>rufinamide oral tablet 400 mg</i>	Banzel	5	PA; QL (240 per 30 days); NEDS
<b>ANTIDEMENTIA AGENTS</b>			
<b>ANTIDEMENTIA AGENTS, OTHER</b>			
<i>ergoloid mesylates oral tablet 1 mg</i>		2	PA; GC; MO
<i>memantine hcl er oral capsule extended release 24 hour 14 mg, 21 mg, 28 mg</i>	Namenda XR	2	GC; MO; QL (30 per 30 days)
<i>memantine hcl er oral capsule extended release 24 hour 7 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>memantine hcl oral solution 2 mg/ml</i>		2	GC; MO; QL (300 per 30 days)
<i>memantine hcl oral tablet 10 mg, 5 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>memantine hcl oral tablet 28 x 5 mg &amp; 21 x 10 mg</i>	Namenda Titration Pak	2	GC; QL (49 per 28 days); NEDS
<b>CHOLINESTERASE INHIBITORS</b>			
<i>donepezil hcl oral tablet 10 mg, 5 mg</i>	Aricept	1	GC; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>donepezil hcl oral tablet 23 mg</i>	Aricept	2	GC; MO; QL (30 per 30 days)
<i>donepezil hcl oral tablet dispersible 10 mg, 5 mg</i>		1	GC; MO; QL (30 per 30 days)
<i>galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>galantamine hydrobromide oral solution 4 mg/ml</i>		2	GC; MO; QL (180 per 30 days)
<i>galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr</i>	Exelon	2	GC; MO; QL (30 per 30 days)
<b>ANTIDEPRESSANTS</b>			
<b>ANTIDEPRESSANTS, OTHER</b>			
AUVELITY ORAL TABLET EXTENDED RELEASE 45-105 MG		4	MO; QL (60 per 30 days); FFQL
<i>bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg</i>	Wellbutrin SR	1	GC; MO; QL (60 per 30 days)
<i>bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg</i>	Wellbutrin XL	2	GC; MO; QL (60 per 30 days)
<i>bupropion hcl er (xl) oral tablet extended release 24 hour 300 mg</i>	Wellbutrin XL	2	GC; MO; QL (30 per 30 days)
<i>bupropion hcl er (xl) oral tablet extended release 24 hour 450 mg</i>	Forfivo XL	2	GC; MO; QL (30 per 30 days)
<i>bupropion hcl oral tablet 100 mg</i>		1	GC; MO; QL (90 per 30 days)
<i>bupropion hcl oral tablet 75 mg</i>		1	GC; MO; QL (180 per 30 days)
<i>chlordiazepoxide-amitriptyline oral tablet 10-25 mg, 5-12.5 mg</i>		2	PA; GC; MO
<i>mirtazapine oral tablet 15 mg, 30 mg</i>	Remeron	2	GC; MO; QL (30 per 30 days)
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg</i>	Remeron SolTab	2	GC; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>olanzapine-fluoxetine hcl oral capsule 12-25 mg, 12-50 mg, 6-50 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>olanzapine-fluoxetine hcl oral capsule 3-25 mg, 6-25 mg</i>	Symbyax	2	GC; MO; QL (30 per 30 days)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>		2	GC; MO
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG		5	PA; QL (28 per 14 days); NEDS
ZURZUVAE ORAL CAPSULE 30 MG		5	PA; QL (14 per 14 days); NEDS
<b>MONOAMINE OXIDASE INHIBITORS</b>			
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR		5	PA; QL (30 per 30 days); NEDS
MARPLAN ORAL TABLET 10 MG		4	MO; FFQL
<i>phenelzine sulfate oral tablet 15 mg</i>	Nardil	2	GC; MO
<i>tranylcypromine sulfate oral tablet 10 mg</i>	Parnate	2	GC; MO
<b>SSRIS/SNRIS (SELECTIVE SEROTONIN REUPTAKE INHIBITOR/SEROTONIN AND NOREPINEPHRINE REUPTAKE INHIBITOR)</b>			
<i>citalopram hydrobromide oral capsule 30 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>citalopram hydrobromide oral solution 10 mg/5ml</i>		2	GC; MO; QL (600 per 30 days)
<i>citalopram hydrobromide oral tablet 10 mg</i>	CeleXA	1	GC; MO; QL (45 per 30 days)
<i>citalopram hydrobromide oral tablet 20 mg</i>	CeleXA	1	GC; MO; QL (60 per 30 days)
<i>citalopram hydrobromide oral tablet 40 mg</i>	CeleXA	1	GC; MO; QL (30 per 30 days)
<i>desvenlafaxine er oral tablet extended release 24 hour 100 mg, 50 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 50 mg</i>	Pristiq	2	GC; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>desvenlafaxine succinate er oral tablet extended release 24 hour 25 mg</i>	Pristiq	2	GC; MO; QL (60 per 30 days)
<i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i>	Cymbalta	2	GC; MO; QL (60 per 30 days)
<i>duloxetine hcl oral capsule delayed release particles 40 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5ml</i>		2	GC; MO; QL (600 per 30 days)
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	Lexapro	1	GC; MO; QL (30 per 30 days)
FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG		3	ST; MO; QL (30 per 30 days); FFQL
FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG		3	ST; QL (28 per 28 days); NEDS
<i>fluoxetine hcl oral capsule 10 mg, 40 mg</i>	PROzac	1	GC; MO; QL (60 per 30 days)
<i>fluoxetine hcl oral capsule 20 mg</i>	PROzac	1	GC; MO; QL (120 per 30 days)
<i>fluoxetine hcl oral capsule delayed release 90 mg</i>		2	GC; MO; QL (4 per 28 days)
<i>fluoxetine hcl oral solution 20 mg/5ml</i>		2	GC; MO; QL (600 per 30 days)
<i>fluoxetine hcl oral tablet 10 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>fluoxetine hcl oral tablet 20 mg</i>		2	GC; MO; QL (120 per 30 days)
<i>fluoxetine hcl oral tablet 60 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>fluvoxamine maleate er oral capsule extended release 24 hour 100 mg, 150 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>fluvoxamine maleate oral tablet 100 mg</i>		1	GC; MO; QL (90 per 30 days)
<i>fluvoxamine maleate oral tablet 25 mg, 50 mg</i>		1	GC; MO; QL (60 per 30 days)
<i>nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>		2	GC; MO
<i>paroxetine hcl er oral tablet extended release 24 hour 12.5 mg</i>	Paxil CR	2	GC; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>paroxetine hcl er oral tablet extended release 24 hour 25 mg, 37.5 mg</i>	Paxil CR	2	GC; MO; QL (60 per 30 days)
<i>paroxetine hcl oral suspension 10 mg/5ml</i>	Paxil	2	GC; MO; QL (900 per 30 days)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg</i>	Paxil	1	GC; MO; QL (60 per 30 days)
<i>paroxetine hcl oral tablet 40 mg</i>	Paxil	1	GC; MO; QL (30 per 30 days)
<i>sertraline hcl oral capsule 150 mg, 200 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>sertraline hcl oral concentrate 20 mg/ml</i>	Zoloft	2	GC; MO; QL (300 per 30 days)
<i>sertraline hcl oral tablet 100 mg</i>	Zoloft	1	GC; MO; QL (60 per 30 days)
<i>sertraline hcl oral tablet 25 mg, 50 mg</i>	Zoloft	1	GC; MO; QL (45 per 30 days)
<i>trazodone hcl oral tablet 100 mg, 150 mg, 50 mg</i>		1	GC; MO
<i>trazodone hcl oral tablet 300 mg</i>		2	GC; MO
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG		4	ST; MO; QL (30 per 30 days); FFQL
<i>venlafaxine besylate er oral tablet extended release 24 hour 112.5 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg</i>	Effexor XR	1	GC; MO; QL (30 per 30 days)
<i>venlafaxine hcl er oral capsule extended release 24 hour 75 mg</i>	Effexor XR	1	GC; MO; QL (90 per 30 days)
<i>venlafaxine hcl er oral tablet extended release 24 hour 150 mg, 225 mg, 37.5 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>venlafaxine hcl er oral tablet extended release 24 hour 75 mg</i>		2	GC; MO; QL (90 per 30 days)
<i>venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>		1	GC; MO; QL (90 per 30 days)
<i>vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg</i>	Viibryd	2	GC; MO; QL (30 per 30 days)
<b>TRICYCLICS</b>			
<i>amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>		2	GC; MO
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>		2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg</i>	Anafranil	2	GC; MO
<i>desipramine hcl oral tablet 10 mg, 25 mg</i>	Norpramin	2	GC; MO
<i>desipramine hcl oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>		2	GC; MO
<i>doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>		2	GC; MO
<i>doxepin hcl oral concentrate 10 mg/ml</i>		2	GC; MO
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		2	GC; MO
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>		2	GC; MO
<i>nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	Pamelor	2	GC; MO
<i>nortriptyline hcl oral solution 10 mg/5ml</i>		2	GC; MO
<i>protriptyline hcl oral tablet 10 mg, 5 mg</i>		2	GC; MO
<i>trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg</i>		2	GC; MO
<b>ANTIEMETICS</b>			
<b>ANTIEMETICS, OTHER</b>			
<i>meclizine hcl oral tablet 12.5 mg</i>		1	GC; NEDS
<i>meclizine hcl oral tablet 25 mg</i>	Dramamine	1	GC; NEDS
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>		1	GC; MO
<i>prochlorperazine rectal suppository 25 mg</i>	Compro	2	GC; NEDS
<i>promethazine hcl oral syrup 6.25 mg/5ml</i>		2	PA; GC; NEDS
<i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>		1	PA; GC; NEDS
<i>promethazine hcl rectal suppository 25 mg</i>	Promethegan	4	PA; NEDS
<b>PROMETHEGAN RECTAL SUPPOSITORY 25 MG</b>		4	PA; NEDS
<i>scopolamine transdermal patch 72 hour 1 mg/3days</i>	Transderm-Scop	2	GC; NEDS
<i>trimethobenzamide hcl oral capsule 300 mg</i>		2	GC; NEDS
<b>EMETOGENIC THERAPY ADJUNCTS</b>			

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>aprepitant oral capsule 125 mg, 40 mg</i>		2	PA-BvsD; GC; QL (8 per 30 days); NEDS
<i>aprepitant oral capsule 80 &amp; 125 mg</i>	Emend Tri-Pack	4	PA-BvsD; QL (12 per 30 days); NEDS
<i>aprepitant oral capsule 80 mg</i>	Emend	2	PA-BvsD; GC; QL (8 per 30 days); NEDS
<i>dronabinol oral capsule 10 mg, 5 mg</i>		2	PA; GC; QL (60 per 30 days); NEDS
<i>dronabinol oral capsule 2.5 mg</i>	Marinol	2	PA; GC; QL (60 per 30 days); NEDS
<i>granisetron hcl oral tablet 1 mg</i>		2	PA-BvsD; GC; QL (60 per 30 days); NEDS
<i>ondansetron hcl oral solution 4 mg/5ml</i>		2	PA-BvsD; GC; QL (450 per 30 days); NEDS
<i>ondansetron hcl oral tablet 4 mg</i>		2	PA-BvsD; GC; QL (120 per 30 days); NEDS
<i>ondansetron hcl oral tablet 8 mg</i>		2	PA-BvsD; GC; QL (90 per 30 days); NEDS
<i>ondansetron oral tablet dispersible 4 mg</i>		2	PA-BvsD; GC; QL (120 per 30 days); NEDS
<i>ondansetron oral tablet dispersible 8 mg</i>		2	PA-BvsD; GC; QL (90 per 30 days); NEDS

## **ANTIFUNGALS**

### **ANTIFUNGALS**

<i>amphotericin b intravenous solution reconstituted 50 mg</i>		4	PA-BvsD; NEDS
<i>amphotericin b liposome intravenous suspension reconstituted 50 mg</i>	AmBisome	5	PA-BvsD; NEDS
<i>ciclopirox olamine external cream 0.77 %</i>		1	GC; NEDS
<i>ciclopirox olamine external suspension 0.77 %</i>		2	GC; NEDS
<i>clotrimazole external cream 1 %</i>	Desenex	1	GC; NEDS
<i>clotrimazole external solution 1 %</i>		2	GC; NEDS
<i>clotrimazole mouth/throat troche 10 mg</i>		2	GC; NEDS
<i>econazole nitrate external cream 1 %</i>		2	GC; QL (255 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i>		2	PA-BvsD; GC; NEDS
<i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i>	Diflucan	2	GC; NEDS
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg</i>	Diflucan	2	GC; NEDS
<i>fluconazole oral tablet 50 mg</i>		2	GC; NEDS
<i>flucytosine oral capsule 250 mg, 500 mg</i>	Ancobon	5	NEDS
<i>griseofulvin microsize oral suspension 125 mg/5ml</i>		2	GC; NEDS
<i>griseofulvin microsize oral tablet 500 mg</i>		2	GC; NEDS
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		2	GC; NEDS
<i>itraconazole oral capsule 100 mg</i>	Sporanox	2	PA; GC; QL (120 per 30 days); NEDS
<i>ketoconazole external cream 2 %</i>		2	GC; QL (600 per 30 days); NEDS
<i>ketoconazole external shampoo 2 %</i>		1	GC; NEDS
<i>ketoconazole oral tablet 200 mg</i>		2	GC; NEDS
<i>micafungin sodium intravenous solution reconstituted 100 mg, 50 mg</i>	Mycamine	5	NEDS
<i>miconazole 3 vaginal suppository 200 mg</i>		2	GC; NEDS
<b>NOXAFIL ORAL PACKET 300 MG</b>		5	PA; NEDS
<i>nystatin external cream 100000 unit/gm</i>		1	GC; NEDS
<i>nystatin external ointment 100000 unit/gm</i>		1	GC; NEDS
<i>nystatin external powder 100000 unit/gm</i>	Klayesta	2	GC; NEDS
<i>nystatin mouth/throat suspension 100000 unit/ml</i>		2	GC; NEDS
<i>nystatin oral tablet 500000 unit</i>		2	GC; NEDS
<i>posaconazole oral suspension 40 mg/ml</i>	Noxafil	5	PA; NEDS
<i>posaconazole oral tablet delayed release 100 mg</i>	Noxafil	5	PA; QL (93 per 30 days); NEDS
<i>terbinafine hcl oral tablet 250 mg</i>		1	GC; QL (120 per 30 days); NEDS
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>		2	GC; NEDS
<i>terconazole vaginal suppository 80 mg</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>voriconazole intravenous solution reconstituted 200 mg</i>	Vfend IV	5	PA; NEDS
<i>voriconazole oral suspension reconstituted 40 mg/ml</i>	Vfend	5	PA; QL (300 per 30 days); NEDS
<i>voriconazole oral tablet 200 mg</i>	Vfend	4	PA; QL (60 per 30 days); NEDS
<i>voriconazole oral tablet 50 mg</i>	Vfend	4	PA; QL (120 per 30 days); NEDS

## **ANTIGOUT AGENTS**

### **ANTIGOUT AGENTS**

<i>allopurinol oral tablet 100 mg, 300 mg</i>		1	GC; MO
<i>colchicine oral capsule 0.6 mg</i>	Mitigare	3	NEDS
<i>colchicine oral tablet 0.6 mg</i>		2	GC; NEDS
<i>colchicine-probenecid oral tablet 0.5-500 mg</i>		2	GC; MO
<i>febuxostat oral tablet 40 mg, 80 mg</i>	Uloric	2	PA; GC; MO
<i>probenecid oral tablet 500 mg</i>		2	GC; MO

## **ANTIMIGRAINE AGENTS**

### **ERGOT ALKALOIDS**

<i>dihydroergotamine mesylate nasal solution 4 mg/ml</i>	Migranal	5	QL (24 per 28 days); NEDS
<i>ergotamine-caffeine oral tablet 1-100 mg</i>		2	GC; QL (40 per 28 days); NEDS

## **PROPHYLACTIC**

EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML		3	PA; MO; FFQL
EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML		3	PA; MO; FFQL
EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML		3	PA; MO; FFQL
EPRONTIA ORAL SOLUTION 25 MG/ML		3	MO; FFQL
<i>propranolol hcl er oral capsule extended release 24 hour 80 mg</i>	Inderal LA	2	GC; MO
<i>propranolol hcl oral tablet 80 mg</i>		1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>topiramate er oral capsule er 24 hour sprinkle 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	Qudexy XR	3	MO; FFQL
<i>topiramate oral capsule sprinkle 15 mg, 25 mg</i>	Topamax Sprinkle	2	GC; MO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	Topamax	1	GC; MO
UBRELVY ORAL TABLET 100 MG, 50 MG		5	PA; QL (16 per 30 days); NEDS
<b>SEROTONIN (5-HT) RECEPTOR AGONIST</b>			
<i>eletriptan hydrobromide oral tablet 20 mg, 40 mg</i>	Relpax	2	GC; QL (12 per 30 days); NEDS
<i>naratriptan hcl oral tablet 1 mg, 2.5 mg</i>		2	GC; QL (12 per 30 days); NEDS
<i>rizatriptan benzoate oral tablet 10 mg</i>	Maxalt	2	GC; QL (12 per 30 days); NEDS
<i>rizatriptan benzoate oral tablet 5 mg</i>		2	GC; QL (12 per 30 days); NEDS
<i>rizatriptan benzoate oral tablet dispersible 10 mg</i>	Maxalt-MLT	2	GC; QL (12 per 30 days); NEDS
<i>rizatriptan benzoate oral tablet dispersible 5 mg</i>		2	GC; QL (12 per 30 days); NEDS
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	Imitrex	1	GC; QL (12 per 30 days); NEDS
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i>		2	GC; QL (8 per 30 days); NEDS
<b>ANTIMYASTHENIC AGENTS</b>			
<b>PARASYMPATHOMIMETICS</b>			
<i>pyridostigmine bromide er oral tablet extended release 180 mg</i>	Mestinon	2	GC; NEDS
<i>pyridostigmine bromide oral tablet 30 mg</i>		2	GC; NEDS
<i>pyridostigmine bromide oral tablet 60 mg</i>	Mestinon	2	GC; NEDS
<b>ANTIMYCOBACTERIALS</b>			
<b>ANTIMYCOBACTERIALS, OTHER</b>			
<i>dapsone oral tablet 100 mg, 25 mg</i>		2	GC; MO
PRIFTIN ORAL TABLET 150 MG		4	NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>rifabutin oral capsule 150 mg</i>	Mycobutin	4	NEDS
<b>ANTITUBERCULARS</b>			
<i>ethambutol hcl oral tablet 100 mg</i>		2	GC; NEDS
<i>ethambutol hcl oral tablet 400 mg</i>	Myambutol	2	GC; NEDS
<i>isoniazid oral syrup 50 mg/5ml</i>		2	GC; MO
<i>isoniazid oral tablet 100 mg, 300 mg</i>		1	GC; MO
<i>pyrazinamide oral tablet 500 mg</i>		2	GC; NEDS
<i>rifampin intravenous solution reconstituted 600 mg</i>	Rifadin	2	GC; NEDS
<i>rifampin oral capsule 150 mg, 300 mg</i>		2	GC; NEDS
SIRTURO ORAL TABLET 100 MG, 20 MG		5	PA; NEDS
TRECTOR ORAL TABLET 250 MG		4	NEDS
<b>ANTINEOPLASTICS</b>			
<b>ALKYLATING AGENTS</b>			
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>		2	PA-BvsD; GC; NEDS
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>		2	PA-BvsD; GC; NEDS
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG		4	PA; NEDS
LEUKERAN ORAL TABLET 2 MG		4	NEDS
MATULANE ORAL CAPSULE 50 MG		5	PA; NEDS
VALCHLOR EXTERNAL GEL 0.016 %		5	PA; QL (60 per 30 days); NEDS
<b>ANTIANDROGENS</b>			
<i>abiraterone acetate oral tablet 250 mg</i>	Zytiga	5	PA; QL (120 per 30 days); NEDS
<i>abiraterone acetate oral tablet 500 mg</i>	Zytiga	5	PA; QL (60 per 30 days); NEDS
<i>bicalutamide oral tablet 50 mg</i>	Casodex	1	GC; NEDS
ERLEADA ORAL TABLET 240 MG, 60 MG		5	PA; NEDS
LYSODREN ORAL TABLET 500 MG		3	NEDS
<i>nilutamide oral tablet 150 mg</i>	Nilandron	5	QL (60 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
NUBEQA ORAL TABLET 300 MG		5	PA; QL (120 per 30 days); NEDS
XTANDI ORAL CAPSULE 40 MG		5	PA; NEDS
XTANDI ORAL TABLET 40 MG, 80 MG		5	PA; NEDS
YONSA ORAL TABLET 125 MG		5	PA; QL (120 per 30 days); NEDS
<b>ANTIANGIOGENIC AGENTS</b>			
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i>	Revlimid	5	PA; NEDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG		5	PA; QL (21 per 28 days); NEDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG		5	PA; NEDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG		5	PA; NEDS
<b>ANTIESTROGENS/MODIFIERS</b>			
ORSERDU ORAL TABLET 345 MG		5	PA; QL (30 per 30 days); NEDS
ORSERDU ORAL TABLET 86 MG		5	PA; QL (90 per 30 days); NEDS
SOLTAMOX ORAL SOLUTION 10 MG/5ML		4	PA; MO; FFQL
<i>tamoxifen citrate oral tablet 10 mg, 20 mg</i>		1	GC; MO
<i>toremifene citrate oral tablet 60 mg</i>	Fareston	5	PA; NEDS
<b>ANTIMETABOLITES</b>			
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG		4	MO; FFQL
<i>hydroxyurea oral capsule 500 mg</i>	Hydrea	1	GC; NEDS
INQOVI ORAL TABLET 35-100 MG		5	PA; NEDS
<i>mercaptopurine oral tablet 50 mg</i>		2	GC; NEDS
ONUREG ORAL TABLET 200 MG, 300 MG		5	PA; NEDS
PURIXAN ORAL SUSPENSION 2000 MG/100ML		5	PA; NEDS
TABLOID ORAL TABLET 40 MG		4	NEDS
<b>ANTINEOPLASTICS, OTHER</b>			

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
IDHIFA ORAL TABLET 100 MG		5	PA; QL (30 per 30 days); NEDS
IDHIFA ORAL TABLET 50 MG		5	PA; QL (60 per 30 days); NEDS
IWILFIN ORAL TABLET 192 MG		5	PA; NEDS
KISQALI FEMARA (200 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG		5	PA; NEDS
KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG		5	PA; NEDS
KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG		5	PA; NEDS
KRAZATI ORAL TABLET 200 MG		5	PA; QL (180 per 30 days); NEDS
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>		2	GC; NEDS
LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG		5	PA; NEDS
LUMAKRAS ORAL TABLET 120 MG		5	PA; QL (240 per 30 days); NEDS
LUMAKRAS ORAL TABLET 320 MG		5	PA; QL (90 per 30 days); NEDS
LYNPARZA ORAL TABLET 100 MG, 150 MG		5	PA; NEDS
MESNEX ORAL TABLET 400 MG		5	NEDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG		5	PA; NEDS
ORGOVYX ORAL TABLET 120 MG		5	PA; QL (60 per 30 days); NEDS
WELIREG ORAL TABLET 40 MG		5	PA; NEDS
XATMEP ORAL SOLUTION 2.5 MG/ML		4	PA-BvsD; NEDS
XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG		5	PA; NEDS
XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG		5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG		5	PA; NEDS
XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG		5	PA; NEDS
XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG		5	PA; NEDS
XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG		5	PA; NEDS
XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG		5	PA; NEDS
ZOLINZA ORAL CAPSULE 100 MG		5	PA; NEDS
<b>AROMATASE INHIBITORS, 3RD GENERATION</b>			
<i>anastrozole oral tablet 1 mg</i>	Arimidex	1	GC; MO
<i>exemestane oral tablet 25 mg</i>	Aromasin	2	GC; MO
<i>letrozole oral tablet 2.5 mg</i>	Femara	1	GC; MO
<b>ENZYME INHIBITORS</b>			
OGSIVEO ORAL TABLET 50 MG		5	PA; QL (180 per 30 days); NEDS
<b>MOLECULAR TARGET INHIBITORS</b>			
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		5	PA; QL (60 per 30 days); NEDS
ALECENSA ORAL CAPSULE 150 MG		5	PA; NEDS
ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG		5	PA; NEDS
ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG		5	PA; NEDS
AUGTYRO ORAL CAPSULE 40 MG		5	PA; QL (240 per 30 days); NEDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG		5	PA; NEDS
BALVERSA ORAL TABLET 3 MG		5	PA; QL (90 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
BALVERSA ORAL TABLET 4 MG		5	PA; QL (60 per 30 days); NEDS
BALVERSA ORAL TABLET 5 MG		5	PA; QL (30 per 30 days); NEDS
BOSULIF ORAL CAPSULE 100 MG		5	PA; QL (180 per 30 days); NEDS
BOSULIF ORAL CAPSULE 50 MG		5	PA; QL (30 per 30 days); NEDS
BOSULIF ORAL TABLET 100 MG		5	PA; QL (120 per 30 days); NEDS
BOSULIF ORAL TABLET 400 MG, 500 MG		5	PA; QL (30 per 30 days); NEDS
BRAFTOVI ORAL CAPSULE 75 MG		5	PA; NEDS
BRUKINSA ORAL CAPSULE 80 MG		5	PA; NEDS
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG		5	PA; NEDS
CALQUENCE ORAL CAPSULE 100 MG		5	PA; NEDS
CALQUENCE ORAL TABLET 100 MG		5	PA; NEDS
CAPRELSA ORAL TABLET 100 MG		5	PA; QL (60 per 30 days); NEDS
CAPRELSA ORAL TABLET 300 MG		5	PA; QL (30 per 30 days); NEDS
COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG		5	PA; QL (60 per 30 days); NEDS
COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG		5	PA; QL (120 per 30 days); NEDS
COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG		5	PA; QL (90 per 30 days); NEDS
COPIKTRA ORAL CAPSULE 15 MG, 25 MG		5	PA; NEDS
COTELLIC ORAL TABLET 20 MG		5	PA; NEDS
DAURISMO ORAL TABLET 100 MG, 25 MG		5	PA; NEDS
ERIVEDGE ORAL CAPSULE 150 MG		5	PA; QL (30 per 30 days); NEDS
<i>erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg</i>	Tarceva	5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>everolimus oral tablet 10 mg, 5 mg, 7.5 mg</i>	Afinitor	5	PA; QL (30 per 30 days); NEDS
<i>everolimus oral tablet 2.5 mg</i>	Afinitor	5	PA; QL (60 per 30 days); NEDS
<i>everolimus oral tablet soluble 2 mg, 3 mg</i>	Afinitor Disperz	5	PA; QL (30 per 30 days); NEDS
<i>everolimus oral tablet soluble 5 mg</i>	Afinitor Disperz	5	PA; QL (60 per 30 days); NEDS
EXKIVITY ORAL CAPSULE 40 MG		5	PA; NEDS
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG		5	PA; NEDS
FRUZAQLA ORAL CAPSULE 1 MG, 5 MG		5	PA; NEDS
GAVRETO ORAL CAPSULE 100 MG		5	PA; NEDS
<i>gefitinib oral tablet 250 mg</i>	Iressa	5	PA; NEDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG		5	PA; NEDS
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG		5	PA; NEDS
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG		5	PA; NEDS
ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG		5	PA; QL (30 per 30 days); NEDS
ICLUSIG ORAL TABLET 15 MG		5	PA; QL (60 per 30 days); NEDS
<i>imatinib mesylate oral tablet 100 mg</i>	Gleevec	5	PA; QL (90 per 30 days); NEDS
<i>imatinib mesylate oral tablet 400 mg</i>	Gleevec	5	PA; QL (60 per 30 days); NEDS
IMBRUVICA ORAL CAPSULE 140 MG		5	PA; QL (120 per 30 days); NEDS
IMBRUVICA ORAL CAPSULE 70 MG		5	PA; QL (28 per 28 days); NEDS
IMBRUVICA ORAL SUSPENSION 70 MG/ML		5	PA; QL (216 per 27 days); NEDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG		5	PA; QL (28 per 28 days); NEDS
INLYTA ORAL TABLET 1 MG, 5 MG		5	PA; NEDS
INREBIC ORAL CAPSULE 100 MG		5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG		5	PA; NEDS
JAYPIRCA ORAL TABLET 100 MG		5	PA; QL (60 per 30 days); NEDS
JAYPIRCA ORAL TABLET 50 MG		5	PA; QL (30 per 30 days); NEDS
KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG		5	PA; NEDS
KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG		5	PA; NEDS
KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG		5	PA; NEDS
KOSELUGO ORAL CAPSULE 10 MG, 25 MG		5	PA; NEDS
<i>lapatinib ditosylate oral tablet 250 mg</i>	Tykerb	5	PA; QL (180 per 30 days); NEDS
LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG		5	PA; NEDS
LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG		5	PA; NEDS
LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG		5	PA; NEDS
LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG		5	PA; NEDS
LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG		5	PA; NEDS
LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG		5	PA; NEDS
LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG		5	PA; NEDS
LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG		5	PA; NEDS
LORBRENA ORAL TABLET 100 MG		5	PA; QL (30 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
LORBRENA ORAL TABLET 25 MG		5	PA; QL (90 per 30 days); NEDS
LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG		5	PA; QL (90 per 30 days); NEDS
LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG		5	PA; QL (120 per 30 days); NEDS
LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG		5	PA; QL (150 per 30 days); NEDS
MEKINIST ORAL SOLUTION RECONSTITUTED 0.05 MG/ML		5	PA; NEDS
MEKINIST ORAL TABLET 0.5 MG, 2 MG		5	PA; NEDS
MEKTOVI ORAL TABLET 15 MG		5	PA; NEDS
NERLYNX ORAL TABLET 40 MG		5	PA; NEDS
ODOMZO ORAL CAPSULE 200 MG		5	PA; NEDS
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG		5	PA; QL (30 per 30 days); NEDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG		5	PA; NEDS
PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG		5	PA; NEDS
PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG		5	PA; NEDS
PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG		5	PA; NEDS
QINLOCK ORAL TABLET 50 MG		5	PA; QL (90 per 30 days); NEDS
RETEVMO ORAL CAPSULE 40 MG		5	PA; QL (60 per 30 days); NEDS
RETEVMO ORAL CAPSULE 80 MG		5	PA; QL (120 per 30 days); NEDS
REZLIDHIA ORAL CAPSULE 150 MG		5	PA; QL (60 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
ROZLYTREK ORAL CAPSULE 100 MG		5	PA; QL (150 per 30 days); NEDS
ROZLYTREK ORAL CAPSULE 200 MG		5	PA; QL (90 per 30 days); NEDS
ROZLYTREK ORAL PACKET 50 MG		5	PA; QL (360 per 30 days); NEDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG		5	PA; NEDS
RYDAPT ORAL CAPSULE 25 MG		5	PA; NEDS
SCEMBLIX ORAL TABLET 20 MG, 40 MG		5	PA; NEDS
<i>sorafenib tosylate oral tablet 200 mg</i>	NexAVAR	5	PA; NEDS
SPRYCEL ORAL TABLET 100 MG, 50 MG, 70 MG, 80 MG		5	PA; QL (60 per 30 days); NEDS
SPRYCEL ORAL TABLET 140 MG		5	PA; QL (30 per 30 days); NEDS
SPRYCEL ORAL TABLET 20 MG		5	PA; QL (90 per 30 days); NEDS
STIVARGA ORAL TABLET 40 MG		5	PA; NEDS
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i>	Sutent	5	PA; NEDS
TABRECTA ORAL TABLET 150 MG, 200 MG		5	PA; QL (120 per 30 days); NEDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG		5	PA; NEDS
TAFINLAR ORAL TABLET SOLUBLE 10 MG		5	PA; NEDS
TAGRISSO ORAL TABLET 40 MG, 80 MG		5	PA; NEDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG		5	PA; QL (30 per 30 days); NEDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG		5	PA; QL (120 per 30 days); NEDS
TAZVERIK ORAL TABLET 200 MG		5	PA; NEDS
TEPMETKO ORAL TABLET 225 MG		5	PA; NEDS
TIBSOVO ORAL TABLET 250 MG		5	PA; NEDS
TRUQAP ORAL TABLET 160 MG, 200 MG		5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
TUKYSA ORAL TABLET 150 MG, 50 MG		5	PA; QL (120 per 30 days); NEDS
TURALIO ORAL CAPSULE 125 MG		5	PA; NEDS
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG		5	PA; QL (56 per 28 days); NEDS
VENCLEXTA ORAL TABLET 10 MG		4	PA; NEDS
VENCLEXTA ORAL TABLET 100 MG, 50 MG		5	PA; NEDS
VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG		5	PA; NEDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG		5	PA; NEDS
VITRAKVI ORAL CAPSULE 100 MG		5	PA; QL (60 per 30 days); NEDS
VITRAKVI ORAL CAPSULE 25 MG		5	PA; QL (90 per 30 days); NEDS
VITRAKVI ORAL SOLUTION 20 MG/ML		5	PA; QL (600 per 30 days); NEDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG		5	PA; NEDS
VONJO ORAL CAPSULE 100 MG		5	PA; NEDS
VOTRIENT ORAL TABLET 200 MG		5	PA; QL (120 per 30 days); NEDS
XALKORI ORAL CAPSULE 200 MG, 250 MG		5	PA; QL (120 per 30 days); NEDS
XALKORI ORAL CAPSULE SPRINKLE 150 MG		5	PA; QL (180 per 30 days); NEDS
XALKORI ORAL CAPSULE SPRINKLE 20 MG		5	PA; QL (240 per 30 days); NEDS
XALKORI ORAL CAPSULE SPRINKLE 50 MG		5	PA; QL (120 per 30 days); NEDS
XOSPATA ORAL TABLET 40 MG		5	PA; NEDS
ZEJULA ORAL CAPSULE 100 MG		5	PA; NEDS
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG		5	PA; NEDS
ZELBORAF ORAL TABLET 240 MG		5	PA; NEDS
ZYDELIG ORAL TABLET 100 MG		5	PA; QL (90 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
ZYDELIG ORAL TABLET 150 MG		5	PA; QL (60 per 30 days); NEDS
ZYKADIA ORAL TABLET 150 MG		5	PA; NEDS
<b>RETINOIDS</b>			
<i>bexarotene external gel 1 %</i>	Targretin	5	PA; NEDS
<i>bexarotene oral capsule 75 mg</i>	Targretin	5	PA; NEDS
<i>tretinoin oral capsule 10 mg</i>		5	NEDS
<b>ANTIPARASITICS</b>			
<b>ANTHELMINTICS</b>			
<i>albendazole oral tablet 200 mg</i>		5	NEDS
<i>ivermectin oral tablet 3 mg</i>	Stromectol	2	PA; GC; NEDS
<b>ANTIPROTOZOALS</b>			
<i>atovaquone oral suspension 750 mg/5ml</i>	Mepron	5	NEDS
<i>atovaquone-proguanil hcl oral tablet 250-100 mg, 62.5-25 mg</i>	Malarone	2	GC; NEDS
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>		2	GC; NEDS
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>		2	GC; MO
COARTEM ORAL TABLET 20-120 MG		4	NEDS
<i>hydroxychloroquine sulfate oral tablet 100 mg, 400 mg</i>		2	GC; MO
<i>hydroxychloroquine sulfate oral tablet 200 mg</i>	Plaquenil	2	GC; MO
<i>hydroxychloroquine sulfate oral tablet 300 mg</i>	Sovuna	2	GC; MO
LAMPIT ORAL TABLET 120 MG, 30 MG		4	NEDS
<i>mefloquine hcl oral tablet 250 mg</i>		2	GC; MO
<i>nitazoxanide oral tablet 500 mg</i>	Alinia	2	GC; QL (6 per 30 days); NEDS
<i>pentamidine isethionate inhalation solution reconstituted 300 mg</i>	Nebupent	4	PA-BvsD; NEDS
<i>pentamidine isethionate injection solution reconstituted 300 mg</i>	Pentam	4	PA-BvsD; NEDS
<i>primaquine phosphate oral tablet 26.3 (15 base) mg</i>		2	GC; NEDS
<i>pyrimethamine oral tablet 25 mg</i>	Daraprim	5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>quinine sulfate oral capsule 324 mg</i>	Qualaquin	2	PA; GC; NEDS
<b>ANTIPARKINSON AGENTS</b>			
<b>ANTICHOLINERGICS</b>			
<i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>		1	PA; GC; MO
<i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i>		2	PA; GC; MO
<i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i>		1	PA; GC; MO
<b>ANTIPARKINSON AGENTS, OTHER</b>			
<i>amantadine hcl oral capsule 100 mg</i>		2	GC; MO
<i>amantadine hcl oral solution 50 mg/5ml</i>		2	GC; MO
<i>amantadine hcl oral tablet 100 mg</i>		2	GC; MO
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 50-200-200 mg</i>		2	GC; MO
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i>	Stalevo 150	2	GC; MO
<i>entacapone oral tablet 200 mg</i>		2	GC; MO
<b>DOPAMINE AGONISTS</b>			
<i>bromocriptine mesylate oral capsule 5 mg</i>	Parlodel	2	GC; MO
<i>bromocriptine mesylate oral tablet 2.5 mg</i>	Parlodel	2	GC; MO
<b>NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR</b>		4	MO; FFQL
<i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>		1	GC; MO
<i>ropinirole hcl er oral tablet extended release 24 hour 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>		2	GC; MO
<i>ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>		1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>DOPAMINE PRECURSORS AND/OR L-AMINO ACID DECARBOXYLASE INHIBITORS</b>			
<i>carbidopa oral tablet 25 mg</i>	Lodosyn	2	GC; MO
<i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i>		2	GC; MO
<i>carbidopa-levodopa oral tablet 10-100 mg</i>	Sinemet	1	GC; MO
<i>carbidopa-levodopa oral tablet 25-100 mg</i>	Dhivy	1	GC; MO
<i>carbidopa-levodopa oral tablet 25-250 mg</i>		1	GC; MO
<i>carbidopa-levodopa oral tablet dispersible 10-100 mg, 25-100 mg, 25-250 mg</i>		2	GC; MO
RYTARY ORAL CAPSULE EXTENDED RELEASE 23.75-95 MG, 48.75-195 MG		4	ST; MO; QL (360 per 30 days); FFQL
RYTARY ORAL CAPSULE EXTENDED RELEASE 36.25-145 MG		4	ST; MO; QL (270 per 30 days); FFQL
RYTARY ORAL CAPSULE EXTENDED RELEASE 61.25-245 MG		4	ST; MO; QL (300 per 30 days); FFQL
<b>MONOAMINE OXIDASE B (MAO-B) INHIBITORS</b>			
<i>rasagiline mesylate oral tablet 0.5 mg, 1 mg</i>	Azilect	2	GC; MO; QL (30 per 30 days)
<i>selegiline hcl oral capsule 5 mg</i>		2	GC; MO
<i>selegiline hcl oral tablet 5 mg</i>		2	GC; MO
<b>ANTIPSYCHOTICS</b>			
<b>1ST GENERATION/TYPICAL</b>			
<i>chlorpromazine hcl oral concentrate 100 mg/ml, 30 mg/ml</i>		2	GC; MO
<i>chlorpromazine hcl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>		2	GC; MO
<i>fluphenazine decanoate injection solution 25 mg/ml</i>		2	GC; NEDS
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>		2	GC; NEDS
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>		2	GC; MO
<i>fluphenazine hcl oral elixir 2.5 mg/5ml</i>		2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>		2	GC; MO
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml, 50 mg/ml(1ml)</i>	Haldol Decanoate	2	GC; NEDS
<i>haloperidol lactate injection solution 5 mg/ml</i>		1	GC; NEDS
<i>haloperidol lactate oral concentrate 2 mg/ml</i>		2	GC; MO
<i>haloperidol oral tablet 0.5 mg, 1 mg</i>		1	GC; MO
<i>haloperidol oral tablet 10 mg, 2 mg, 20 mg, 5 mg</i>		2	GC; MO
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>		2	GC; MO
<i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i>		2	GC; MO
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>		2	GC; MO
<i>pimozide oral tablet 1 mg, 2 mg</i>		2	GC; MO
<i>thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		2	GC; MO
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		2	GC; MO
<i>trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>		2	GC; MO
<b>2ND GENERATION/ATYPICAL</b>			
ABILIFY ASIMTUFII INTRAMUSCULAR PREFILLED SYRINGE 720 MG/2.4ML		5	PA; QL (2.4 per 56 days); NEDS
ABILIFY ASIMTUFII INTRAMUSCULAR PREFILLED SYRINGE 960 MG/3.2ML		5	PA; QL (3.2 per 56 days); NEDS
ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300 MG, 400 MG		5	PA; QL (1 per 26 days); NEDS
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG, 400 MG		5	PA; QL (1 per 26 days); NEDS
<i>aripiprazole oral solution 1 mg/ml</i>		4	MO; QL (750 per 30 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>	Abilify	2	GC; MO; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg, 5 mg</i>	Abilify	2	GC; MO; QL (60 per 30 days)
<i>aripiprazole oral tablet dispersible 10 mg, 15 mg</i>		5	QL (60 per 30 days); NEDS
<i>asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg</i>	Saphris	4	MO; QL (60 per 30 days); FFQL
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG		5	PA; QL (30 per 30 days); NEDS
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG		4	PA; QL (60 per 30 days); NEDS
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG		5	PA; QL (60 per 30 days); NEDS
FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6 MG		4	PA; QL (60 per 30 days); NEDS
INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1092 MG/3.5ML		5	PA; QL (7 per 365 days)
INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1560 MG/5ML		5	PA; QL (10 per 365 days)
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 78 MG/0.5ML		5	PA; QL (1 per 30 days); NEDS
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 234 MG/1.5ML		5	PA; QL (1.5 per 30 days); NEDS
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML		4	PA; QL (1 per 30 days); NEDS
INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.88ML		5	PA; QL (0.88 per 90 days)
INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 410 MG/1.32ML		5	PA; QL (1.32 per 90 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 546 MG/1.75ML		5	PA; QL (1.75 per 90 days)
INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 819 MG/2.63ML		5	PA; QL (2.63 per 90 days)
<i>lurasidone hcl oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>	Latuda	5	QL (30 per 30 days); NEDS
<i>lurasidone hcl oral tablet 80 mg</i>	Latuda	5	QL (60 per 30 days); NEDS
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG		5	PA; QL (30 per 30 days); NEDS
NUPLAZID ORAL CAPSULE 34 MG		5	PA; QL (30 per 30 days); NEDS
NUPLAZID ORAL TABLET 10 MG		5	PA; QL (30 per 30 days); NEDS
<i>olanzapine intramuscular solution reconstituted 10 mg</i>	ZyPREXA	2	GC; QL (30 per 30 days); NEDS
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	ZyPREXA	2	GC; MO; QL (30 per 30 days)
<i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i>	ZyPREXA Zydis	2	GC; MO; QL (30 per 30 days)
<i>paliperidone er oral tablet extended release 24 hour 1.5 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>paliperidone er oral tablet extended release 24 hour 3 mg</i>	Invega	2	GC; MO; QL (30 per 30 days)
<i>paliperidone er oral tablet extended release 24 hour 6 mg</i>	Invega	2	GC; MO; QL (60 per 30 days)
<i>paliperidone er oral tablet extended release 24 hour 9 mg</i>	Invega	4	MO; QL (30 per 30 days); FFQL
PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG		5	PA; QL (1 per 30 days); NEDS
<i>quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	SEROquel XR	2	GC; MO; QL (60 per 30 days)
<i>quetiapine fumarate oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	SEROquel	1	GC; MO; QL (60 per 30 days)
<i>quetiapine fumarate oral tablet 150 mg</i>		1	GC; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG		5	PA; QL (30 per 30 days); NEDS
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 12.5 MG		4	PA; QL (2 per 28 days); NEDS
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 25 MG, 37.5 MG, 50 MG		5	PA; QL (2 per 28 days); NEDS
<i>risperidone oral solution 1 mg/ml</i>	RisperDAL	2	GC; MO; QL (240 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>		1	GC; MO; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	RisperDAL	1	GC; MO; QL (60 per 30 days)
<i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>		2	GC; MO; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR, 5.7 MG/24HR, 7.6 MG/24HR		5	PA; QL (30 per 30 days); NEDS
VRAYLAR ORAL CAPSULE 1.5 MG		5	PA; QL (120 per 30 days); NEDS
VRAYLAR ORAL CAPSULE 3 MG		5	PA; QL (60 per 30 days); NEDS
VRAYLAR ORAL CAPSULE 4.5 MG, 6 MG		5	PA; QL (30 per 30 days); NEDS
VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3 MG		4	PA; QL (7 per 28 days); NEDS
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	Geodon	2	GC; MO; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular solution reconstituted 20 mg</i>	Geodon	2	PA; GC; QL (60 per 30 days); NEDS
<b>TREATMENT-RESISTANT</b>			
<i>clozapine oral tablet 100 mg</i>	Clozaril	2	GC; QL (270 per 30 days); NEDS
<i>clozapine oral tablet 200 mg, 25 mg</i>	Clozaril	2	GC; QL (120 per 30 days); NEDS
<i>clozapine oral tablet 50 mg</i>	Clozaril	2	GC; QL (180 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<i>clozapine oral tablet dispersible 100 mg, 150 mg, 25 mg</i>		2	GC; QL (270 per 30 days); NEDS
<i>clozapine oral tablet dispersible 12.5 mg</i>		2	GC; QL (90 per 30 days); NEDS
<i>clozapine oral tablet dispersible 200 mg</i>		2	GC; QL (120 per 30 days); NEDS
VERSACLOZ ORAL SUSPENSION 50 MG/ML		5	PA; QL (540 per 30 days); NEDS

## ANTISPASTICITY AGENTS

### ANTISPASTICITY AGENTS

<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>		2	GC; NEDS
<i>dantrolene sodium oral capsule 100 mg, 50 mg</i>		2	GC; NEDS
<i>dantrolene sodium oral capsule 25 mg</i>	Dantrium	2	GC; NEDS
<i>tizanidine hcl oral capsule 2 mg, 4 mg, 6 mg</i>	Zanaflex	2	GC; NEDS
<i>tizanidine hcl oral tablet 2 mg</i>		1	GC; NEDS
<i>tizanidine hcl oral tablet 4 mg</i>	Zanaflex	1	GC; NEDS

## ANTIVIRALS

### ANTI-CYTOMEGALOVIRUS (CMV) AGENTS

PREVYMIS ORAL TABLET 240 MG, 480 MG		5	PA; QL (100 per 100 days)
<i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i>	Valcyte	2	GC; MO
<i>valganciclovir hcl oral tablet 450 mg</i>	Valcyte	3	MO; FFQL

### ANTI-HEPATITIS B (HBV) AGENTS

<i>adefovir dipivoxil oral tablet 10 mg</i>		2	PA; GC; MO; QL (30 per 30 days)
BARACLUDGE ORAL SOLUTION 0.05 MG/ML		5	PA; QL (600 per 30 days); NEDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	Baraclude	2	PA; GC; MO; QL (30 per 30 days)
<i>lamivudine oral tablet 100 mg</i>		2	GC; MO; QL (30 per 30 days)
VEMLIDY ORAL TABLET 25 MG		5	PA; QL (28 per 28 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>ANTI-HEPATITIS C (HCV) AGENTS</b>			
MAVYRET ORAL PACKET 50-20 MG		5	PA; NEDS
MAVYRET ORAL TABLET 100-40 MG		5	PA; NEDS
<i>ribavirin oral capsule 200 mg</i>		2	GC; NEDS
<i>ribavirin oral tablet 200 mg</i>		2	GC; NEDS
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>	Epclusa	5	PA; NEDS
VOSEVI ORAL TABLET 400-100-100 MG		5	PA; NEDS
<b>ANTIHERPETIC AGENTS</b>			
<i>acyclovir oral capsule 200 mg</i>		1	GC; NEDS
<i>acyclovir oral suspension 200 mg/5ml</i>		2	GC; NEDS
<i>acyclovir oral tablet 400 mg, 800 mg</i>		1	GC; NEDS
<i>acyclovir sodium intravenous solution 50 mg/ml</i>		2	PA-BvsD; GC; NEDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>		2	GC; QL (90 per 30 days); NEDS
<i>trifluridine ophthalmic solution 1 %</i>		2	GC; NEDS
<i>valacyclovir hcl oral tablet 1 gm</i>	Valtrex	2	GC; QL (90 per 30 days); NEDS
<i>valacyclovir hcl oral tablet 500 mg</i>	Valtrex	2	GC; QL (60 per 30 days); NEDS
<b>ANTI-HIV AGENTS, INTEGRASE INHIBITORS (INSTI)</b>			
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG		5	QL (30 per 30 days); NEDS
DOVATO ORAL TABLET 50-300 MG		5	QL (30 per 30 days); NEDS
GENVOYA ORAL TABLET 150-150-200-10 MG		5	QL (60 per 30 days); NEDS
ISENTRESS HD ORAL TABLET 600 MG		5	QL (60 per 30 days); NEDS
ISENTRESS ORAL PACKET 100 MG		4	MO; QL (60 per 30 days); FFQL
ISENTRESS ORAL TABLET 400 MG		5	QL (60 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
ISENTRESS ORAL TABLET CHEWABLE 100 MG		5	QL (180 per 30 days); NEDS
ISENTRESS ORAL TABLET CHEWABLE 25 MG		4	MO; QL (180 per 30 days); FFQL
STRIBILD ORAL TABLET 150-150-200-300 MG		5	QL (30 per 30 days); NEDS
SYMTUZA ORAL TABLET 800-150-200-10 MG		5	QL (30 per 30 days); NEDS
TIVICAY ORAL TABLET 10 MG		4	MO; QL (60 per 30 days); FFQL
TIVICAY ORAL TABLET 25 MG, 50 MG		5	QL (60 per 30 days); NEDS
TIVICAY PD ORAL TABLET SOLUBLE 5 MG		4	MO; QL (360 per 30 days); FFQL
<b>ANTI-HIV AGENTS, NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)</b>			
COMPLERA ORAL TABLET 200-25-300 MG		5	QL (30 per 30 days); NEDS
EDURANT ORAL TABLET 25 MG		5	QL (30 per 30 days); NEDS
<i>efavirenz oral capsule 200 mg</i>		2	GC; MO; QL (120 per 30 days)
<i>efavirenz oral capsule 50 mg</i>		2	GC; MO; QL (360 per 30 days)
<i>efavirenz oral tablet 600 mg</i>	Sustiva	4	MO; QL (30 per 30 days); FFQL
<i>etravirine oral tablet 100 mg, 200 mg</i>	Intelence	5	QL (120 per 30 days); NEDS
INTELENCE ORAL TABLET 25 MG		4	MO; QL (120 per 30 days); FFQL
<i>nevirapine er oral tablet extended release 24 hour 400 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>nevirapine oral suspension 50 mg/5ml</i>		2	GC; MO; QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>		1	GC; MO; QL (60 per 30 days)
PIFELTRO ORAL TABLET 100 MG		5	QL (30 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>ANTI-HIV AGENTS, NUCLEOSIDE AND NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)</b>			
<i>abacavir sulfate oral solution 20 mg/ml</i>	Ziagen	2	GC; MO; QL (900 per 30 days)
<i>abacavir sulfate oral tablet 300 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i>	Epzicom	2	GC; MO; QL (30 per 30 days)
CIMDUO ORAL TABLET 300-300 MG		5	QL (30 per 30 days); NEDS
DELSTRIGO ORAL TABLET 100-300-300 MG		5	QL (30 per 30 days); NEDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG		5	QL (30 per 30 days); NEDS
<i>efavirenz-emtricitab-tenofo df oral tablet 600-200-300 mg</i>	Atripla	5	QL (30 per 30 days); NEDS
<i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg</i>	Symfi Lo	5	QL (30 per 30 days); NEDS
<i>efavirenz-lamivudine-tenofovir oral tablet 600-300-300 mg</i>	Symfi	5	QL (30 per 30 days); NEDS
<i>emtricitabine oral capsule 200 mg</i>	Emtriva	2	GC; MO; QL (30 per 30 days)
<i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	Truvada	5	QL (30 per 30 days); NEDS
<i>emtricitabine-tenofovir df oral tablet 200-300 mg</i>	Truvada	2	GC; MO; QL (30 per 30 days)
EMTRIVA ORAL SOLUTION 10 MG/ML		4	MO; QL (680 per 28 days); FFQL
JULUCA ORAL TABLET 50-25 MG		5	QL (30 per 30 days); NEDS
<i>lamivudine oral solution 10 mg/ml</i>	Epivir	2	GC; MO; QL (900 per 30 days)
<i>lamivudine oral tablet 150 mg</i>	Epivir	2	GC; MO; QL (60 per 30 days)
<i>lamivudine oral tablet 300 mg</i>	Epivir	2	GC; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>		2	GC; MO; QL (60 per 30 days)
ODEFSEY ORAL TABLET 200-25-25 MG		5	QL (30 per 30 days); NEDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	Viread	2	GC; MO; QL (30 per 30 days)
TRIZIVIR ORAL TABLET 300-150-300 MG		5	QL (60 per 30 days); NEDS
VIREAD ORAL POWDER 40 MG/GM		5	QL (240 per 30 days); NEDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG		5	QL (30 per 30 days); NEDS
<i>zidovudine oral capsule 100 mg</i>	Retrovir	2	GC; MO; QL (180 per 30 days)
<i>zidovudine oral syrup 50 mg/5ml</i>	Retrovir	2	GC; MO; QL (1680 per 28 days)
<i>zidovudine oral tablet 300 mg</i>		2	GC; MO; QL (60 per 30 days)
<b>ANTI-HIV AGENTS, OTHER</b>			
FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG		5	QL (60 per 30 days); NEDS
<i>maraviroc oral tablet 150 mg</i>	Selzentry	5	QL (240 per 30 days); NEDS
<i>maraviroc oral tablet 300 mg</i>	Selzentry	5	QL (120 per 30 days); NEDS
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG		5	QL (60 per 30 days); NEDS
SELZENTRY ORAL SOLUTION 20 MG/ML		5	QL (1800 per 30 days); NEDS
SELZENTRY ORAL TABLET 25 MG		4	MO; QL (240 per 30 days); FFQL
SELZENTRY ORAL TABLET 75 MG		5	QL (60 per 30 days); NEDS
SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG		5	QL (4 per 180 days)
SUNLENCA ORAL TABLET THERAPY PACK 5 X 300 MG		5	QL (5 per 180 days)
TRIUMEQ ORAL TABLET 600-50-300 MG		5	QL (30 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG		5	QL (180 per 30 days); NEDS
TYBOST ORAL TABLET 150 MG		4	MO; QL (30 per 30 days); FFQL
<b>ANTI-HIV AGENTS, PROTEASE INHIBITORS (PI)</b>			
APTIVUS ORAL CAPSULE 250 MG		5	QL (120 per 30 days); NEDS
<i>atazanavir sulfate oral capsule 150 mg</i>		4	MO; QL (60 per 30 days); FFQL
<i>atazanavir sulfate oral capsule 200 mg</i>	Reyataz	4	MO; QL (60 per 30 days); FFQL
<i>atazanavir sulfate oral capsule 300 mg</i>	Reyataz	4	MO; QL (30 per 30 days); FFQL
<i>darunavir oral tablet 600 mg</i>	Prezista	5	QL (60 per 30 days); NEDS
<i>darunavir oral tablet 800 mg</i>	Prezista	5	QL (30 per 30 days); NEDS
EVOTAZ ORAL TABLET 300-150 MG		5	QL (30 per 30 days); NEDS
<i>fosamprenavir calcium oral tablet 700 mg</i>	Lexiva	5	QL (120 per 30 days); NEDS
LEXIVA ORAL SUSPENSION 50 MG/ML		4	MO; QL (1575 per 28 days); FFQL
<i>lopinavir-ritonavir oral solution 400-100 mg/5ml</i>	Kaletra	2	GC; MO; QL (400 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i>	Kaletra	4	MO; QL (300 per 30 days); FFQL
<i>lopinavir-ritonavir oral tablet 200-50 mg</i>	Kaletra	2	GC; MO; QL (120 per 30 days)
NORVIR ORAL PACKET 100 MG		4	MO; QL (360 per 30 days); FFQL
PREZCOBIX ORAL TABLET 800-150 MG		5	QL (30 per 30 days); NEDS
PREZISTA ORAL SUSPENSION 100 MG/ML		5	QL (360 per 30 days); NEDS
PREZISTA ORAL TABLET 150 MG		4	MO; QL (240 per 30 days); FFQL
PREZISTA ORAL TABLET 75 MG		4	MO; QL (420 per 30 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
REYATAZ ORAL PACKET 50 MG		5	QL (180 per 30 days); NEDS
<i>ritonavir oral tablet 100 mg</i>	Norvir	2	GC; MO; QL (360 per 30 days)
VIRACEPT ORAL TABLET 250 MG		5	QL (300 per 30 days); NEDS
VIRACEPT ORAL TABLET 625 MG		5	QL (120 per 30 days); NEDS
<b>ANTI-INFLUENZA AGENTS</b>			
<i>oseltamivir phosphate oral capsule 30 mg</i>	Tamiflu	2	GC; QL (84 per 30 days); NEDS
<i>oseltamivir phosphate oral capsule 45 mg, 75 mg</i>	Tamiflu	2	GC; QL (60 per 30 days); NEDS
<i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i>	Tamiflu	2	GC; NEDS
RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT		4	NEDS
<i>rimantadine hcl oral tablet 100 mg</i>		2	GC; NEDS
XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 1 X 40 MG		4	NEDS
XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 1 X 80 MG		4	NEDS
<b>ANTIVIRALS</b>			
LAGEVRIO ORAL CAPSULE 200 MG		1	GC; NEDS
PAXLOVID (150/100) ORAL TABLET THERAPY PACK 10 X 150 MG & 10 X 100MG		1	GC; NEDS
PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG		1	GC; NEDS
<b>ANXIOLYTICS</b>			
<b>ANXIOLYTICS, OTHER</b>			
<i>buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>		2	GC; NEDS
<i>hydroxyzine hcl oral syrup 10 mg/5ml</i>		2	PA; GC; NEDS
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		2	PA; GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>hydroxyzine pamoate oral capsule 100 mg, 50 mg</i>		2	PA; GC; NEDS
<i>hydroxyzine pamoate oral capsule 25 mg</i>	Vistaril	2	PA; GC; NEDS
<i>meprobamate oral tablet 200 mg, 400 mg</i>		2	GC; NEDS
<b>BENZODIAZEPINES</b>			
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	Xanax	1	PA; GC; QL (120 per 30 days); NEDS
<i>alprazolam oral tablet 2 mg</i>	Xanax	1	PA; GC; QL (150 per 30 days); NEDS
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>		2	PA; GC; NEDS
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	KlonoPIN	1	GC; QL (90 per 30 days); NEDS
<i>clonazepam oral tablet 2 mg</i>	KlonoPIN	1	GC; QL (300 per 30 days); NEDS
<i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>		2	GC; QL (90 per 30 days); NEDS
<i>clonazepam oral tablet dispersible 2 mg</i>		2	GC; QL (300 per 30 days); NEDS
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>		2	GC; QL (180 per 30 days); NEDS
<b>DIAZEPAM INTENSOL ORAL CONCENTRATE 5 MG/ML</b>		2	GC; QL (240 per 30 days); NEDS
<i>diazepam oral solution 5 mg/5ml</i>		2	GC; QL (1200 per 30 days); NEDS
<i>diazepam oral tablet 10 mg</i>	Valium	1	GC; QL (120 per 30 days); NEDS
<i>diazepam oral tablet 2 mg, 5 mg</i>	Valium	1	GC; QL (60 per 30 days); NEDS
<b>LORAZEPAM INTENSOL ORAL CONCENTRATE 2 MG/ML</b>		2	GC; QL (180 per 30 days); NEDS
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>	Ativan	1	GC; QL (120 per 30 days); NEDS
<b>BIPOLAR AGENTS</b>			
<b>MOOD STABILIZERS</b>			
<i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i>	Depakote ER	2	GC; MO
<i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>	Depakote Sprinkles	2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>	Depakote	1	GC; MO
<i>lithium carbonate er oral tablet extended release 300 mg</i>	Lithobid	1	GC; MO
<i>lithium carbonate er oral tablet extended release 450 mg</i>		1	GC; MO
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>		1	GC; MO
<i>lithium carbonate oral tablet 300 mg</i>		1	GC; MO
<i>lithium oral solution 8 meq/5ml</i>		2	GC; MO
<b>BLOOD GLUCOSE REGULATORS</b>			
<b>ANTIDIABETIC AGENTS</b>			
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>		1	GC; MO; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG		3	MO; QL (30 per 30 days); FFQL
FARXIGA ORAL TABLET 5 MG		3	MO; QL (60 per 30 days); FFQL
<i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i>		1	GC; MO; QL (60 per 30 days)
<i>glipizide er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>	Glucotrol XL	1	GC; MO; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg, 5 mg</i>		1	GC; MO; QL (120 per 30 days)
<i>glipizide-metformin hcl oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</i>		1	GC; MO; QL (120 per 30 days)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>		2	GC; MO
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG		3	MO; QL (30 per 30 days); FFQL
JANUMET ORAL TABLET 50-1000 MG, 50-500 MG		3	MO; QL (60 per 30 days); FFQL
JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG		3	MO; QL (30 per 30 days); FFQL
JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-1000 MG, 50-500 MG		3	MO; QL (60 per 30 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG		3	MO; QL (30 per 30 days); FFQL
JARDIANCE ORAL TABLET 10 MG, 25 MG		3	MO; QL (30 per 30 days); FFQL
JENTADUETO ORAL TABLET 2.5-1000 MG, 2.5-500 MG, 2.5-850 MG		3	MO; QL (60 per 30 days); FFQL
JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG		3	MO; QL (60 per 30 days); FFQL
JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 5-1000 MG		3	MO; QL (30 per 30 days); FFQL
<i>metformin hcl er oral tablet extended release 24 hour 500 mg</i>		1	GC; MO; QL (120 per 30 days)
<i>metformin hcl er oral tablet extended release 24 hour 750 mg</i>		1	GC; MO; QL (60 per 30 days)
<i>metformin hcl oral solution 500 mg/5ml</i>	Riomet	2	GC; MO; QL (765 per 30 days)
<i>metformin hcl oral tablet 1000 mg</i>		1	GC; MO; QL (60 per 30 days)
<i>metformin hcl oral tablet 500 mg</i>		1	GC; MO; QL (120 per 30 days)
<i>metformin hcl oral tablet 850 mg</i>		1	GC; MO; QL (90 per 30 days)
<i>migliitol oral tablet 100 mg, 25 mg, 50 mg</i>		2	GC; MO; QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>		2	GC; MO; QL (90 per 30 days)
OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML		3	PA; MO; QL (3 per 28 days); FFQL
OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML		3	PA; MO; QL (6 per 28 days); FFQL
OZEMPIC (2 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8 MG/3ML		3	PA; MO; QL (3 per 28 days); FFQL
<i>pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg</i>	Actos	1	GC; MO; QL (30 per 30 days)
<i>pioglitazone hcl-glimepiride oral tablet 30-2 mg, 30-4 mg</i>	Duetact	2	GC; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>pioglitazone hcl-metformin hcl oral tablet 15-500 mg</i>		2	GC; MO; QL (90 per 30 days)
<i>pioglitazone hcl-metformin hcl oral tablet 15-850 mg</i>	Actoplus Met	2	GC; MO; QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>		2	GC; MO; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>		2	GC; MO; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG		3	PA; MO; QL (30 per 30 days); FFQL
SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR 2700 MCG/2.7ML		5	PA; QL (10.8 per 30 days); NEDS
SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR 1500 MCG/1.5ML		5	PA; QL (6 per 30 days); NEDS
SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-1000 MG, 5-500 MG		3	MO; QL (60 per 30 days); FFQL
SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 25-1000 MG		3	MO; QL (30 per 30 days); FFQL
SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5-1000 MG, 5-1000 MG		3	MO; QL (60 per 30 days); FFQL
TRADJENTA ORAL TABLET 5 MG		3	MO; QL (30 per 30 days); FFQL
TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-5-1000 MG, 25-5-1000 MG		3	MO; QL (30 per 30 days); FFQL
TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5-2.5-1000 MG, 5-2.5-1000 MG		3	MO; QL (60 per 30 days); FFQL
TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML		3	PA; MO; QL (4 per 28 days); FFQL
XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 10-500 MG		3	MO; QL (30 per 30 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5- 1000 MG, 5-1000 MG, 5-500 MG		3	MO; QL (60 per 30 days); FFQL
<b>GLYCEMIC AGENTS</b>			
BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE		3	NEDS
<i>diazoxide oral suspension 50 mg/ml</i>	Proglycem	5	NEDS
GLUCAGEN HYPOKIT INJECTION SOLUTION RECONSTITUTED 1 MG		3	NEDS
<i>glucagon emergency injection kit 1 mg</i>		3	NEDS
KORLYM ORAL TABLET 300 MG		5	PA; QL (120 per 30 days); NEDS
<i>mifepristone oral tablet 300 mg</i>	Korlym	5	PA; QL (120 per 30 days); NEDS
<b>INSULINS</b>			
ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1 ML		3	QL (120 per 30 days)
COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1 ML		3	QL (120 per 30 days)
<i>cvs gauze sterile pad 2"x2"</i>	Band-Aid Gauze Small	3	
EXEL COMFORT POINT PEN NEEDLE 29G X 12MM		3	QL (120 per 30 days)
HUMALOG INJECTION SOLUTION 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML, 200 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (50-50) 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (75-25) 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION (75- 25) 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMALOG TEMPO PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMULIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMULIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMULIN R INJECTION SOLUTION 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 500 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
<i>insulin glargine max solostar subcutaneous solution pen-injector 300 unit/ml</i>	Toujeo Max SoloStar	6	MO; QL (40 per 30 days); FFQL
<i>insulin glargine solostar subcutaneous solution pen-injector 100 unit/ml</i>	Lantus SoloStar	6	MO; QL (40 per 30 days); FFQL
<i>insulin glargine solostar subcutaneous solution pen-injector 300 unit/ml</i>	Toujeo SoloStar	6	MO; QL (40 per 30 days); FFQL
<i>insulin glargine subcutaneous solution 100 unit/ml</i>	Lantus	6	MO; QL (40 per 30 days); FFQL
<i>insulin lispro (1 unit dial) subcutaneous solution pen-injector 100 unit/ml</i>	HumaLOG KwikPen	6	MO; QL (40 per 30 days); FFQL
<i>insulin lispro injection solution 100 unit/ml</i>	HumaLOG	6	MO; QL (40 per 30 days); FFQL
<i>insulin lispro junior kwikpen subcutaneous solution pen-injector 100 unit/ml</i>	HumaLOG Junior KwikPen	6	MO; QL (40 per 30 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>insulin lispro prot &amp; lispro subcutaneous suspension pen-injector (75-25) 100 unit/ml</i>	HumaLOG Mix 75/25 KwikPen	6	MO; QL (40 per 30 days); FFQL
LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
LANTUS SUBCUTANEOUS SOLUTION 100 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
<i>preferred plus insulin syringe 28g x 1/2" 0.5 ml</i>	BD Insulin Syringe MicroFine	3	QL (120 per 30 days)
RELI-ON INSULIN SYRINGE 29G 0.3 ML		3	QL (120 per 30 days)
SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML		6	ST; MO; QL (18 per 30 days); FFQL
TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML		6	MO; QL (40 per 30 days); FFQL
<b>BLOOD PRODUCTS AND MODIFIERS</b>			
<b>ANTICOAGULANTS</b>			
ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG		3	QL (74 per 30 days); NEDS
ELIQUIS ORAL TABLET 2.5 MG		3	MO; QL (60 per 30 days); FFQL
ELIQUIS ORAL TABLET 5 MG		3	MO; QL (90 per 30 days); FFQL
<i>enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 150 mg/ml</i>	Lovenox	2	GC; QL (30 per 30 days); NEDS
<i>enoxaparin sodium injection solution prefilled syringe 120 mg/0.8ml, 80 mg/0.8ml</i>	Lovenox	2	GC; QL (24 per 30 days); NEDS
<i>enoxaparin sodium injection solution prefilled syringe 30 mg/0.3ml</i>	Lovenox	2	GC; QL (9 per 30 days); NEDS
<i>enoxaparin sodium injection solution prefilled syringe 40 mg/0.4ml</i>	Lovenox	2	GC; QL (12 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>enoxaparin sodium injection solution prefilled syringe 60 mg/0.6ml</i>	Lovenox	2	GC; QL (18 per 30 days); NEDS
<i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i>	Arixtra	5	QL (14 per 30 days); NEDS
<i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>	Arixtra	2	GC; QL (24 per 30 days); NEDS
<i>heparin sodium (porcine) injection solution 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i>		2	PA-BvsD; GC; NEDS
JANTOVEN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG		1	GC; MO
<i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	Jantoven	1	GC; MO
XARELTO ORAL SUSPENSION RECONSTITUTED 1 MG/ML		3	MO; QL (900 per 30 days); FFQL
XARELTO ORAL TABLET 10 MG, 20 MG		3	MO; QL (30 per 30 days); FFQL
XARELTO ORAL TABLET 15 MG		3	MO; QL (60 per 30 days); FFQL
XARELTO ORAL TABLET 2.5 MG		3	MO; QL (120 per 30 days); FFQL
XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG		3	QL (51 per 30 days); NEDS
<b>BLOOD PRODUCTS AND MODIFIERS, OTHER</b>			
<i>anagrelide hcl oral capsule 0.5 mg</i>	Agrylin	2	GC; MO
<i>anagrelide hcl oral capsule 1 mg</i>		2	GC; MO
FULPHILA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML		5	PA; NEDS
LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG		5	PA; NEDS
PROMACTA ORAL PACKET 12.5 MG		5	PA; QL (360 per 30 days); NEDS
PROMACTA ORAL PACKET 25 MG		5	PA; QL (180 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG		5	PA; QL (30 per 30 days); NEDS
RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML		4	PA; QL (12 per 28 days); NEDS
<i>tranexamic acid oral tablet 650 mg</i>		2	GC; NEDS
ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML		5	PA; NEDS
ZIEXTENZO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML		5	PA; NEDS
<b>PLATELET MODIFYING AGENTS</b>			
<i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i>		2	GC; MO; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG		3	MO; QL (60 per 30 days); FFQL
<i>cilostazol oral tablet 100 mg, 50 mg</i>		1	GC; MO
<i>clopidogrel bisulfate oral tablet 75 mg</i>	Plavix	1	GC; MO
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>		2	GC; MO
<b>CARDIOVASCULAR AGENTS</b>			
<b>ALPHA-ADRENERGIC AGONISTS</b>			
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>		1	GC; MO
<i>clonidine transdermal patch weekly 0.1 mg/24hr</i>	Catapres-TTS-1	2	GC; MO; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24hr</i>	Catapres-TTS-2	2	GC; MO; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24hr</i>	Catapres-TTS-3	2	GC; MO; QL (8 per 28 days)
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i>	Northera	5	PA; NEDS
<i>midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<b>ALPHA-ADRENERGIC BLOCKING AGENTS</b>			
<i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	Cardura	1	GC; MO; QL (60 per 30 days)
<i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>	Minipress	1	GC; MO
<i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		1	GC; MO; QL (60 per 30 days)
<b>ANGIOTENSIN II RECEPTOR ANTAGONISTS</b>			
<i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	Atacand	1	GC; MO
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	Avapro	1	GC; MO
<i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i>	Cozaar	1	GC; MO
<i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i>	Benicar	1	GC; MO
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	Micardis	1	GC; MO
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	Diovan	1	GC; MO
<b>ANGIOTENSIN-CONVERTING ENZYME (ACE) INHIBITORS</b>			
<i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg</i>	Lotensin	1	GC; MO
<i>benazepril hcl oral tablet 5 mg</i>		1	GC; MO
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>		1	GC; MO
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	Vasotec	1	GC; MO
<i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i>		1	GC; MO
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	Zestril	1	GC; MO
<i>moexipril hcl oral tablet 15 mg, 7.5 mg</i>		1	GC; MO
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>		1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	Accupril	1	GC; MO
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	Altace	1	GC; MO
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>		1	GC; MO
<b>ANTIARRHYTHMICS</b>			
<i>amiodarone hcl oral tablet 100 mg, 200 mg, 400 mg</i>	Pacerone	2	GC; MO
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	Tikosyn	2	GC; MO
<i>flecainide acetate oral tablet 100 mg, 150 mg, 50 mg</i>		2	GC; MO
<i>mexiletine hcl oral capsule 150 mg, 200 mg, 250 mg</i>		2	GC; MO
MULTAQ ORAL TABLET 400 MG		3	MO; QL (60 per 30 days); FFQL
<i>propafenone hcl oral tablet 150 mg, 225 mg, 300 mg</i>		2	GC; MO
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>		1	GC; MO
<i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>	Betapace AF	1	GC; MO
<i>sotalol hcl oral tablet 120 mg, 160 mg, 80 mg</i>	Betapace	1	GC; MO
<i>sotalol hcl oral tablet 240 mg</i>		1	GC; MO
<b>BETA-ADRENERGIC BLOCKING AGENTS</b>			
<i>acebutolol hcl oral capsule 200 mg, 400 mg</i>		1	GC; MO
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	Tenormin	1	GC; MO
<i>betaxolol hcl oral tablet 10 mg, 20 mg</i>		2	GC; MO
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>		1	GC; MO
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	Coreg	1	GC; MO
<i>carvedilol phosphate er oral capsule extended release 24 hour 10 mg, 20 mg, 40 mg, 80 mg</i>	Coreg CR	2	GC; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>		1	GC; MO
<i>metoprolol succinate er oral tablet extended release 24 hour 100 mg</i>	Toprol XL	1	GC; MO; QL (120 per 30 days)
<i>metoprolol succinate er oral tablet extended release 24 hour 200 mg, 25 mg, 50 mg</i>	Toprol XL	1	GC; MO; QL (60 per 30 days)
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i>	Lopressor	1	GC; MO
<i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>		1	GC; MO
<i>nadolol oral tablet 20 mg, 40 mg</i>	Corgard	2	GC; MO
<i>nadolol oral tablet 80 mg</i>		2	GC; MO
<i>nebivolol hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>	Bystolic	2	GC; MO; QL (30 per 30 days)
<i>nebivolol hcl oral tablet 20 mg</i>	Bystolic	2	GC; MO; QL (60 per 30 days)
<i>pindolol oral tablet 10 mg, 5 mg</i>		2	GC; MO
<i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg</i>	Inderal LA	2	GC; MO
<i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>		2	GC; MO
<i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg</i>		1	GC; MO
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>		1	GC; MO
<b>CALCIUM CHANNEL BLOCKING AGENTS, DIHYDROPYRIDINES</b>			
<i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>	Norvasc	1	GC; MO
<i>felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>		1	GC; MO
<i>isradipine oral capsule 2.5 mg, 5 mg</i>		2	GC; MO
<i>nicardipine hcl oral capsule 20 mg, 30 mg</i>		2	GC; MO
<i>nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>		1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>	Procardia XL	1	GC; MO
<i>nisoldipine er oral tablet extended release 24 hour 17 mg, 34 mg, 8.5 mg</i>	Sular	2	GC; MO; QL (30 per 30 days)
<i>nisoldipine er oral tablet extended release 24 hour 20 mg, 25.5 mg, 30 mg, 40 mg</i>		2	GC; MO; QL (30 per 30 days)
<b>CALCIUM CHANNEL BLOCKING AGENTS, NONDIHYDROPYRIDINES</b>			
CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG		2	GC; MO
<i>diltiazem hcl er beads oral capsule extended release 24 hour 360 mg</i>	Taztia XT	2	GC; MO
<i>diltiazem hcl er beads oral capsule extended release 24 hour 420 mg</i>	Tiadylt ER	2	GC; MO
<i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>	Cartia XT	2	GC; MO
<i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>		2	GC; MO
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i>	Cardizem	1	GC; MO
<i>diltiazem hcl oral tablet 90 mg</i>		1	GC; MO
<i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>		1	GC; MO
TAZTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG		2	GC; MO
TIADYLT ER ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG		2	GC; MO
<i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg</i>	Verelan PM	2	GC; MO
<i>verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 360 mg</i>	Verelan	2	GC; MO
<i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>		1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>		1	GC; MO
<b>CARDIOVASCULAR AGENTS, OTHER</b>			
<i>aliskiren fumarate oral tablet 150 mg, 300 mg</i>	Tekturna	2	GC; MO
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>		1	GC; MO
<i>amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i>	Lotrel	1	GC; MO
<i>amlodipine besy-benazepril hcl oral capsule 2.5-10 mg, 5-40 mg</i>		1	GC; MO
<i>amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	Exforge	1	GC; MO
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	Caduet	2	GC; MO
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>		2	GC; MO
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	Azor	1	GC; MO
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i>	Tenoretic 100	1	GC; MO
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i>	Tenoretic 50	1	GC; MO
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	Lotensin HCT	1	GC; MO
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>		1	GC; MO
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>		1	GC; MO
CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG		5	PA; QL (30 per 30 days); NEDS
<i>candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	Atacand HCT	1	GC; MO
CORLANOR ORAL SOLUTION 5 MG/5ML		4	PA; MO; QL (450 per 30 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
CORLANOR ORAL TABLET 5 MG, 7.5 MG		4	PA; MO; QL (60 per 30 days); FFQL
<i>digoxin oral solution 0.05 mg/ml</i>		2	PA; GC; MO; QL (255 per 30 days)
<i>digoxin oral tablet 125 mcg</i>	Digox	1	GC; MO; QL (30 per 30 days)
<i>digoxin oral tablet 250 mcg</i>	Digox	1	PA; GC; MO; QL (30 per 30 days)
<i>digoxin oral tablet 62.5 mcg</i>	Lanoxin	2	GC; MO; QL (30 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	Vaseretic	1	GC; MO
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>		1	GC; MO
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG		3	MO; QL (60 per 30 days); FFQL
FILSPARI ORAL TABLET 200 MG, 400 MG		5	PA; QL (30 per 30 days); NEDS
<i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i>		1	GC; MO
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	Avalide	1	GC; MO
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	Zestoretic	1	GC; MO
<i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	Hyzaar	1	GC; MO
<i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>		2	GC; MO
<i>metyrosine oral capsule 250 mg</i>	Demser	5	NEDS
<i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	Benicar HCT	1	GC; MO
<i>olmesartan-amlodipine-hctz oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	Tribenzor	2	GC; MO
<i>pentoxifylline er oral tablet extended release 400 mg</i>		1	GC; MO
<i>ranolazine er oral tablet extended release 12 hour 1000 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>ranolazine er oral tablet extended release 12 hour 500 mg</i>		2	GC; MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>spironolactone-hctz oral tablet 25-25 mg</i>		2	GC; MO
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>		1	GC; MO
<i>telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	Micardis HCT	1	GC; MO
<i>trandolapril-verapamil hcl er oral tablet extended release 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>		1	GC; MO
<i>triamterene-hctz oral capsule 37.5-25 mg</i>		1	GC; MO
<i>triamterene-hctz oral tablet 37.5-25 mg</i>		1	GC; MO
<i>triamterene-hctz oral tablet 75-50 mg</i>	Maxzide	1	GC; MO
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	Diovan HCT	1	GC; MO
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG		4	PA; MO; QL (30 per 30 days); FFQL
<b>DIURETICS, LOOP</b>			
<i>bumetanide injection solution 0.25 mg/ml</i>		2	GC; NEDS
<i>bumetanide oral tablet 0.5 mg</i>	Bumex	2	GC; MO
<i>bumetanide oral tablet 1 mg, 2 mg</i>		2	GC; MO
<i>furosemide injection solution 10 mg/ml</i>		1	GC; NEDS
<i>furosemide oral solution 10 mg/ml, 8 mg/ml</i>		1	GC; MO
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	Lasix	1	GC; MO
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>		1	GC; MO
<i>toremide oral tablet 20 mg</i>	Soanz	1	GC; MO
<b>DIURETICS, POTASSIUM-SPARING</b>			
<i>amiloride hcl oral tablet 5 mg</i>		1	GC; MO
<i>eplerenone oral tablet 25 mg, 50 mg</i>	Inspra	2	GC; MO
KERENDIA ORAL TABLET 10 MG, 20 MG		3	PA; MO; QL (30 per 30 days); FFQL
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	Aldactone	1	GC; MO
<b>DIURETICS, THIAZIDE</b>			
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>		2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>hydrochlorothiazide oral capsule 12.5 mg</i>		1	GC; MO
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>		1	GC; MO
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>		1	GC; MO
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>		2	GC; MO
<b>DYSLIPIDEMICS, FIBRIC ACID DERIVATIVES</b>			
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>fenofibrate oral tablet 145 mg, 48 mg</i>	Tricor	2	GC; MO; QL (30 per 30 days)
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>fenofibric acid oral capsule delayed release 135 mg, 45 mg</i>	Trilipix	2	GC; MO; QL (30 per 30 days)
<i>gemfibrozil oral tablet 600 mg</i>	Lopid	1	GC; MO; QL (60 per 30 days)
<b>DYSLIPIDEMICS, HMG COA REDUCTASE INHIBITORS</b>			
<i>atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	Lipitor	1	GC; MO
<i>fluvastatin sodium er oral tablet extended release 24 hour 80 mg</i>	Lescol XL	1	GC; MO
<i>fluvastatin sodium oral capsule 20 mg, 40 mg</i>		1	GC; MO
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		1	GC; MO
<i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>		1	GC; MO
<i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	Crestor	1	GC; MO
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i>	Zocor	1	GC; MO
<i>simvastatin oral tablet 5 mg, 80 mg</i>		1	GC; MO
<b>DYSLIPIDEMICS, OTHER</b>			
<i>cholestyramine light oral packet 4 gm</i>	Prevalite	2	GC; MO
<i>cholestyramine oral packet 4 gm</i>	Questran	2	GC; MO
<i>colesevelam hcl oral packet 3.75 gm</i>	Welchol	2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>colesevelam hcl oral tablet 625 mg</i>	Welchol	2	GC; MO
<i>colestipol hcl oral packet 5 gm</i>	Colestid	2	GC; MO
<i>colestipol hcl oral tablet 1 gm</i>	Colestid	2	GC; MO
<i>ezetimibe oral tablet 10 mg</i>	Zetia	2	GC; MO; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i>	Vytorin	1	GC; MO
<i>icosapent ethyl oral capsule 0.5 gm</i>	Vascepa	3	MO; QL (240 per 30 days); FFQL
<i>icosapent ethyl oral capsule 1 gm</i>	Vascepa	2	GC; MO; QL (120 per 30 days)
<i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>omega-3-acid ethyl esters oral capsule 1 gm</i>	Lovaza	2	GC; MO; QL (120 per 30 days)
PREVALITE ORAL PACKET 4 GM		3	MO; FFQL
REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420 MG/3.5ML		3	PA; MO; QL (3.5 per 28 days); FFQL
REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML		3	PA; MO; QL (3 per 28 days); FFQL
REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML		3	PA; MO; QL (3 per 28 days); FFQL
VASCEPA ORAL CAPSULE 0.5 GM		3	MO; QL (240 per 30 days); FFQL
<b>VASODILATORS, DIRECT-ACTING ARTERIAL/ VENOUS</b>			
<i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		1	GC; MO
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>		2	GC; MO
<i>isosorbide dinitrate oral tablet 5 mg</i>	Isordil Titradoso	2	GC; MO
<i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i>		1	GC; MO
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>		1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>		1	GC; MO
<b>NITRO-BID TRANSDERMAL OINTMENT 2 %</b>		4	MO; FFQL
<b>NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR</b>		3	MO; FFQL
<i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i>	Nitrostat	2	GC; MO
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	Nitro-Dur	2	GC; MO
<i>nitroglycerin translingual solution 0.4 mg/spray</i>	Nitrolingual	2	GC; MO
<b>RECTIV RECTAL OINTMENT 0.4 %</b>		4	NEDS

## **CENTRAL NERVOUS SYSTEM AGENTS**

### **ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, AMPHETAMINES**

<i>amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	Adderall	2	GC; MO; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	Zenzedi	2	GC; MO

### **ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, NON- AMPHETAMINES**

<i>atomoxetine hcl oral capsule 10 mg, 18 mg, 25 mg</i>	Strattera	2	GC; MO; QL (60 per 30 days)
<i>atomoxetine hcl oral capsule 100 mg, 40 mg, 60 mg, 80 mg</i>	Strattera	2	GC; MO; QL (30 per 30 days)
<i>clonidine hcl er oral tablet extended release 12 hour 0.1 mg</i>		2	GC; MO; QL (120 per 30 days)
<i>dexmethylphenidate hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>	Focalin	2	GC; MO; QL (60 per 30 days)
<i>guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg</i>	Intuniv	2	PA; GC; MO
<i>methylphenidate hcl er (osm) oral tablet extended release 18 mg, 27 mg</i>	Concerta	2	GC; MO; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>methylphenidate hcl er (osm) oral tablet extended release 36 mg</i>	Concerta	2	GC; MO; QL (60 per 30 days)
<i>methylphenidate hcl er (osm) oral tablet extended release 45 mg, 63 mg</i>	Relexxii	2	GC; MO; QL (30 per 30 days)
<i>methylphenidate hcl er (osm) oral tablet extended release 54 mg</i>	Concerta	2	GC; MO; QL (30 per 30 days)
<i>methylphenidate hcl er oral tablet extended release 24 hour 18 mg, 27 mg</i>		2	GC; MO; QL (90 per 30 days)
<i>methylphenidate hcl er oral tablet extended release 24 hour 36 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>methylphenidate hcl er oral tablet extended release 24 hour 54 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	Ritalin	2	GC; MO; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet chewable 10 mg</i>		2	GC; MO; QL (180 per 30 days)
<i>methylphenidate hcl oral tablet chewable 2.5 mg, 5 mg</i>		2	GC; MO; QL (90 per 30 days)
<b>CENTRAL NERVOUS SYSTEM, OTHER</b>			
AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG		5	PA; QL (120 per 30 days); NEDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG, 6 MG		5	PA; QL (90 per 30 days); NEDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 24 MG		5	PA; QL (60 per 30 days); NEDS
AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 6 & 12 & 24 MG		5	PA; QL (42 per 28 days); NEDS
DAYBUE ORAL SOLUTION 200 MG/ML		5	PA; QL (3600 per 30 days); NEDS
EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75 MG/ML		5	PA; NEDS
NUEDEXTA ORAL CAPSULE 20-10 MG		5	PA; QL (60 per 30 days); NEDS
<i>riluzole oral tablet 50 mg</i>	Rilutek	2	PA; GC; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>tetrabenazine oral tablet 12.5 mg</i>	Xenazine	5	PA; QL (90 per 30 days); NEDS
<i>tetrabenazine oral tablet 25 mg</i>	Xenazine	5	PA; QL (120 per 30 days); NEDS
<b>FIBROMYALGIA AGENTS</b>			
<i>pregabalin oral capsule 100 mg, 200 mg, 50 mg</i>	Lyrica	2	GC; MO; QL (90 per 30 days)
<i>pregabalin oral capsule 150 mg, 225 mg, 25 mg, 300 mg, 75 mg</i>	Lyrica	2	GC; MO; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	Lyrica	2	GC; MO; QL (900 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG		3	MO; QL (60 per 30 days); FFQL
SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG		3	QL (55 per 28 days); NEDS
<b>MULTIPLE SCLEROSIS AGENTS</b>			
<i>dalfampridine er oral tablet extended release 12 hour 10 mg</i>	Ampyra	3	PA; MO; QL (60 per 30 days); FFQL
<i>dimethyl fumarate oral capsule delayed release 120 mg, 240 mg</i>	Tecfidera	5	PA; QL (60 per 30 days); NEDS
<i>dimethyl fumarate starter pack oral capsule delayed release therapy pack 120 &amp; 240 mg</i>	Tecfidera	5	PA; QL (60 per 30 days); NEDS
<i>glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml, 40 mg/ml</i>	Copaxone	5	PA; QL (30 per 30 days); NEDS
MAYZENT ORAL TABLET 0.25 MG		5	PA; QL (210 per 30 days); NEDS
MAYZENT ORAL TABLET 1 MG, 2 MG		5	PA; QL (30 per 30 days); NEDS
MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25 MG		5	PA; QL (210 per 30 days); NEDS
MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 7 X 0.25 MG		4	PA; QL (210 per 30 days); NEDS
<b>DENTAL AND ORAL AGENTS</b>			
<b>DENTAL AND ORAL AGENTS</b>			
<i>cevimeline hcl oral capsule 30 mg</i>	Evoxac	2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>	Periogard	1	GC; NEDS
PERIOGARD MOUTH/THROAT SOLUTION 0.12 %		1	GC; NEDS
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	Salagen	2	GC; MO
<i>triamcinolone acetonide mouth/throat paste 0.1 %</i>	Kourzeq	2	GC; NEDS

## **DERMATOLOGICAL AGENTS**

### **ACNE AND ROSACEA AGENTS**

ACUTANE ORAL CAPSULE 10 MG, 20 MG, 40 MG		2	GC; NEDS
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	PA; GC; NEDS
<i>adapalene external cream 0.1 %</i>	Differin	2	PA; GC; NEDS
<i>adapalene external gel 0.3 %</i>	Differin	2	PA; GC; NEDS
CLARAVIS ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG		4	NEDS
<i>isotretinoin oral capsule 10 mg, 20 mg, 40 mg</i>	Accutane	2	GC; NEDS
<i>isotretinoin oral capsule 30 mg</i>	Zenatane	2	GC; NEDS
<i>tazarotene external cream 0.1 %</i>	Tazorac	2	PA; GC; NEDS
<i>tazarotene external gel 0.05 %, 0.1 %</i>	Tazorac	2	PA; GC; QL (100 per 30 days); NEDS
TAZORAC EXTERNAL CREAM 0.05 %		4	PA; NEDS
<i>tretinoin external cream 0.025 %, 0.05 %, 0.1 %</i>	Retin-A	2	PA; GC; NEDS
<i>tretinoin external gel 0.01 %, 0.025 %</i>	Retin-A	2	PA; GC; NEDS
<i>tretinoin external gel 0.05 %</i>	Atralin	2	PA; GC; NEDS
ZENATANE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG		2	GC; NEDS

### **DERMATITIS AND PRUITUS AGENTS**

<i>alclometasone dipropionate external cream 0.05 %</i>		2	GC; NEDS
<i>alclometasone dipropionate external ointment 0.05 %</i>		1	GC; NEDS
<i>ammonium lactate external cream 12 %</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>ammonium lactate external lotion 12 %</i>	AL12	2	GC; NEDS
<i>betamethasone dipropionate aug external cream 0.05 %</i>		2	GC; NEDS
<i>betamethasone dipropionate aug external gel 0.05 %</i>		2	GC; NEDS
<i>betamethasone dipropionate aug external lotion 0.05 %</i>		2	GC; NEDS
<i>betamethasone dipropionate aug external ointment 0.05 %</i>	Diprolene	2	GC; NEDS
<i>betamethasone dipropionate external cream 0.05 %</i>		2	GC; NEDS
<i>betamethasone dipropionate external lotion 0.05 %</i>		2	GC; NEDS
<i>betamethasone dipropionate external ointment 0.05 %</i>		2	GC; NEDS
<i>betamethasone valerate external cream 0.1 %</i>		2	GC; NEDS
<i>betamethasone valerate external lotion 0.1 %</i>		2	GC; NEDS
<i>betamethasone valerate external ointment 0.1 %</i>		2	GC; NEDS
<i>clobetasol propionate e external cream 0.05 %</i>		2	GC; NEDS
<i>clobetasol propionate external cream 0.05 %</i>		2	GC; NEDS
<i>clobetasol propionate external gel 0.05 %</i>		2	GC; NEDS
<i>clobetasol propionate external lotion 0.05 %</i>	Clobex	2	GC; NEDS
<i>clobetasol propionate external ointment 0.05 %</i>		2	GC; NEDS
<i>clobetasol propionate external shampoo 0.05 %</i>	Clobex	2	GC; NEDS
<i>clobetasol propionate external solution 0.05 %</i>		2	GC; NEDS
<i>desonide external cream 0.05 %</i>	DesOwen	2	GC; NEDS
<i>desonide external lotion 0.05 %</i>		2	GC; NEDS
<i>desonide external ointment 0.05 %</i>		2	GC; NEDS
<i>desoximetasone external cream 0.05 %, 0.25 %</i>	Topicort	2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>desoximetasone external gel 0.05 %</i>	Topicort	2	GC; NEDS
<i>desoximetasone external ointment 0.05 %, 0.25 %</i>	Topicort	2	GC; NEDS
<i>fluocinolone acetonide external cream 0.01 %</i>		2	GC; NEDS
<i>fluocinolone acetonide external cream 0.025 %</i>	Synalar	2	GC; NEDS
<i>fluocinolone acetonide external ointment 0.025 %</i>	Synalar	2	GC; NEDS
<i>fluocinolone acetonide external solution 0.01 %</i>		2	GC; QL (180 per 30 days); NEDS
<i>fluocinolone acetonide scalp external oil 0.01 %</i>	Derma-Smoothe/FS Scalp	2	GC; NEDS
<i>fluocinonide emulsified base external cream 0.05 %</i>		2	GC; NEDS
<i>fluocinonide external cream 0.05 %</i>		2	GC; NEDS
<i>fluocinonide external gel 0.05 %</i>		2	GC; NEDS
<i>fluocinonide external ointment 0.05 %</i>		2	GC; NEDS
<i>fluocinonide external solution 0.05 %</i>		2	GC; NEDS
<i>fluticasone propionate external cream 0.05 %</i>		2	GC; NEDS
<i>fluticasone propionate external ointment 0.005 %</i>		2	GC; NEDS
<i>halobetasol propionate external cream 0.05 %</i>		2	GC; NEDS
<i>halobetasol propionate external ointment 0.05 %</i>		2	GC; NEDS
<i>hydrocortisone (perianal) external cream 2.5 %</i>	Procto-Med HC	1	GC; NEDS
<i>hydrocortisone butyrate external cream 0.1 %</i>		2	GC; NEDS
<i>hydrocortisone butyrate external ointment 0.1 %</i>		2	GC; NEDS
<i>hydrocortisone butyrate external solution 0.1 %</i>		2	GC; QL (180 per 30 days); NEDS
<i>hydrocortisone external cream 1 %</i>	Aveeno Anti-Itch Max St	1	GC; NEDS
<i>hydrocortisone external lotion 2.5 %</i>		1	GC; NEDS
<i>hydrocortisone external ointment 1 %</i>	Aquaphor Itch Relief Children	1	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>hydrocortisone external ointment 2.5 %</i>		1	GC; NEDS
<i>hydrocortisone valerate external cream 0.2 %</i>		2	GC; NEDS
<i>hydrocortisone valerate external ointment 0.2 %</i>		2	GC; NEDS
<b>HYFTOR EXTERNAL GEL 0.2 %</b>		5	PA; NEDS
<i>mometasone furoate external cream 0.1 %</i>		1	GC; NEDS
<i>mometasone furoate external ointment 0.1 %</i>		1	GC; NEDS
<i>mometasone furoate external solution 0.1 %</i>		1	GC; NEDS
<i>pimecrolimus external cream 1 %</i>	Elidel	2	ST; GC; NEDS
<b>PROCTO-MED HC EXTERNAL CREAM 2.5 %</b>		2	GC; NEDS
<b>PROCTOSOL HC EXTERNAL CREAM 2.5 %</b>		2	GC; NEDS
<b>PROCTOZONE-HC EXTERNAL CREAM 2.5 %</b>		2	GC; NEDS
<i>selenium sulfide external lotion 2.5 %</i>		1	GC; NEDS
<i>tacrolimus external ointment 0.03 %, 0.1 %</i>		2	ST; GC; NEDS
<i>triamcinolone acetonide external cream 0.025 %, 0.1 %</i>		2	GC; NEDS
<i>triamcinolone acetonide external cream 0.5 %</i>	Triderm	2	GC; NEDS
<i>triamcinolone acetonide external lotion 0.025 %</i>		2	GC; NEDS
<i>triamcinolone acetonide external lotion 0.1 %</i>		2	GC; QL (240 per 30 days); NEDS
<i>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</i>		1	GC; NEDS
<b>DERMATOLOGICAL AGENTS, OTHER</b>			
<i>calcipotriene external cream 0.005 %</i>		2	GC; QL (120 per 30 days); NEDS
<i>calcipotriene external ointment 0.005 %</i>	Calcitrene	2	GC; QL (120 per 30 days); NEDS
<i>calcipotriene external solution 0.005 %</i>		2	GC; QL (60 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>clotrimazole-betamethasone external cream 1-0.05 %</i>		2	GC; NEDS
<i>clotrimazole-betamethasone external lotion 1-0.05 %</i>		2	GC; NEDS
<i>fluorouracil external cream 5 %</i>	Efudex	2	GC; NEDS
<i>fluorouracil external solution 2 %, 5 %</i>		2	GC; NEDS
<i>global alcohol prep ease pad 70 %</i>	Advocate Alcohol Prep Pads	3	
<i>hydrocortisone ace-pramoxine external cream 1-1 %</i>	Analpram-HC	2	GC; NEDS
<i>imiquimod external cream 5 %</i>		2	GC; QL (12 per 30 days); NEDS
<i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i>		2	GC; NEDS
<i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i>		2	GC; NEDS
PANRETIN EXTERNAL GEL 0.1 %		5	PA; NEDS
<i>podofilox external solution 0.5 %</i>		2	GC; NEDS
REGRANEX EXTERNAL GEL 0.01 %		5	PA; QL (30 per 30 days); NEDS
SANTYL EXTERNAL OINTMENT 250 UNIT/GM		4	NEDS
<i>silver sulfadiazine external cream 1 %</i>	SSD	1	GC; NEDS
SSD EXTERNAL CREAM 1 %		2	GC; NEDS
<b>PEDICULICIDES/SCABICIDES</b>			
<i>malathion external lotion 0.5 %</i>	Ovide	2	GC; NEDS
<i>permethrin external cream 5 %</i>		2	GC; NEDS
<b>TOPICAL ANTI-INFECTIVES</b>			
<i>acyclovir external ointment 5 %</i>	Zovirax	2	GC; NEDS
<i>ciclopirox external gel 0.77 %</i>		2	GC; NEDS
<i>ciclopirox external shampoo 1 %</i>		2	GC; NEDS
<i>ciclopirox external solution 8 %</i>	Ciclodan	2	GC; NEDS
<i>clindamycin phosphate external gel 1 %</i>	Clindagel	2	GC; QL (120 per 30 days); NEDS
<i>clindamycin phosphate external lotion 1 %</i>	Cleocin-T	2	GC; NEDS
<i>clindamycin phosphate external solution 1 %</i>		2	GC; QL (240 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>clindamycin phosphate external swab 1 %</i>	Clindacin ETZ	2	GC; NEDS
<i>ery external pad 2 %</i>		2	GC; NEDS
<i>erythromycin external gel 2 %</i>	Erygel	2	GC; NEDS
<i>erythromycin external solution 2 %</i>		2	GC; NEDS
<i>mupirocin calcium external cream 2 %</i>		1	GC; QL (120 per 30 days); NEDS
<i>mupirocin external ointment 2 %</i>		2	GC; QL (352 per 30 days); NEDS

### **ELECTROLYTES/MINERALS/ METALS/VITAMINS**

#### **ELECTROLYTE/ MINERAL REPLACEMENT**

<i>carglumic acid oral tablet soluble 200 mg</i>	Carbaglu	5	PA; NEDS
<b>ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION</b>		4	PA-BvsD; NEDS
<i>kcl in dextrose-nacl intravenous solution 10-5-0.45 meq/l-%-%, 20-5-0.2 meq/l-%-%, 20-5-0.45 meq/l-%-%, 20-5-0.9 meq/l-%-%, 30-5-0.45 meq/l-%-%, 40-5-0.45 meq/l-%-%, 40-5-0.9 meq/l-%-%</i>		2	PA-BvsD; GC; NEDS
<i>kcl-lactated ringers-d5w intravenous solution 20 meq/l</i>		2	PA-BvsD; GC; NEDS
<i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i>		1	GC; NEDS
<i>multiple electro type 1 ph 5.5 intravenous solution</i>	Plasma-Lyte 148	2	PA-BvsD; GC; NEDS
<b>PLASMA-LYTE A INTRAVENOUS SOLUTION</b>		4	PA-BvsD; NEDS
<i>potassium chloride crys er oral tablet extended release 10 meq</i>	Klor-Con M10	1	GC; MO
<i>potassium chloride crys er oral tablet extended release 15 meq</i>	Klor-Con M15	1	GC; MO
<i>potassium chloride crys er oral tablet extended release 20 meq</i>	Klor-Con M20	1	GC; MO
<i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i>		2	GC; MO
<i>potassium chloride er oral tablet extended release 10 meq</i>	Klor-Con 10	1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>potassium chloride er oral tablet extended release 20 meq</i>	K-Tab	1	GC; MO
<i>potassium chloride er oral tablet extended release 8 meq</i>	Klor-Con	1	GC; MO
<i>potassium chloride in nacl intravenous solution 20-0.45 meq/l-%, 20-0.9 meq/l-%, 40-0.9 meq/l-%</i>		2	PA-BvsD; GC; NEDS
<i>potassium chloride intravenous solution 10 meq/100ml, 2 meq/ml, 2 meq/ml (20 ml), 20 meq/100ml, 40 meq/100ml</i>		2	PA-BvsD; GC; NEDS
<i>potassium chloride oral packet 20 meq</i>	Klor-Con	2	GC; MO
<i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i>		2	GC; MO
<i>potassium citrate er oral tablet extended release 10 meq (1080 mg)</i>	Urocit-K 10	2	GC; NEDS
<i>potassium citrate er oral tablet extended release 15 meq (1620 mg)</i>	Urocit-K 15	2	GC; NEDS
<i>potassium citrate er oral tablet extended release 5 meq (540 mg)</i>	Urocit-K 5	2	GC; NEDS
<i>potassium cl in dextrose 5% intravenous solution 20 meq/l</i>		3	PA-BvsD; NEDS
<i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %, 5 %</i>		3	NEDS
<i>sodium chloride irrigation solution 0.9 %</i>	Argyle Sterile Saline	3	NEDS
<i>sodium fluoride oral tablet 2.2 (1 f) mg</i>		2	GC; NEDS
<b>ELECTROLYTE/MINERAL/METAL MODIFIERS</b>			
<i>deferasirox oral tablet soluble 125 mg</i>	Exjade	2	PA; GC; MO
<i>deferasirox oral tablet soluble 250 mg, 500 mg</i>	Exjade	5	PA; NEDS
<i>deferiprone oral tablet 1000 mg, 500 mg</i>	Ferriprox	5	PA; NEDS
LOKELMA ORAL PACKET 10 GM, 5 GM		4	MO; FFQL
<i>sodium polystyrene sulfonate oral powder</i>		2	GC; NEDS
SPS ORAL SUSPENSION 15 GM/60ML		3	NEDS
<i>trientine hcl oral capsule 250 mg</i>	Syprine	5	PA; NEDS
<i>trientine hcl oral capsule 500 mg</i>		5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>ELECTROLYTES/MINERALS/ METALS/VITAMINS</b>			
CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25 %		4	PA-BvsD; NEDS
CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5 %		4	PA-BvsD; NEDS
CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5 %		4	PA-BvsD; NEDS
<i>dextrose intravenous solution 10 %, 5 %</i>		3	PA-BvsD; NEDS
<i>dextrose-nacl intravenous solution 10-0.2 %, 10-0.45 %, 2.5-0.45 %</i>		2	PA-BvsD; GC; NEDS
<i>dextrose-nacl intravenous solution 5-0.2 %, 5-0.45 %, 5-0.9 %</i>		2	GC; NEDS
DOJOLVI ORAL LIQUID 100 %		5	PA; NEDS
ISOLYTE-P IN D5W INTRAVENOUS SOLUTION		4	PA-BvsD; NEDS
<i>levocarnitine oral solution 1 gm/10ml</i>	Carnitor	2	GC; MO
<i>levocarnitine oral tablet 330 mg</i>	Carnitor	2	GC; MO
NUTRILIPID INTRAVENOUS EMULSION 20 %		4	PA-BvsD; NEDS
<i>prenatal oral tablet 27-1 mg</i>	NeoNatal Plus	2	GC; NEDS
TPN ELECTROLYTES INTRAVENOUS CONCENTRATE		2	PA-BvsD; GC; NEDS
TRAVASOL INTRAVENOUS SOLUTION 10 %		4	PA-BvsD; NEDS
TROPHAMINE INTRAVENOUS SOLUTION 10 %		4	PA-BvsD; NEDS
<b>PHOSPHATE BINDERS</b>			
<i>calcium acetate (phos binder) oral capsule 667 mg</i>		2	GC; MO; QL (360 per 30 days)
<i>calcium acetate oral tablet 667 mg</i>	Calphron	2	GC; MO; QL (360 per 30 days)
<i>lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg</i>	Fosrenol	4	MO; FFQL
<i>sevelamer carbonate oral packet 0.8 gm</i>	Renvela	2	GC; MO; QL (540 per 30 days)
<i>sevelamer carbonate oral packet 2.4 gm</i>	Renvela	2	GC; MO; QL (180 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>sevelamer carbonate oral tablet 800 mg</i>	Renvela	2	GC; MO; QL (540 per 30 days)
<b>EXCLUDED DRUG COVERAGE</b>			
<b>IMPOTENCE AGENTS</b>			
<i>sildenafil citrate oral tablet 100 mg, 25 mg, 50 mg</i>	Viagra	2	EXCL; QL (7 per 30 days); NEDS
<i>varденаfil hcl oral tablet 10 mg, 20 mg</i>		2	EXCL; QL (7 per 30 days); NEDS
<b>GASTROINTESTINAL AGENTS</b>			
<b>ANTI-CONSTIPATION AGENTS</b>			
<i>enulose oral solution 10 gm/15ml</i>		1	GC; MO
<i>generlac oral solution 10 gm/15ml</i>		2	GC; MO
<i>lactulose oral solution 10 gm/15ml</i>		2	GC; MO
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		3	MO; QL (30 per 30 days); FFQL
<i>lubiprostone oral capsule 24 mcg</i>	Amitiza	2	GC; MO; QL (60 per 30 days)
<i>lubiprostone oral capsule 8 mcg</i>		2	GC; MO; QL (60 per 30 days)
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		3	QL (30 per 30 days); NEDS
<b>ANTI-DIARRHEAL AGENTS</b>			
<i>alosetron hcl oral tablet 0.5 mg, 1 mg</i>	Lotronex	5	PA; NEDS
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i>		2	GC; NEDS
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	Lomotil	2	GC; NEDS
<i>loperamide hcl oral capsule 2 mg</i>	Imodium A-D	2	GC; NEDS
XERMELO ORAL TABLET 250 MG		5	PA; QL (90 per 30 days); NEDS
<b>ANTISPASMODICS, GASTROINTESTINAL</b>			
<i>dicyclomine hcl oral capsule 10 mg</i>		2	GC; NEDS
<i>dicyclomine hcl oral solution 10 mg/5ml</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>dicyclomine hcl oral tablet 20 mg</i>		2	GC; NEDS
<i>glycopyrrolate oral tablet 1 mg</i>	Robinul	2	GC; NEDS
<i>glycopyrrolate oral tablet 2 mg</i>	Robinul-Forte	2	GC; NEDS
<b>GASTROINTESTINAL AGENTS, OTHER</b>			
<i>chlordiazepoxide-clidinium oral capsule 5-2.5 mg</i>	Librax	2	PA; GC; NEDS
GAVILYTE-C ORAL SOLUTION RECONSTITUTED 240 GM		2	GC; NEDS
<i>metoclopramide hcl oral solution 5 mg/5ml</i>		1	GC; NEDS
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	Reglan	1	GC; MO
<i>na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6 gm/177ml, 17.5-3.13-1.6 gm/177ml 2 pack (480ml)</i>	Suprep Bowel Prep Kit	2	GC; NEDS
<i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i>		2	GC; NEDS
<i>peg-3350/electrolytes oral solution reconstituted 236 gm</i>	GaviLyte-G	2	GC; NEDS
SUTAB ORAL TABLET 1479-225-188 MG		4	NEDS
<i>ursodiol oral capsule 300 mg</i>		2	GC; MO
<i>ursodiol oral tablet 250 mg</i>	Urso 250	2	GC; MO
<i>ursodiol oral tablet 500 mg</i>	Urso Forte	2	GC; MO
<b>HISTAMINE2 (H2) RECEPTOR ANTAGONISTS</b>			
<i>cimetidine oral tablet 200 mg</i>	Tagamet HB	2	GC; NEDS
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>		2	GC; MO
<i>famotidine oral suspension reconstituted 40 mg/5ml</i>		2	GC; MO
<i>famotidine oral tablet 20 mg</i>	MM Acid-Pep Maximum Strength	1	GC; MO
<i>famotidine oral tablet 40 mg</i>	Pepcid	1	GC; MO
<i>nizatidine oral capsule 150 mg, 300 mg</i>		1	GC; MO
<b>PROTECTANTS</b>			
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	Cytotec	2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>sucralfate oral suspension 1 gm/10ml</i>	Carafate	4	MO; FFQL
<i>sucralfate oral tablet 1 gm</i>	Carafate	1	GC; MO
<b>PROTON PUMP INHIBITORS</b>			
<i>dexlansoprazole oral capsule delayed release 30 mg, 60 mg</i>	Dexilant	2	GC; MO; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule delayed release 20 mg</i>	GoodSense Esomeprazole	2	GC; MO; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule delayed release 40 mg</i>	NexIUM	2	GC; MO; QL (30 per 30 days)
<i>lansoprazole oral capsule delayed release 15 mg</i>	Prevacid 24HR	1	GC; MO; QL (30 per 30 days)
<i>lansoprazole oral capsule delayed release 30 mg</i>	Prevacid	1	GC; MO; QL (30 per 30 days)
<i>omeprazole oral capsule delayed release 10 mg, 40 mg</i>		1	GC; MO; QL (30 per 30 days)
<i>omeprazole oral capsule delayed release 20 mg</i>		1	GC; MO; QL (60 per 30 days)
<i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i>	Protonix	1	GC; MO; QL (30 per 30 days)
<b>GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>			
<b>GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>			
CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000-114000 UNIT, 6000-19000 UNIT		3	MO; FFQL
<i>cromolyn sodium oral concentrate 100 mg/5ml</i>	Gastrocrom	2	GC; MO
CYSTAGON ORAL CAPSULE 150 MG, 50 MG		4	PA; MO; FFQL
ENDARI ORAL PACKET 5 GM		3	PA; QL (180 per 30 days); NEDS
<i>miglustat oral capsule 100 mg</i>	Yargesa	5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG		5	PA; NEDS
RAVICTI ORAL LIQUID 1.1 GM/ML		5	PA; NEDS
<i>sapropterin dihydrochloride oral packet 100 mg, 500 mg</i>	Javygtor	5	PA; NEDS
<i>sapropterin dihydrochloride oral tablet 100 mg</i>	Javygtor	5	PA; NEDS
SOHONOS ORAL CAPSULE 1 MG, 2.5 MG, 5 MG		5	PA; QL (28 per 28 days); NEDS
SOHONOS ORAL CAPSULE 1.5 MG, 10 MG		5	PA; QL (56 per 28 days); NEDS
VIJOICE ORAL TABLET THERAPY PACK 125 MG, 200 & 50 MG, 50 MG		5	PA; NEDS
ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT		3	MO; FFQL
ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 60000-189600 UNIT		3	FFQL
ZOKINVY ORAL CAPSULE 50 MG, 75 MG		5	PA; NEDS

## **GENITOURINARY AGENTS**

### **ANTISPASMODICS, URINARY**

<i>darifenacin hydrobromide er oral tablet extended release 24 hour 15 mg, 7.5 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>flavoxate hcl oral tablet 100 mg</i>		2	GC; MO
MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER 8 MG/ML		4	MO; QL (300 per 30 days); FFQL
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG		4	MO; QL (30 per 30 days); FFQL
<i>oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg</i>		2	GC; MO; QL (60 per 30 days)
<i>oxybutynin chloride er oral tablet extended release 24 hour 5 mg</i>		2	GC; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>oxybutynin chloride oral solution 5 mg/5ml</i>		1	GC; MO
<i>oxybutynin chloride oral tablet 5 mg</i>		1	GC; MO
<i>tolterodine tartrate er oral capsule extended release 24 hour 2 mg, 4 mg</i>	Detrol LA	2	GC; MO; QL (30 per 30 days)
<i>tolterodine tartrate oral tablet 1 mg, 2 mg</i>	Detrol	2	GC; MO; QL (60 per 30 days)
<i>tropium chloride er oral capsule extended release 24 hour 60 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>tropium chloride oral tablet 20 mg</i>		2	GC; MO; QL (60 per 30 days)
<b>BENIGN PROSTATIC HYPERTROPHY AGENTS</b>			
<i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i>	Uroxatral	1	GC; MO; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i>	Avodart	2	GC; MO; QL (30 per 30 days)
<i>dutasteride-tamsulosin hcl oral capsule 0.5-0.4 mg</i>	Jalyn	2	GC; MO; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i>	Proscar	1	GC; MO; QL (30 per 30 days)
<i>silodosin oral capsule 4 mg, 8 mg</i>	Rapaflo	2	GC; MO
<i>tadalafil oral tablet 2.5 mg</i>		2	PA; GC; MO; QL (30 per 30 days)
<i>tadalafil oral tablet 5 mg</i>	Cialis	2	PA; GC; MO; QL (30 per 30 days)
<i>tamsulosin hcl oral capsule 0.4 mg</i>	Flomax	1	GC; MO; QL (60 per 30 days)
<b>GENITOURINARY AGENTS, OTHER</b>			
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>		2	GC; NEDS
ELMIRON ORAL CAPSULE 100 MG		4	NEDS
<i>penicillamine oral tablet 250 mg</i>	Depen Titratabs	5	PA; NEDS
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5ML		5	PA; QL (0.5 per 30 days); NEDS
RIVFLOZA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 128 MG/0.8ML		5	PA; QL (0.8 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
RIVFLOZA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 160 MG/ML		5	PA; QL (1 per 30 days); NEDS
<b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (ADRENAL)</b>			
<b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (ADRENAL)</b>			
<i>dexamethasone oral solution 0.5 mg/5ml</i>		2	GC; NEDS
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>		2	GC; NEDS
<i>fludrocortisone acetate oral tablet 0.1 mg</i>		1	GC; MO
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	Cortef	2	GC; NEDS
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i>	Medrol	2	GC; NEDS
<i>methylprednisolone oral tablet 32 mg</i>		2	GC; NEDS
<i>methylprednisolone oral tablet therapy pack 4 mg</i>	Medrol	2	GC; NEDS
<i>prednisolone oral solution 15 mg/5ml</i>		2	GC; NEDS
<i>prednisolone sodium phosphate oral solution 10 mg/5ml, 20 mg/5ml, 25 mg/5ml</i>		2	GC; NEDS
<i>prednisolone sodium phosphate oral solution 6.7 (5 base) mg/5ml</i>	Pediapred	2	GC; NEDS
PREDNISONO INTENSOL ORAL CONCENTRATE 5 MG/ML		2	GC; NEDS
<i>prednisone oral solution 5 mg/5ml</i>		2	GC; NEDS
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>		1	GC; NEDS
<i>prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)</i>		2	GC; NEDS
<b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (PITUITARY)</b>			

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (PITUITARY)</b>			
<i>desmopressin ace spray refrig nasal solution 0.01 %</i>		2	GC; MO
<i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i>	DDAVP	2	GC; MO
INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML		5	PA; NEDS
OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10 MG/1.5ML, 5 MG/1.5ML		5	PA; NEDS
<b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (SEX HORMONES/ MODIFIERS)</b>			
<b>ANDROGENS</b>			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>		2	GC; NEDS
<i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i>	Depo-Testosterone	2	PA; GC; MO
<i>testosterone enanthate intramuscular solution 200 mg/ml</i>		2	PA; GC; MO
<i>testosterone transdermal gel 10 mg/act (2%)</i>	Fortesta	2	PA; GC; MO
<i>testosterone transdermal gel 12.5 mg/act (1%)</i>	Vogelxo Pump	2	PA; GC; MO
<i>testosterone transdermal gel 20.25 mg/1.25gm (1.62%), 40.5 mg/2.5gm (1.62%)</i>		2	PA; GC; MO
<i>testosterone transdermal gel 20.25 mg/act (1.62%)</i>	AndroGel Pump	2	PA; GC; MO
<i>testosterone transdermal gel 25 mg/2.5gm (1%)</i>		2	PA; GC; MO; QL (75 per 30 days)
<i>testosterone transdermal gel 50 mg/5gm (1%)</i>	Testim	2	PA; GC; MO; QL (300 per 30 days)
<i>testosterone transdermal solution 30 mg/act</i>		2	PA; GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>ESTROGENS</b>			
DUAVEE ORAL TABLET 0.45-20 MG		3	MO; FFQL
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	Estrace	1	GC; MO
<i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	Alora	2	GC; MO
<i>estradiol transdermal patch twice weekly 0.0375 mg/24hr, 0.05 mg/24hr</i>	Dotti	2	GC; MO
<i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	Climara	2	GC; MO
<i>estradiol vaginal cream 0.1 mg/gm</i>	Estrace	2	GC; MO
<i>estradiol vaginal tablet 10 mcg</i>	Yuvafem	2	GC; MO
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG		4	MO; FFQL
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG		3	MO; FFQL
PREMARIN VAGINAL CREAM 0.625 MG/GM		3	MO; FFQL
YUVAFEM VAGINAL TABLET 10 MCG		2	GC; MO
<b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (SEX HORMONES/ MODIFIERS)</b>			
AVIANE ORAL TABLET 0.1-20 MG-MCG		2	GC; MO
BALZIVA ORAL TABLET 0.4-35 MG-MCG		2	GC; MO
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	Balziva	2	GC; MO
CYRED EQ ORAL TABLET 0.15-30 MG-MCG		2	GC; MO
<i>desogestrel-ethinyl estradiol oral tablet 0.15-30 mg-mcg</i>	Cyred EQ	2	GC; MO
ELURYNG VAGINAL RING 0.12-0.015 MG/24HR		3	MO; QL (1 per 28 days); FFQL
ENILLORING VAGINAL RING 0.12-0.015 MG/24HR		3	MO; QL (1 per 28 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
ENPRESSE-28 ORAL TABLET 50-30/75-40/ 125-30 MCG		2	GC; MO
ESTARYLLA ORAL TABLET 0.25-35 MG-MCG		1	GC; MO
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	Amabelz	2	GC; MO
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i>	Activella	2	GC; MO
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr</i>	EluRyng	3	MO; QL (1 per 28 days); FFQL
FYAVOLV ORAL TABLET 1-5 MG-MCG		2	GC; MO
HALOETTE VAGINAL RING 0.12-0.015 MG/24HR		3	MO; QL (1 per 28 days); FFQL
INTRAROSA VAGINAL INSERT 6.5 MG		4	PA; MO; FFQL
ISIBLOOM ORAL TABLET 0.15-30 MG-MCG		2	GC; MO
JASMIEL ORAL TABLET 3-0.02 MG		2	GC; MO
JINTELI ORAL TABLET 1-5 MG-MCG		2	GC; MO
LEVONEST ORAL TABLET 50-30/75-40/ 125-30 MCG		2	GC; MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	Aviane	2	GC; MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-30 mg-mcg</i>	Altavera	2	GC; MO
LORYNA ORAL TABLET 3-0.02 MG		2	GC; MO
LUTERA ORAL TABLET 0.1-20 MG-MCG		2	GC; MO
MILI ORAL TABLET 0.25-35 MG-MCG		1	GC; MO
NIKKI ORAL TABLET 3-0.02 MG		2	GC; MO
<i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg</i>	Aurovela FE 1/20	1	GC; MO
<i>norethindrone-eth estradiol oral tablet 1-5 mg-mcg</i>	Fyavolv	2	GC; MO
<i>norethindron-ethinyl estrad-fe oral tablet 1-20/1-30/1-35 mg-mcg</i>	Tilia Fe	1	GC; MO
<i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i>	Estarylla	1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
NORTREL 1/35 (21) ORAL TABLET 1-35 MG-MCG		1	GC; MO
NORTREL 1/35 (28) ORAL TABLET 1-35 MG-MCG		2	GC; MO
NORTREL 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG		2	GC; MO
NYLIA 1/35 ORAL TABLET 1-35 MG-MCG		2	GC; MO
NYLIA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG		2	GC; MO
NYMYO ORAL TABLET 0.25-35 MG-MCG		1	GC; MO
RECLIPSEN ORAL TABLET 0.15-30 MG-MCG		2	GC; MO
SPRINTEC 28 ORAL TABLET 0.25-35 MG-MCG		1	GC; MO
SRONYX ORAL TABLET 0.1-20 MG-MCG		2	GC; MO
TILIA FE ORAL TABLET 1-20/1-30/1-35 MG-MCG		1	GC; MO
TRI-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG		1	GC; MO
TRI-LEGEST FE ORAL TABLET 1-20/1-30/1-35 MG-MCG		1	GC; MO
TRI-MILI ORAL TABLET 0.18/0.215/0.25 MG-35 MCG		1	GC; MO
TRI-NYMYO ORAL TABLET 0.18/0.215/0.25 MG-35 MCG		1	GC; MO
TRI-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-35 MCG		1	GC; MO
TRIVORA (28) ORAL TABLET 50-30/75-40/ 125-30 MCG		2	GC; MO
VESTURA ORAL TABLET 3-0.02 MG		2	GC; MO
VYFEMLA ORAL TABLET 0.4-35 MG-MCG		2	GC; MO
ZOVIA 1/35 (28) ORAL TABLET 1-35 MG-MCG		1	GC; MO
<b>PROGESTINS</b>			
CAMILA ORAL TABLET 0.35 MG		2	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML		4	QL (0.65 per 84 days)
ERRIN ORAL TABLET 0.35 MG		2	GC; MO
HEATHER ORAL TABLET 0.35 MG		2	GC; MO
INCASSIA ORAL TABLET 0.35 MG		2	GC; MO
LYLEQ ORAL TABLET 0.35 MG		2	GC; MO
LYZA ORAL TABLET 0.35 MG		2	GC; MO
<i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i>	Depo-Provera	2	GC; QL (1 per 90 days)
<i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i>	Depo-Provera	2	GC; QL (1 per 90 days)
<i>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</i>	Provera	1	GC; MO
<i>megestrol acetate oral suspension 40 mg/ml</i>		2	PA; GC; NEDS
<i>megestrol acetate oral suspension 625 mg/5ml</i>		2	PA; GC; MO
<i>megestrol acetate oral tablet 20 mg, 40 mg</i>		1	PA; GC; NEDS
NORA-BE ORAL TABLET 0.35 MG		2	GC; MO
<i>norethindrone acetate oral tablet 5 mg</i>		2	GC; MO
<i>norethindrone oral tablet 0.35 mg</i>	Camila	2	GC; MO
<i>progesterone oral capsule 100 mg, 200 mg</i>	Prometrium	2	GC; MO
SHAROBEL ORAL TABLET 0.35 MG		2	GC; MO
<b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (THYROID)</b>			
<b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (THYROID)</b>			
EUTHYROX ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG		1	GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG		1	GC; MO
<i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	Euthyrox	1	GC; MO
<i>levothyroxine sodium oral tablet 300 mcg</i>	Levo-T	1	GC; MO
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG		1	GC; MO
<i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i>	Cytomel	2	GC; MO
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG		3	MO; FFQL
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG		2	GC; MO
<b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>			
<b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>			
<i>cabergoline oral tablet 0.5 mg</i>		2	GC; NEDS
ELIGARD SUBCUTANEOUS KIT 22.5 MG		4	PA; QL (1 per 90 days)
ELIGARD SUBCUTANEOUS KIT 30 MG		4	PA; QL (1 per 120 days)
ELIGARD SUBCUTANEOUS KIT 45 MG		4	PA; QL (1 per 180 days)
ELIGARD SUBCUTANEOUS KIT 7.5 MG		4	PA; QL (1 per 30 days); NEDS
FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL		5	PA; QL (2 per 28 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG		4	PA; QL (1 per 28 days); NEDS
<i>leuprolide acetate (3 month) intramuscular injectable 22.5 mg</i>		2	PA; GC; QL (1 per 90 days)
<i>leuprolide acetate injection kit 1 mg/0.2ml</i>		2	PA; GC; NEDS
LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG		5	PA; QL (1 per 30 days); NEDS
LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG, 22.5 MG		5	PA; QL (1 per 90 days)
LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30 MG		5	PA; QL (1 per 120 days)
LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45 MG		5	PA; QL (1 per 180 days)
LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 7.5 MG		5	PA; QL (1 per 30 days); NEDS
LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 11.25 MG		5	PA; QL (1 per 90 days)
LUPRON DEPOT-PED (6-MONTH) INTRAMUSCULAR KIT 45 MG		5	PA; QL (1 per 180 days)
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i>	SandoSTATIN	2	PA; GC; MO
<i>octreotide acetate injection solution 1000 mcg/ml</i>		5	PA; NEDS
<i>octreotide acetate injection solution 200 mcg/ml</i>		2	PA; GC; MO
<i>octreotide acetate injection solution 500 mcg/ml</i>	SandoSTATIN	5	PA; NEDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML		5	PA; QL (60 per 30 days); NEDS
SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 25 MG, 30 MG		5	PA; QL (30 per 30 days); NEDS
SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 20 MG		5	PA; QL (60 per 30 days); NEDS
SYNAREL NASAL SOLUTION 2 MG/ML		5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 11.25 MG		4	PA; QL (1 per 84 days)
TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 22.5 MG		4	PA; QL (1 per 168 days)
TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 3.75 MG		4	PA; QL (1 per 28 days); NEDS
<b>HORMONAL AGENTS, SUPPRESSANT (THYROID)</b>			
<b>ANTITHYROID AGENTS</b>			
<i>methimazole oral tablet 10 mg, 5 mg</i>		1	GC; MO
<i>propylthiouracil oral tablet 50 mg</i>		2	GC; MO
<b>IMMUNOLOGICAL AGENTS</b>			
<b>ANGIOEDEMA AGENTS</b>			
CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT		5	PA-BvsD; NEDS
<i>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</i>	Firazyr	5	PA; QL (18 per 30 days); NEDS
<b>IMMUNOGLOBULINS</b>			
GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML		5	PA-BvsD; NEDS
GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION RECONSTITUTED 10 GM, 5 GM		5	PA-BvsD; NEDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 5 GM/50ML		5	PA-BvsD; NEDS
GAMUNEX-C INJECTION SOLUTION 1 GM/10ML		5	PA-BvsD; NEDS
<b>IMMUNOLOGICAL AGENTS, OTHER</b>			
ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG		5	PA; NEDS
COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML		5	PA; QL (8 per 28 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML		5	PA; QL (8 per 28 days); NEDS
COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML		5	PA; QL (4 per 28 days); NEDS
COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML		5	PA; QL (8 per 28 days); NEDS
DUPIXENT SUBCUTANEOUS SOLUTION PEN-INJECTOR 200 MG/1.14ML, 300 MG/2ML		5	PA; NEDS
DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML, 200 MG/1.14ML, 300 MG/2ML		5	PA; NEDS
JOENJA ORAL TABLET 70 MG		5	PA; QL (60 per 30 days); NEDS
<i>leflunomide oral tablet 10 mg, 20 mg</i>	Arava	2	GC; MO; QL (30 per 30 days)
ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML		5	PA; QL (4 per 28 days); NEDS
ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML		5	PA; QL (4 per 28 days); NEDS
ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.4ML		5	PA; QL (2 per 28 days); NEDS
ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 87.5 MG/0.7ML		5	PA; QL (3 per 28 days); NEDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG, 45 MG		5	PA; QL (30 per 30 days); NEDS
SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML		5	PA; QL (3 per 84 days)
SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML		5	PA; QL (1.2 per 56 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 360 MG/2.4ML		5	PA; QL (2.4 per 56 days)
SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML		5	PA; QL (3 per 84 days)
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML		5	PA; QL (1 per 28 days); NEDS
STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML		5	PA; QL (0.5 per 28 days); NEDS
STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 90 MG/ML		5	PA; QL (1 per 28 days); NEDS
XELJANZ ORAL SOLUTION 1 MG/ML		5	PA; QL (300 per 30 days); NEDS
XELJANZ ORAL TABLET 10 MG		5	PA; QL (60 per 30 days); NEDS
XELJANZ ORAL TABLET 5 MG		5	PA; QL (120 per 30 days); NEDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG		5	PA; QL (30 per 30 days); NEDS
XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML		5	PA; NEDS
XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML		5	PA; NEDS
XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG		5	PA; NEDS
ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 23 MG/0.574ML		5	PA; QL (16.072 per 28 days); NEDS
ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 32.4 MG/0.81ML		5	PA; QL (22.68 per 28 days); NEDS
<b>IMMUNOSTIMULANTS</b>			
ACTIMMUNE SUBCUTANEOUS SOLUTION 2000000 UNIT/0.5ML		5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500 MCG/ML		5	PA; NEDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML		5	PA; NEDS
PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML		5	PA; NEDS
<b>IMMUNOSUPPRESSANTS</b>			
<i>adalimumab-adbm (2 pen) subcutaneous auto-injector kit 40 mg/0.8ml</i>	Cyltezo (2 Pen)	5	PA; QL (2 per 28 days); NEDS
<i>adalimumab-adbm (2 syringe) subcutaneous prefilled syringe kit 10 mg/0.2ml, 20 mg/0.4ml</i>	Cyltezo (2 Syringe)	5	PA; QL (2 per 28 days); NEDS
<i>adalimumab-adbm (2 syringe) subcutaneous prefilled syringe kit 40 mg/0.8ml</i>	Cyltezo (2 Syringe)	5	PA; QL (6 per 28 days); NEDS
<i>adalimumab-adbm(cd/uc/hs strt) subcutaneous auto-injector kit 40 mg/0.8ml</i>	Cyltezo (2 Pen)	5	PA; QL (6 per 28 days); NEDS
<i>adalimumab-adbm(ps/uv starter) subcutaneous auto-injector kit 40 mg/0.8ml</i>	Cyltezo (2 Pen)	5	PA; QL (4 per 28 days); NEDS
AMJEVITA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 80 MG/0.8ML		5	PA; QL (2 per 28 days); NEDS
AMJEVITA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML		5	PA; QL (2 per 28 days); NEDS
AMJEVITA-PED 15KG TO <30KG SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/0.2ML		5	PA; QL (2 per 28 days); NEDS
<i>azathioprine oral tablet 50 mg</i>	Imuran	2	PA-BvsD; GC; MO
BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML		5	PA; NEDS
BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML		5	PA; NEDS
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i>	Gengraf	2	PA-BvsD; GC; MO

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>cyclosporine modified oral capsule 50 mg</i>		2	PA-BvsD; GC; MO
<i>cyclosporine modified oral solution 100 mg/ml</i>	Gengraf	2	PA-BvsD; GC; MO
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	SandIMMUNE	2	PA-BvsD; GC; MO
ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML		5	PA; QL (8 per 28 days); NEDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML		5	PA; QL (8 per 28 days); NEDS
ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML		5	PA; QL (8 per 28 days); NEDS
ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML		5	PA; QL (8 per 28 days); NEDS
ENSPRYNG SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML		5	PA; NEDS
ENVARBUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.75 MG, 1 MG, 4 MG		4	PA-BvsD; MO; FFQL
<i>everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i>	Zortress	5	PA-BvsD; NEDS
HUMIRA (2 PEN) SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.4ML		5	PA; QL (4 per 28 days); NEDS
HUMIRA (2 PEN) SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML		5	PA; QL (6 per 28 days); NEDS
HUMIRA (2 PEN) SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML		5	PA; QL (3 per 28 days); NEDS
HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML		5	PA; QL (2 per 28 days); NEDS
HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.4ML, 40 MG/0.8ML		5	PA; QL (4 per 28 days); NEDS
HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML		5	PA; QL (3 per 28 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
HUMIRA-PED<40KG CROHNS STARTER SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML & 40MG/0.4ML		5	PA; QL (2 per 28 days); NEDS
HUMIRA-PED>=40KG CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML		5	PA; QL (3 per 28 days); NEDS
HUMIRA-PED>=40KG UC STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML		5	PA; QL (3 per 28 days); NEDS
HUMIRA-PS/UV/ADOL HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML		5	PA; QL (4 per 28 days); NEDS
HUMIRA-PSORIASIS/UEVIT STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML		5	PA; QL (3 per 28 days); NEDS
KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML		5	PA; NEDS
<i>methotrexate sodium (pf) injection solution 50 mg/2ml</i>		1	PA-BvsD; GC; NEDS
<i>methotrexate sodium injection solution 50 mg/2ml</i>		1	PA-BvsD; GC; NEDS
<i>methotrexate sodium oral tablet 2.5 mg</i>		2	GC; NEDS
<i>mycophenolate mofetil oral capsule 250 mg</i>	CellCept	2	PA-BvsD; GC; MO
<i>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</i>	CellCept	5	PA-BvsD; NEDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	CellCept	2	PA-BvsD; GC; MO
<i>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</i>	Myfortic	2	PA-BvsD; GC; MO
OTEZLA ORAL TABLET 30 MG		5	PA; QL (60 per 30 days); NEDS
OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG		5	PA; QL (55 per 28 days); NEDS
PROGRAF ORAL PACKET 0.2 MG, 1 MG		4	PA-BvsD; MO; FFQL
REZUROCK ORAL TABLET 200 MG		5	PA; NEDS
SANDIMMUNE ORAL SOLUTION 100 MG/ML		4	PA-BvsD; MO; FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>sirolimus oral solution 1 mg/ml</i>	Rapamune	5	PA-BvsD; NEDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	Rapamune	2	PA-BvsD; GC; MO
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	Prograf	2	PA-BvsD; GC; MO
<b>VACCINES</b>			
ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120 MCG/0.5ML		1	GC; NEDS
ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED		1	GC; NEDS
ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5		1	GC; NEDS
AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120 MCG/0.5ML		1	GC; NEDS
<i>bcg vaccine injection solution reconstituted 50 mg</i>		1	GC; NEDS
BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE		1	GC; NEDS
BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 LF-MCG/0.5		1	GC; NEDS
BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5		1	GC; NEDS
DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5		1	GC; NEDS
<i>diphtheria-tetanus toxoids dt intramuscular suspension 25-5 lfu/0.5ml</i>		1	GC; NEDS
ENGERIX-B INJECTION SUSPENSION 20 MCG/ML		1	PA-BvsD; GC; NEDS
ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML		1	PA-BvsD; GC; NEDS
GARDASIL 9 INTRAMUSCULAR SUSPENSION		1	GC; NEDS
GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE		1	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 720 EL U/0.5ML		1	GC; NEDS
HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML		1	PA-BvsD; GC; NEDS
HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG		1	GC; NEDS
IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5 UNIT/ML		1	PA-BvsD; GC; NEDS
INFANRIX INTRAMUSCULAR SUSPENSION 25-58-10		1	GC; NEDS
IPOL INJECTION INJECTABLE		1	GC; NEDS
IXIARO INTRAMUSCULAR SUSPENSION		1	GC; NEDS
JYNNEOS SUBCUTANEOUS SUSPENSION 0.5 ML		1	GC; NEDS
KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML		1	GC; NEDS
MENACTRA INTRAMUSCULAR SOLUTION		1	GC; NEDS
MENQUADFI INTRAMUSCULAR SOLUTION		1	GC; NEDS
MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED		1	GC; NEDS
M-M-R II INJECTION SOLUTION RECONSTITUTED		1	GC; NEDS
PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE		1	GC; NEDS
PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5 MCG/0.5ML		1	GC; NEDS
PENBRAYA INTRAMUSCULAR SUSPENSION RECONSTITUTED		1	GC; NEDS
PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED		1	GC; NEDS
PREHEVBRIO INTRAMUSCULAR SUSPENSION 10 MCG/ML		1	PA-BvsD; GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED		1	GC; NEDS
PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED		1	GC; NEDS
QUADRACEL INTRAMUSCULAR SUSPENSION , (58 UNT/ML)		1	GC; NEDS
QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML		1	GC; NEDS
RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED		1	PA-BvsD; GC; NEDS
RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML		1	PA-BvsD; GC; NEDS
RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML		1	PA-BvsD; GC; NEDS
ROTARIX ORAL SUSPENSION		1	GC; NEDS
ROTARIX ORAL SUSPENSION RECONSTITUTED		1	GC; NEDS
ROTATEQ ORAL SOLUTION		1	GC; NEDS
SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML		1	GC; NEDS
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML		1	GC; NEDS
TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION)		1	GC; NEDS
TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2 MCG/0.25ML, 2.4 MCG/0.5ML		1	GC; NEDS
TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE		1	GC; NEDS
TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML		1	GC; NEDS
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML		1	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML		1	GC; NEDS
VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML, 50 UNIT/ML, 50 UNIT/ML 1 ML		1	GC; NEDS
VARIVAX SUBCUTANEOUS INJECTABLE 1350 PFU/0.5ML		1	GC; NEDS
YF-VAX SUBCUTANEOUS INJECTABLE , (2.5 ML IN 1 VIAL, MULTI-DOSE)		1	GC; NEDS

## INFLAMMATORY BOWEL DISEASE AGENTS

### AMINOSALICYLATES

<i>balsalazide disodium oral capsule 750 mg</i>	Colazal	2	GC; NEDS
<i>mesalamine er oral capsule extended release 24 hour 0.375 gm</i>	Apriso	2	GC; MO; QL (120 per 30 days)
<i>mesalamine oral capsule delayed release 400 mg</i>	Delzicol	2	GC; MO
<i>mesalamine oral tablet delayed release 1.2 gm</i>	Lialda	2	GC; MO
<i>mesalamine oral tablet delayed release 800 mg</i>		2	GC; NEDS
<i>mesalamine rectal enema 4 gm</i>		4	NEDS
<i>mesalamine rectal suppository 1000 mg</i>	Canasa	2	GC; NEDS
<i>sulfasalazine oral tablet 500 mg</i>	Azulfidine	1	GC; MO
<i>sulfasalazine oral tablet delayed release 500 mg</i>	Azulfidine EN-tabs	2	GC; MO

### GLUCOCORTICOIDS

<i>budesonide er oral tablet extended release 24 hour 9 mg</i>	Uceris	5	NEDS
<i>budesonide oral capsule delayed release particles 3 mg</i>		4	NEDS
<i>hydrocortisone rectal enema 100 mg/60ml</i>	Cortenema	2	GC; NEDS

## METABOLIC BONE DISEASE AGENTS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>METABOLIC BONE DISEASE AGENTS</b>			
<i>alendronate sodium oral solution 70 mg/75ml</i>		2	GC; MO; QL (300 per 28 days)
<i>alendronate sodium oral tablet 10 mg</i>		1	GC; MO; QL (30 per 30 days)
<i>alendronate sodium oral tablet 35 mg</i>		1	GC; MO; QL (4 per 28 days)
<i>alendronate sodium oral tablet 70 mg</i>	Fosamax	1	GC; MO; QL (4 per 28 days)
<i>calcitonin (salmon) nasal solution 200 unit/act</i>		2	PA-BvsD; GC; MO; QL (4 per 28 days)
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	Rocaltrol	2	PA-BvsD; GC; MO
<i>calcitriol oral solution 1 mcg/ml</i>	Rocaltrol	2	PA-BvsD; GC; MO
<i>cinacalcet hcl oral tablet 30 mg</i>	Sensipar	3	PA-BvsD; MO; QL (120 per 30 days); FFQL
<i>cinacalcet hcl oral tablet 60 mg</i>	Sensipar	3	PA-BvsD; MO; QL (150 per 30 days); FFQL
<i>cinacalcet hcl oral tablet 90 mg</i>	Sensipar	5	PA-BvsD; QL (120 per 30 days); NEDS
<i>ibandronate sodium oral tablet 150 mg</i>		2	GC; MO; QL (1 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i>	Zemplar	2	PA-BvsD; GC; MO
<i>paricalcitol oral capsule 4 mcg</i>		2	PA-BvsD; GC; MO
PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML		4	PA; QL (1 per 180 days)
<i>raloxifene hcl oral tablet 60 mg</i>	Evista	2	GC; MO; QL (30 per 30 days)
<i>risedronate sodium oral tablet 150 mg</i>	Actonel	2	GC; MO; QL (1 per 28 days)
<i>risedronate sodium oral tablet 30 mg</i>		2	GC; QL (30 per 30 days); NEDS
<i>risedronate sodium oral tablet 35 mg (12 pack)</i>	Actonel	2	GC; MO; QL (12 per 84 days)
<i>risedronate sodium oral tablet 35 mg, 35 mg (4 pack)</i>	Actonel	2	GC; MO; QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>risedronate sodium oral tablet 5 mg</i>		2	GC; MO; QL (30 per 30 days)
<i>risedronate sodium oral tablet delayed release 35 mg</i>	Atelvia	2	GC; MO; QL (4 per 28 days)
<i>teriparatide (recombinant) subcutaneous solution pen-injector 620 mcg/2.48ml</i>		5	PA; QL (2.48 per 28 days); NEDS
<b>TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML</b>		5	PA; NEDS
<b>XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML</b>		5	PA; QL (1.7 per 28 days); NEDS
<b>OPHTHALMIC AGENTS</b>			
<b>OPHTHALMIC AGENTS, OTHER</b>			
<i>atropine sulfate ophthalmic solution 1 %</i>		2	GC; MO
<i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 %</i>	Neo-Polycin HC	2	GC; NEDS
<i>cyclosporine ophthalmic emulsion 0.05 %</i>	Restasis	3	MO; QL (60 per 30 days); FFQL
<i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i>	Maxitrol	2	GC; NEDS
<i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i>	Maxitrol	2	GC; NEDS
<i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i>		2	GC; NEDS
<i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i>		2	GC; NEDS
<i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</i>		1	GC; NEDS
<i>sulfacetamide-prednisolone ophthalmic solution 10-0.23 %</i>		2	GC; NEDS
<i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</i>		2	GC; NEDS
<b>OPHTHALMIC ANTI-ALLERGY AGENTS</b>			
<i>azelastine hcl ophthalmic solution 0.05 %</i>		2	GC; NEDS
<i>cromolyn sodium ophthalmic solution 4 %</i>		1	GC; NEDS
<i>epinastine hcl ophthalmic solution 0.05 %</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

DRUG NAME	Reference	DRUG TIER	REQUIREMENTS/ LIMITS
<b>OPHTHALMIC ANTI- INFECTIVES</b>			
AZASITE OPHTHALMIC SOLUTION 1 %		4	NEDS
<i>bacitracin ophthalmic ointment 500 unit/gm</i>		2	GC; NEDS
<i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i>	Polycin	2	GC; NEDS
<i>erythromycin ophthalmic ointment 5 mg/gm</i>		2	GC; NEDS
<i>gatifloxacin ophthalmic solution 0.5 %</i>		2	GC; NEDS
<i>gentamicin sulfate ophthalmic solution 0.3 %</i>		2	GC; QL (30 per 30 days); NEDS
<i>levofloxacin ophthalmic solution 0.5 %</i>		2	GC; NEDS
<i>moxifloxacin hcl ophthalmic solution 0.5 %</i>	Vigamox	2	GC; NEDS
NATACYN OPHTHALMIC SUSPENSION 5 %		4	NEDS
<i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i>	Neo-Polycin	2	GC; NEDS
<i>ofloxacin ophthalmic solution 0.3 %</i>	Ocuflox	2	GC; NEDS
<i>sulfacetamide sodium ophthalmic ointment 10 %</i>		1	GC; NEDS
<i>sulfacetamide sodium ophthalmic solution 10 %</i>		2	GC; NEDS
<i>tobramycin ophthalmic solution 0.3 %</i>		2	GC; QL (20 per 30 days); NEDS
XDEMVY OPHTHALMIC SOLUTION 0.25 %		4	PA; NEDS
<b>OPHTHALMIC ANTI- INFLAMMATORIES</b>			
<i>bromfenac sodium (once-daily) ophthalmic solution 0.09 %</i>		2	GC; NEDS
<i>dexamethasone sodium phosphate ophthalmic solution 0.1 %</i>		2	GC; NEDS
<i>diclofenac sodium ophthalmic solution 0.1 %</i>		2	GC; NEDS
<i>difluprednate ophthalmic emulsion 0.05 %</i>	Durezol	2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>fluorometholone ophthalmic suspension 0.1 %</i>	FML Liquifilm	2	GC; NEDS
<i>flurbiprofen sodium ophthalmic solution 0.03 %</i>		2	GC; NEDS
<b>ILEVRO OPHTHALMIC SUSPENSION 0.3 %</b>		3	NEDS
<i>ketorolac tromethamine ophthalmic solution 0.4 %</i>	Acular LS	2	GC; NEDS
<i>ketorolac tromethamine ophthalmic solution 0.5 %</i>	Acular	2	GC; QL (10 per 25 days); NEDS
<i>loteprednol etabonate ophthalmic gel 0.5 %</i>	Lotemax	2	GC; NEDS
<i>loteprednol etabonate ophthalmic suspension 0.5 %</i>	Lotemax	2	GC; NEDS
<i>prednisolone acetate ophthalmic suspension 1 %</i>	Pred Forte	2	GC; NEDS
<i>prednisolone sodium phosphate ophthalmic solution 1 %</i>		2	GC; NEDS
<b>XIIDRA OPHTHALMIC SOLUTION 5 %</b>		3	MO; QL (60 per 30 days); FFQL
<b>OPHTHALMIC BETA-ADRENERGIC BLOCKING AGENTS</b>			
<i>betaxolol hcl ophthalmic solution 0.5 %</i>		2	GC; MO
<i>carteolol hcl ophthalmic solution 1 %</i>		2	GC; MO
<i>levobunolol hcl ophthalmic solution 0.5 %</i>		1	GC; MO
<i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i>		2	GC; MO
<i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>		1	GC; MO
<b>OPHTHALMIC INTRAOCULAR PRESSURE LOWERING AGENTS, OTHER</b>			
<i>acetazolamide er oral capsule extended release 12 hour 500 mg</i>		2	GC; MO
<i>acetazolamide oral tablet 125 mg, 250 mg</i>		2	GC; MO
<i>apraclonidine hcl ophthalmic solution 0.5 %</i>		2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
AZOPT OPHTHALMIC SUSPENSION 1 %		3	MO; FFQL
<i>brimonidine tartrate ophthalmic solution 0.1 %</i>	Alphagan P	3	MO; FFQL
<i>brimonidine tartrate ophthalmic solution 0.15 %</i>	Alphagan P	2	GC; MO
<i>brimonidine tartrate ophthalmic solution 0.2 %</i>		2	GC; MO
<i>brimonidine tartrate-timolol ophthalmic solution 0.2-0.5 %</i>	Combigan	2	GC; MO
<i>dorzolamide hcl ophthalmic solution 2 %</i>		2	GC; MO
<i>dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 %</i>	Cosopt	2	GC; MO
<i>dorzolamide hcl-timolol mal pf ophthalmic solution 2-0.5 %</i>	Cosopt PF	2	GC; MO
<i>methazolamide oral tablet 25 mg, 50 mg</i>		2	GC; MO
<i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i>		2	GC; MO
RHOPRESSA OPHTHALMIC SOLUTION 0.02 %		4	MO; FFQL
ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 %		4	MO; FFQL
SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 %		3	MO; FFQL
<b>OPHTHALMIC PROSTAGLANDIN AND PROSTAMIDE ANALOGS</b>			
<i>bimatoprost ophthalmic solution 0.03 %</i>		2	GC; MO; QL (5 per 25 days)
<i>latanoprost ophthalmic solution 0.005 %</i>	Xalatan	1	GC; MO; QL (2.5 per 20 days)
LUMIGAN OPHTHALMIC SOLUTION 0.01 %		3	MO; QL (2.5 per 25 days); FFQL
<i>travoprost (bak free) ophthalmic solution 0.004 %</i>	Travatan Z	2	GC; MO; QL (2.5 per 25 days)
<b>OTIC AGENTS</b>			
<b>OTIC AGENTS</b>			
<i>acetic acid otic solution 2 %</i>		2	GC; NEDS
<i>ciprofloxacin hcl otic solution 0.2 %</i>	Cetraxal	2	GC; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>ciprofloxacin-dexamethasone otic suspension 0.3-0.1 %</i>		2	GC; NEDS
<i>fluocinolone acetonide otic oil 0.01 %</i>	DermOtic	2	GC; NEDS
<i>hydrocortisone-acetic acid otic solution 1-2 %</i>		2	GC; NEDS
<i>neomycin-polymyxin-hc otic solution 1 %</i>		2	GC; NEDS
<i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i>		2	GC; NEDS
<i>ofloxacin otic solution 0.3 %</i>		2	GC; NEDS
<b>RESPIRATORY TRACT/ PULMONARY AGENTS</b>			
<b>ANTI-HISTAMINES</b>			
<i>azelastine hcl nasal solution 0.1 %</i>		2	GC; QL (30 per 25 days); NEDS
<i>azelastine-fluticasone nasal suspension 137-50 mcg/act</i>	Dymista	2	GC; QL (23 per 30 days); NEDS
<i>cetirizine hcl oral solution 5 mg/5ml</i>	KLS Aller-Tec Childrens	1	GC; NEDS
<i>cyproheptadine hcl oral syrup 2 mg/5ml</i>		2	GC; NEDS
<i>cyproheptadine hcl oral tablet 4 mg</i>		2	GC; NEDS
<i>desloratadine oral tablet 5 mg</i>	Clarinet	2	GC; QL (30 per 30 days); NEDS
<i>desloratadine oral tablet dispersible 2.5 mg, 5 mg</i>		2	GC; QL (30 per 30 days); NEDS
<i>levocetirizine dihydrochloride oral solution 2.5 mg/5ml</i>	Xyzal Allergy 24HR Childrens	2	GC; QL (300 per 30 days); NEDS
<i>levocetirizine dihydrochloride oral tablet 5 mg</i>	Xyzal Allergy 24HR	1	GC; QL (30 per 30 days); NEDS
<b>ANTI-INFLAMMATORIES, INHALED CORTICOSTEROIDS</b>			
ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT		3	MO; QL (30 per 30 days); FFQL
ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT		3	MO; QL (1 per 30 days); FFQL

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110 MCG/ACT, 220 MCG/ACT		3	MO; QL (1 per 30 days); FFQL
ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT		3	MO; QL (1 per 30 days); FFQL
ASMANEX HFA INHALATION AEROSOL 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT		3	MO; QL (26 per 30 days); FFQL
<i>budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i>	Pulmicort	2	PA-BvsD; GC; MO
<i>flunisolide nasal solution 25 mcg/act (0.025%)</i>		2	GC; QL (50 per 25 days); NEDS
<i>fluticasone propionate hfa inhalation aerosol 110 mcg/act, 220 mcg/act</i>		2	GC; MO; QL (24 per 30 days)
<i>fluticasone propionate hfa inhalation aerosol 44 mcg/act</i>		2	GC; MO; QL (21.2 per 30 days)
<i>fluticasone propionate nasal suspension 50 mcg/act</i>	ClariSpray	1	GC; QL (16 per 30 days); NEDS
<i>mometasone furoate nasal suspension 50 mcg/act</i>	Nasonex 24HR	2	GC; NEDS
<b>ANTILEUKOTRIENES</b>			
<i>montelukast sodium oral packet 4 mg</i>	Singulair	2	GC; MO; QL (30 per 30 days)
<i>montelukast sodium oral tablet 10 mg</i>	Singulair	1	GC; MO; QL (30 per 30 days)
<i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i>	Singulair	1	GC; MO; QL (30 per 30 days)
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	Accolate	2	GC; MO; QL (60 per 30 days)
<b>BRONCHODILATORS, ANTICHOLINERGIC</b>			
ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT		4	MO; QL (26 per 30 days); FFQL
<i>ipratropium bromide inhalation solution 0.02 %</i>		2	PA-BvsD; GC; MO; QL (252 per 25 days)
<i>ipratropium bromide nasal solution 0.03 %</i>		2	GC; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>ipratropium bromide nasal solution 0.06 %</i>		2	GC; MO; QL (30 per 30 days)
SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT		3	MO; QL (4 per 30 days); FFQL
<i>tiotropium bromide monohydrate inhalation capsule 18 mcg</i>	Spiriva HandiHaler	2	GC; MO; QL (30 per 30 days)
<b>BRONCHODILATORS, SYMPATHOMIMETIC</b>			
<i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act</i>	Proventil HFA	2	GC; MO; QL (17 per 30 days)
<i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act (nda020983)</i>	Proventil HFA	2	GC; MO; QL (36 per 30 days)
<i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%</i>		1	PA-BvsD; GC; MO; QL (360 per 30 days)
<i>albuterol sulfate inhalation nebulization solution 0.63 mg/3ml, 1.25 mg/3ml</i>		1	PA-BvsD; GC; MO; QL (360 per 25 days)
<i>albuterol sulfate inhalation nebulization solution 2.5 mg/0.5ml</i>		1	PA-BvsD; GC; MO; QL (100 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5ml</i>		2	GC; MO
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>		2	GC; MO
<i>epinephrine injection solution auto-injector 0.15 mg/0.3ml</i>	EpiPen Jr 2-Pak	2	GC; QL (2 per 30 days); NEDS
<i>epinephrine injection solution auto-injector 0.3 mg/0.3ml</i>	Auvi-Q	2	GC; QL (2 per 30 days); NEDS
<i>levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/0.5ml, 1.25 mg/3ml</i>		2	PA-BvsD; GC; MO; QL (540 per 30 days)
<i>levalbuterol tartrate inhalation aerosol 45 mcg/act</i>	Xopenex HFA	2	GC; MO; QL (30 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED 108 (90 BASE) MCG/ACT		3	MO; QL (2 per 30 days); FFQL
SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT		3	MO; QL (60 per 30 days); FFQL
<i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>		2	GC; MO
<b>CYSTIC FIBROSIS AGENTS</b>			

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
BRONCHITOL INHALATION CAPSULE 40 MG		5	PA; NEDS
CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG		5	PA; NEDS
KALYDECO ORAL PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG		5	PA; NEDS
KALYDECO ORAL TABLET 150 MG		5	PA; NEDS
ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG, 75-94 MG		5	PA; NEDS
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG		5	PA; NEDS
PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML		5	PA; NEDS
TOBI PODHALER INHALATION CAPSULE 28 MG		5	PA; QL (224 per 28 days); NEDS
<i>tobramycin inhalation nebulization solution 300 mg/5ml</i>	Kitabis Pak	5	PA-BvsD; QL (280 per 56 days)
TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG, 50-25-37.5 & 75 MG		5	PA; QL (84 per 28 days); NEDS
TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75 MG		5	PA; QL (84 per 28 days); NEDS
TRIKAFTA ORAL THERAPY PACK 80-40-60 & 59.5 MG		5	PA; QL (56 per 28 days); NEDS
<b>PHOSPHODIESTERASE INHIBITORS, AIRWAYS DISEASE</b>			
<i>roflumilast oral tablet 250 mcg, 500 mcg</i>	Daliresp	2	GC; MO; QL (30 per 30 days)
<i>theophylline er oral tablet extended release 12 hour 300 mg, 450 mg</i>		2	GC; MO
<i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i>		2	GC; MO
<i>theophylline oral solution 80 mg/15ml</i>		2	GC; MO
<b>PULMONARY ANTIHYPERTENSIVES</b>			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		5	PA; QL (90 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024



<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	Letairis	5	PA; QL (30 per 30 days); NEDS
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	Tracleer	5	PA; QL (60 per 30 days); NEDS
<i>sildenafil citrate oral tablet 20 mg</i>	Revatio	2	PA; GC; MO; QL (90 per 30 days)
<b>PULMONARY FIBROSIS AGENTS</b>			
OFEV ORAL CAPSULE 100 MG, 150 MG		5	PA; NEDS
<i>pirfenidone oral capsule 267 mg</i>	Esbriet	5	PA; NEDS
<i>pirfenidone oral tablet 267 mg, 801 mg</i>	Esbriet	5	PA; NEDS
<i>pirfenidone oral tablet 534 mg</i>		5	PA; NEDS
<b>RESPIRATORY TRACT AGENTS, OTHER</b>			
<i>acetylcysteine inhalation solution 10 %, 20 %</i>		2	PA-BvsD; GC; NEDS
BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT, 50-25 MCG/INH		3	MO; QL (60 per 30 days); FFQL
BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT		3	MO; QL (10.7 per 30 days); FFQL
<i>budesonide-formoterol fumarate inhalation aerosol 160-4.5 mcg/act, 80-4.5 mcg/act</i>	Breyna	2	GC; MO; QL (11 per 30 days)
COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT		4	MO; QL (4 per 20 days); FFQL
<i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i>		2	PA-BvsD; GC; MO
FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML		5	PA; NEDS
FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/ML		5	PA; NEDS
<i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i>		2	PA-BvsD; GC; MO; QL (540 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT		3	MO; QL (4 per 30 days); FFQL
TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT		3	MO; QL (60 per 30 days); FFQL
WIXELA INHUB INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/ACT, 250-50 MCG/ACT, 500-50 MCG/ACT		2	GC; MO; QL (60 per 30 days)
<b>SKELETAL MUSCLE RELAXANTS</b>			
<b>SKELETAL MUSCLE RELAXANTS</b>			
<i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg</i>		2	PA; GC; NEDS
<i>orphenadrine citrate er oral tablet extended release 12 hour 100 mg</i>		2	PA; GC; NEDS
<b>SLEEP DISORDER AGENTS</b>			
<b>BENZODIAZEPINES</b>			
<i>midazolam hcl (pf) injection solution 10 mg/2ml, 2 mg/2ml, 5 mg/5ml, 5 mg/ml</i>		1	GC; NEDS
<i>midazolam hcl injection solution 10 mg/10ml, 10 mg/2ml, 2 mg/2ml, 25 mg/5ml, 5 mg/5ml, 5 mg/ml</i>		1	GC; NEDS
<b>SLEEP PROMOTING AGENTS</b>			
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG		3	QL (30 per 30 days); NEDS
<i>doxepin hcl oral tablet 3 mg, 6 mg</i>	Silenor	2	GC; QL (30 per 30 days); NEDS
<i>estazolam oral tablet 1 mg, 2 mg</i>		2	PA; GC; QL (30 per 30 days); NEDS
<i>ramelteon oral tablet 8 mg</i>	Rozerem	2	GC; QL (30 per 30 days); NEDS
<i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg, 7.5 mg</i>	Restoril	2	PA; GC; QL (30 per 30 days); NEDS
<i>zaleplon oral capsule 10 mg, 5 mg</i>		2	PA; GC; QL (30 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

<b>DRUG NAME</b>	<b>Reference</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS/ LIMITS</b>
<i>zolpidem tartrate oral tablet 10 mg, 5 mg</i>	Ambien	2	PA; GC; QL (30 per 30 days); NEDS
<b>WAKEFULNESS PROMOTING AGENTS</b>			
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>	Nuvigil	2	PA; GC; MO; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg, 200 mg</i>	Provigil	2	PA; GC; MO; QL (30 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i>	Xyrem	5	PA; QL (540 per 30 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page VII of the introduction. Formulary ID: 24446 Ver.11 Last Updated: 04/18/2024 Effective Date: 05/01/2024

## Alphabetical Listing

### A

<i>abacavir sulfate</i> .....	47	<i>amiloride-hydrochlorothiazide</i>	64	ASSURE ID INSULIN	
<i>abacavir sulfate-lamivudine</i> ...	47	<i>amlodarone hcl</i> .....	61	SAFETY SYR .....	55
ABILIFY ASIMTUFII.....	40	<i>amitriptyline hcl</i> .....	21	<i>atazanavir sulfate</i> .....	49
ABILIFY MAINTENA.....	40	AMJEVITA.....	96	<i>atenolol</i> .....	61
<i>abiraterone acetate</i> .....	27	AMJEVITA-PED 15KG TO		<i>atenolol-chlorthalidone</i> .....	64
ABRYSVO.....	99	<30KG.....	96	<i>atomoxetine hcl</i> .....	69
<i>acamprosate calcium</i> .....	5	<i>amlodipine besy-benazepril hcl</i>	64	<i>atorvastatin calcium</i> .....	67
<i>acarbose</i> .....	52	.....	64	<i>atovaquone</i> .....	37
ACCUTANE.....	72	<i>amlodipine besylate</i> .....	62	<i>atovaquone-proguanil hcl</i> .....	37
<i>acebutolol hcl</i> .....	61	<i>amlodipine besylate-valsartan</i>	64	<i>atropine sulfate</i> .....	104
<i>acetaminophen-codeine</i> .....	3	<i>amlodipine-atorvastatin</i> .....	64	ATROVENT HFA.....	109
<i>acetazolamide</i> .....	106	<i>amlodipine-olmesartan</i> .....	64	AUGTYRO.....	30
<i>acetazolamide er</i> .....	106	<i>ammonium lactate</i> .....	72, 73	AUSTEDO .....	70
<i>acetic acid</i> .....	107	<i>amoxapine</i> .....	21	AUSTEDO XR.....	70
<i>acetylcysteine</i> .....	112	<i>amoxicillin</i> .....	9	AUSTEDO XR PATIENT	
<i>acitretin</i> .....	72	<i>amoxicillin-pot clavulanate</i>	9, 10	TITRATION.....	70
ACTHIB.....	99	<i>amoxicillin-pot clavulanate er</i> ..	9	AUVELITY .....	18
ACTIMMUNE .....	95	<i>amphetamine-</i>		AVIANE.....	87
<i>acyclovir</i> .....	45, 76	<i>dextroamphetamine</i> .....	69	AYVAKIT.....	30
<i>acyclovir sodium</i> .....	45	<i>amphotericin b</i> .....	23	AZASITE .....	105
ADACEL.....	99	<i>amphotericin b liposome</i> .....	23	<i>azathioprine</i> .....	96
<i>adalimumab-adbm (2 pen)</i> .....	96	<i>ampicillin</i> .....	10	<i>azelastine hcl</i> .....	104, 108
<i>adalimumab-adbm (2 syringe)</i>	96	<i>ampicillin sodium</i> .....	10	<i>azelastine-fluticasone</i> .....	108
<i>adalimumab-adbm(cd/uc/hs str)</i>	96	<i>ampicillin-sulbactam sodium</i> .	10	<i>azithromycin</i> .....	11
<i>adalimumab-adbm(ps/uv</i>		<i>anagrelide hcl</i> .....	58	AZOPT .....	107
<i>starter)</i> .....	96	<i>anastrozole</i> .....	30	<i>aztreonam</i> .....	6
<i>adapalene</i> .....	72	<i>apraclonidine hcl</i> .....	106	<b>B</b>	
<i>adefovir dipivoxil</i> .....	44	<i>aprepitant</i> .....	23	<i>bacitracin</i> .....	105
ADEMPAS.....	111	APTIOM.....	16	<i>bacitracin-polymyxin b</i> .....	105
AKEEGA .....	30	APTIVUS .....	49	<i>bacitra-neomycin-polymyxin-hc</i>	104
<i>albendazole</i> .....	37	ARCALYST.....	93	.....	104
<i>albuterol sulfate</i> .....	110	AREXVY .....	99	<i>baclofen</i> .....	44
<i>albuterol sulfate hfa</i> .....	110	ARIKAYCE .....	6	<i>balsalazide disodium</i> .....	102
<i>alclometasone dipropionate</i> ...	72	<i>aripiprazole</i> .....	40, 41	BALVERSA .....	30, 31
ALECENSA .....	30	<i>armodafinil</i> .....	114	BALZIVA.....	87
<i>alendronate sodium</i> .....	103	ARNUITY ELLIPTA.....	108	BAQSIMI ONE PACK .....	55
<i>alfuzosin hcl er</i> .....	84	<i>asenapine maleate</i> .....	41	BARACLUDE.....	44
<i>aliskiren fumarate</i> .....	64	ASMANEX (120 METERED		<i>bcg vaccine</i> .....	99
<i>allopurinol</i> .....	25	DOSES).....	108	BELSOMRA .....	113
<i>alosetron hcl</i> .....	80	ASMANEX (30 METERED		<i>benazepril hcl</i> .....	60
<i>alprazolam</i> .....	51	DOSES).....	109	<i>benazepril-hydrochlorothiazide</i>	64
ALUNBRIG .....	30	ASMANEX (60 METERED		.....	64
<i>amantadine hcl</i> .....	38	DOSES).....	109	BENLYSTA .....	96
<i>ambriasantan</i> .....	112	ASMANEX HFA .....	109	<i>benznidazole</i> .....	37
<i>amiloride hcl</i> .....	66	<i>aspirin-dipyridamole er</i> .....	59	<i>benztropine mesylate</i> .....	38

04/18/2024

<i>betamethasone dipropionate aug</i> .....	CABOMETYX.....	<i>chloroquine phosphate</i> .....
73	calcipotriene .....	37
<i>betamethasone valerate</i> .....	75	<i>chlorpromazine hcl</i> .....
73	calcitonin (salmon).....	39
<i>betaxolol hcl</i> .....	103	<i>chlorthalidone</i> .....
61, 106	calcitriol .....	66
<i>bethanechol chloride</i> .....	103	<i>cholestyramine</i> .....
84	calcium acetate .....	67
<i>bexarotene</i> .....	79	<i>cholestyramine light</i> .....
37	calcium acetate (phos binder) 79	67
BEXSERO.....	CALQUENCE.....	<i>ciclopirox</i> .....
99	31	76
<i>bicalutamide</i> .....	CAMILA .....	<i>ciclopirox olamine</i> .....
27	89	23
BICILLIN C-R .....	CAMZYOS .....	<i>cilostazol</i> .....
10	64	59
BICILLIN C-R 900/300 .....	<i>candesartan cilexetil</i> .....	CIMDUO .....
10	60	47
BICILLIN L-A .....	<i>candesartan cilexetil-hctz</i> .....	<i>cimetidine</i> .....
10	64	81
BIKTARVY .....	CAPLYTA.....	<i>cinacalcet hcl</i> .....
45	41	103
<i>bimatoprost</i> .....	CAPRELSA.....	CINRYZE.....
107	31	93
<i>bisoprolol fumarate</i> .....	<i>captopril</i> .....	<i>ciprofloxacin hcl</i> .....
61	60	12, 107
<i>bisoprolol-hydrochlorothiazide</i> .....	<i>carbamazepine</i> .....	<i>ciprofloxacin in d5w</i> .....
64	16	12
BOOSTRIX.....	<i>carbamazepine er</i> .....	<i>ciprofloxacin-dexamethasone</i> .....
99	16	108
<i>bosentan</i> .....	<i>carbidopa</i> .....	<i>citalopram hydrobromide</i> .....
112	39	19
BOSULIF .....	<i>carbidopa-levodopa</i> .....	CLARAVIS .....
31	39	72
BRAFTOVI.....	<i>carbidopa-levodopa er</i> .....	<i>clarithromycin</i> .....
31	39	11
BREO ELLIPTA .....	<i>carbidopa-levodopa-entacapone</i> .....	<i>clarithromycin er</i> .....
112	38	11
BREZTRI AEROSPHERE ..	<i>carglumic acid</i> .....	<i>clindamycin hcl</i> .....
112	77	6
<i>briellyn</i> .....	<i>carteolol hcl</i> .....	<i>clindamycin palmitate hcl</i> .....
87	106	6
BRILINTA .....	CARTIA XT.....	<i>clindamycin phosphate</i> .7, 76, 77
59	63	<i>clindamycin phosphate in d5w</i> .7
<i>brimonidine tartrate</i> .....	<i>carvedilol</i> .....	CLINIMIX/DEXTROSE
107	61	(4.25/5) .....
<i>brimonidine tartrate-timolol</i> 107	<i>carvedilol phosphate er</i> .....	79
107	61	CLINIMIX/DEXTROSE (5/15)
BRIVIACT.....	CAYSTON .....	.....
13	111	79
<i>bromfenac sodium (once-daily)</i> .....	<i>cefaclor</i> .....	CLINIMIX/DEXTROSE (5/20)
105	8	.....
<i>bromocriptine mesylate</i> .....	<i>cefadroxil</i> .....	79
38	8	CLINIMIX/DEXTROSE (5/20)
BRONCHITOL .....	<i>cefazolin sodium</i> .....	.....
111	8	79
BRUKINSA .....	<i>cefdinir</i> .....	<i>clobazam</i> .....
31	8	15
<i>budesonide</i> .....	<i>cefepime hcl</i> .....	<i>clobetasol propionate</i> .....
102, 109	8	73
<i>budesonide er</i> .....	<i>cefixime</i> .....	<i>clobetasol propionate e</i> .....
102	8	73
<i>budesonide-formoterol fumarate</i> .....	<i>cefoxitin sodium</i> .....	<i>clomipramine hcl</i> .....
112	8	22
<i>bumetanide</i> .....	<i>cefpodoxime proxetil</i> .....	<i>clonazepam</i> .....
66	8	51
<i>buprenorphine hcl</i> .....	<i>cefprozil</i> .....	<i>clonidine</i> .....
5	8, 9	59
<i>buprenorphine hcl-naloxone hcl</i> .....	<i>ceftazidime</i> .....	<i>clonidine hcl</i> .....
5	9	59
<i>bupropion hcl</i> .....	<i>ceftriaxone sodium</i> .....	<i>clonidine hcl er</i> .....
18	9	69
<i>bupropion hcl er (smoking det)</i> 6	<i>cefuroxime axetil</i> .....	<i>clopidogrel bisulfate</i> .....
6	9	59
<i>bupropion hcl er (sr)</i> .....	<i>cefuroxime sodium</i> .....	<i>clorazepate dipotassium</i> .....
18	9	51
<i>bupropion hcl er (xl)</i> .....	<i>celecoxib</i> .....	<i>clotrimazole</i> .....
18	1	23
<i>buspironone hcl</i> .....	<i>cephalexin</i> .....	<i>clotrimazole-betamethasone</i> ..
50	9	76
<i>butalbital-acetaminophen</i> .....	<i>cetirizine hcl</i> .....	<i>clozapine</i> .....
1	108	43, 44
<i>butalbital-apap-caffeine</i> .....	<i>cevimeline hcl</i> .....	COARTEM.....
1	71	37
<b>C</b>	<i>chlordiazepoxide hcl</i> .....	<i>codeine sulfate</i> .....
<i>cabergoline</i> .....	<i>chlordiazepoxide-amitriptyline</i> .....	3
91	18	<i>colchicine</i> .....
	<i>chlordiazepoxide-clidinium</i> ....	25
	81	<i>colchicine-probenecid</i> .....
	<i>chlorhexidine gluconate</i> .....	25
	72	<i>colesevelam hcl</i> .....
		67, 68
		<i>colestipol hcl</i> .....
		68

04/18/2024

<i>colistimethate sodium (cba)</i> .....7	<i>desloratadine</i> ..... 108	<i>donepezil hcl</i> .....17, 18
COMBIVENT RESPIMAT . 112	<i>desmopressin ace spray refrig</i> 86	<i>dorzolamide hcl</i> .....107
COMETRIQ (100 MG DAILY DOSE) .....31	<i>desmopressin acetate</i> ..... 86	<i>dorzolamide hcl-timolol mal</i> .107
COMETRIQ (140 MG DAILY DOSE) .....31	<i>desogestrel-ethinyl estradiol</i> ..87	<i>dorzolamide hcl-timolol mal pf</i> .....107
COMETRIQ (60 MG DAILY DOSE) .....31	<i>desonide</i> .....73	DOVATO .....45
COMFORT ASSIST INSULIN SYRINGE.....55	<i>desoximetasone</i> ..... 73, 74	<i>doxazosin mesylate</i> .....60
COMPLERA .....46	<i>desvenlafaxine er</i> ..... 19	<i>doxepin hcl</i> .....22, 113
COPIKTRA .....31	<i>desvenlafaxine succinate er</i> ... 19, 20	DOXY 100.....12
CORLANOR ..... 64, 65	<i>dexamethasone</i> .....85	<i>doxycycline hyclate</i> .....12
COSENTYX.....94	<i>dexamethasone sodium phosphate</i> ..... 105	<i>doxycycline monohydrate</i> .....13
COSENTYX (300 MG DOSE) .....93	<i>dexlansoprazole</i> .....82	<i>dronabinol</i> .....23
COSENTYX SENSOREADY (300 MG).....94	<i>dexmethylphenidate hcl</i> .....69	DROXIA.....28
COSENTYX UNOREADY ...94	<i>dextroamphetamine sulfate</i> .....69	<i>droxidopa</i> .....59
COTELLIC.....31	<i>dextrose</i> .....79	DUA VEE.....87
CREON .....82	<i>dextrose-nacl</i> .....79	<i>duloxetine hcl</i> .....20
<i>cromolyn sodium</i> .... 82, 104, 112	DIACOMIT ..... 13	DUPIXENT .....94
<i>cvs gauze sterile</i> .....55	<i>diazepam</i> .....15, 51	<i>dutasteride</i> .....84
<i>cyclobenzaprine hcl</i> ..... 113	DIAZEPAM INTENSOL.....51	<i>dutasteride-tamsulosin hcl</i> .....84
<i>cyclophosphamide</i> .....27	<i>diazoxide</i> .....55	<b>E</b>
<i>cyclosporine</i> .....97, 104	<i>diclofenac epolamine</i> .....1	<i>ec-naproxen</i> .....1
<i>cyclosporine modified</i> .....96, 97	<i>diclofenac potassium</i> .....1	<i>econazole nitrate</i> .....23
<i>cyproheptadine hcl</i> ..... 108	<i>diclofenac sodium</i> .....1, 105	EDURANT .....46
CYRED EQ .....87	<i>diclofenac sodium er</i> .....1	<i>efavirenz</i> .....46
CYSTAGON .....82	<i>diclofenac-misoprostol</i> .....1	<i>efavirenz-emtricitab-tenofo df</i> 47
<b>D</b>	<i>dicloxacillin sodium</i> ..... 10	<i>efavirenz-lamivudine-tenofovir</i> .....47
<i>dalfampridine er</i> .....71	<i>dicyclomine hcl</i> .....80, 81	<i>eletriptan hydrobromide</i> .....26
<i>danazol</i> .....86	DIFICID ..... 11	ELIGARD.....91
<i>dantrolene sodium</i> .....44	<i>diflunisal</i> .....1	ELIQUIS.....57
<i>dapsone</i> .....26	<i>difluprednate</i> ..... 105	ELIQUIS DVT/PE STARTER PACK .....57
DAPTACEL.....99	<i>digoxin</i> .....65	ELMIRON .....84
<i>daptomycin</i> .....7	<i>dihydroergotamine mesylate</i> ..25	ELURYNG .....87
<i>darifenacin hydrobromide er</i> .83	<i>diltiazem hcl</i> .....63	EMGALITY .....25
<i>darunavir</i> .....49	<i>diltiazem hcl er</i> .....63	EMGALITY (300 MG DOSE) .....25
DAURISMO.....31	<i>diltiazem hcl er beads</i> .....63	EMSAM .....19
DAYBUE .....70	<i>diltiazem hcl er coated beads</i> .63	<i>emtricitabine</i> .....47
<i>deferasirox</i> .....78	<i>dilt-xr</i> .....63	<i>emtricitabine-tenofovir df</i> .....47
<i>deferiprone</i> .....78	<i>dimethyl fumarate</i> .....71	EMTRIVA .....47
DELSTRIGO.....47	<i>dimethyl fumarate starter pack</i> .....71	<i>enalapril maleate</i> .....60
<i>demeclocycline hcl</i> ..... 12	<i>diphenoxylate-atropine</i> .....80	<i>enalapril-hydrochlorothiazide</i> 65
DEPO-SUBQ PROVERA 104 .....90	<i>diphtheria-tetanus toxoids dt</i> ..99	ENBREL.....97
DESCOVY .....47	<i>dipyridamole</i> .....59	ENBREL MINI .....97
<i>desipramine hcl</i> .....22	<i>disulfiram</i> .....5	ENBREL SURECLICK .....97
	<i>divalproex sodium</i> ..... 51, 52	ENDARI.....82
	<i>divalproex sodium er</i> .....51	ENDOCET .....3
	<i>dofetilide</i> .....61	ENGERIX-B.....99
	DOJOLVI.....79	

04/18/2024

ENILLORING.....	87	<b>F</b>		<i>fluvoxamine maleate er</i> .....	20
<i>enoxaparin sodium</i> .....	57, 58	<i>famciclovir</i> .....	45	<i>fondaparinux sodium</i> .....	58
ENPRESSE-28.....	88	<i>famotidine</i> .....	81	<i>fosamprenavir calcium</i> .....	49
ENSPRYNG.....	97	FANAPT .....	41	<i>fosfomycin tromethamine</i> .....	7
<i>entacapone</i> .....	38	FANAPT TITRATION PACK		<i>fosinopril sodium</i> .....	60
<i>entecavir</i> .....	44	.....	41	<i>fosinopril sodium-hctz</i> .....	65
ENTRESTO .....	65	FARXIGA .....	52	FOTIVDA.....	32
<i>enulose</i> .....	80	FASENRA.....	112	FRUZAQLA.....	32
ENVARBUS XR .....	97	FASENRA PEN .....	112	FULPHILA.....	58
EPIDIOLEX.....	13	<i>febuxostat</i> .....	25	<i>furosemide</i> .....	66
<i>epinastine hcl</i> .....	104	<i>felbamate</i> .....	13	FUZEON .....	48
<i>epinephrine</i> .....	110	<i>felodipine er</i> .....	62	FYAVOLV .....	88
<i>eplerenone</i> .....	66	<i>fenofibrate</i> .....	67	FYCOMPA.....	13
EPRONTIA .....	25	<i>fenofibrate micronized</i> .....	67	<b>G</b>	
<i>ergoloid mesylates</i> .....	17	<i>fenofibric acid</i> .....	67	<i>gabapentin</i> .....	15, 16
<i>ergotamine-caffeine</i> .....	25	<i>fentanyl</i> .....	2	<i>galantamine hydrobromide</i> ....	18
ERIVEDGE.....	31	<i>fentanyl citrate</i> .....	3	<i>galantamine hydrobromide er</i>	18
ERLEADA .....	27	FETZIMA.....	20	GAMMAGARD .....	93
<i>erlotinib hcl</i> .....	31	FETZIMA TITRATION .....	20	GAMMAGARD S/D LESS IGA	
ERRIN.....	90	FILSPARI.....	65	.....	93
<i>ertapenem sodium</i> .....	11	<i>finasteride</i> .....	84	GAMMAPLEX .....	93
<i>ery</i> .....	77	FINTEPLA .....	13	GAMUNEX-C.....	93
ERYTHROCIN STEARATE. 11		FIRMAGON.....	92	GARDASIL 9.....	99
<i>erythromycin</i> .....	12, 77, 105	FIRMAGON (240 MG DOSE)		<i>gatifloxacin</i> .....	105
<i>erythromycin base</i> .....	11	.....	91	GAVILYTE-C.....	81
<i>erythromycin ethylsuccinate</i> ..	11	<i>flavoxate hcl</i> .....	83	GAVRETO.....	32
<i>escitalopram oxalate</i> .....	20	<i>flecainide acetate</i> .....	61	<i>gefitinib</i> .....	32
<i>esomeprazole magnesium</i> .....	82	<i>fluconazole</i> .....	24	<i>gemfibrozil</i> .....	67
ESTARYLLA.....	88	<i>fluconazole in sodium chloride</i>		<i>generlac</i> .....	80
<i>estazolam</i> .....	113	.....	24	<i>gentamicin in saline</i> .....	6
<i>estradiol</i> .....	87	<i>flucytosine</i> .....	24	<i>gentamicin sulfate</i> .....	6, 105
<i>estradiol-norethindrone acet</i> ..	88	<i>fludrocortisone acetate</i> .....	85	GENVOYA .....	45
<i>ethambutol hcl</i> .....	27	<i>flunisolide</i> .....	109	GILOTRIF.....	32
<i>ethosuximide</i> .....	15	<i>fluocinolone acetonide</i> ..	74, 108	<i>glatiramer acetate</i> .....	71
<i>etodolac</i> .....	1	<i>fluocinolone acetonide scalp</i> ..	74	GLEOSTINE .....	27
<i>etodolac er</i> .....	1	<i>fluocinonide</i> .....	74	<i>glimepiride</i> .....	52
<i>etonogestrel-ethinyl estradiol</i> ..	88	<i>fluocinonide emulsified base</i> ..	74	<i>glipizide</i> .....	52
<i>etravirine</i> .....	46	<i>fluorometholone</i> .....	106	<i>glipizide er</i> .....	52
EUTHYROX.....	90	<i>fluorouracil</i> .....	76	<i>glipizide-metformin hcl</i> .....	52
<i>everolimus</i> .....	32, 97	<i>fluoxetine hcl</i> .....	20	<i>global alcohol prep ease</i> .....	76
EVOTAZ.....	49	<i>fluphenazine decanoate</i> .....	39	GLUCAGEN HYPOKIT.....	55
EVRYSDI.....	70	<i>fluphenazine hcl</i> .....	39, 40	<i>glucagon emergency</i> .....	55
EXEL COMFORT POINT PEN		<i>flurbiprofen</i> .....	1	<i>glyburide</i> .....	52
NEEDLE .....	55	<i>flurbiprofen sodium</i> .....	106	<i>glycopyrrolate</i> .....	81
<i>exemestane</i> .....	30	<i>fluticasone propionate</i> ....	74, 109	GLYXAMBI.....	52
EXKIVITY.....	32	<i>fluticasone propionate hfa</i> ....	109	<i>granisetron hcl</i> .....	23
<i>ezetimibe</i> .....	68	<i>fluvastatin sodium</i> .....	67	<i>griseofulvin microsize</i> .....	24
<i>ezetimibe-simvastatin</i> .....	68	<i>fluvastatin sodium er</i> .....	67	<i>griseofulvin ultramicrosized</i> .....	24
		<i>fluvoxamine maleate</i> .....	20	<i>guanfacine hcl er</i> .....	69

<b>H</b>		
<i>halobetasol propionate</i> .....	74	<i>ipratropium bromide</i> ....
HALOETTE.....	88	<i>ipratropium-albuterol</i> .....
<i>haloperidol</i> .....	40	<i>irbesartan</i> .....
<i>haloperidol decanoate</i> .....	40	<i>irbesartan-hydrochlorothiazide</i>
<i>haloperidol lactate</i> .....	40	.....
HAVRIX .....	100	ISENTRESS .....
HEATHER .....	90	ISENTRESS HD .....
<i>heparin sodium (porcine)</i> .....	58	ISIBLOOM.....
HEPLISAV-B.....	100	ISOLYTE-P IN D5W .....
HIBERIX.....	100	ISOLYTE-S PH 7.4.....
HUMALOG .....	55, 56	<i>isoniazid</i> .....
HUMALOG JUNIOR		<i>isosorbide dinitrate</i> .....
KWIKPEN .....	55	<i>isosorbide mononitrate</i> .....
HUMALOG KWIKPEN .....	55	<i>isosorbide mononitrate er</i> .....
HUMALOG MIX 50/50		<i>isotretinoin</i> .....
KWIKPEN .....	55	<i>isradipine</i> .....
HUMALOG MIX 75/25.....	55	<i>itraconazole</i> .....
HUMALOG MIX 75/25		<i>ivermectin</i> .....
KWIKPEN .....	55	IWILFIN.....
HUMALOG TEMPO PEN ....	56	IXIARO .....
HUMIRA (2 PEN) .....	97	<b>J</b>
HUMIRA (2 SYRINGE).....	97	JAKAFI .....
HUMIRA-CD/UC/HS		JANTOVEN .....
STARTER .....	97	JANUMET .....
HUMIRA-PED<40KG		JANUMET XR.....
CROHNS STARTER.....	98	JANUVIA.....
HUMIRA-PED>/=40KG		JARDIANCE.....
CROHNS START .....	98	JASMIEL.....
HUMIRA-PED>/=40KG UC		JAYPIRCA.....
STARTER .....	98	JENTADUETO .....
HUMIRA-PS/UV/ADOL HS		JENTADUETO XR.....
STARTER .....	98	JINTELI.....
HUMIRA-PSORIASIS/UEVIT		JOENJA .....
STARTER .....	98	JULUCA.....
HUMULIN 70/30.....	56	JYNNEOS .....
HUMULIN 70/30 KWIKPEN		<b>K</b>
HUMULIN N .....	56	KALYDECO .....
HUMULIN N KWIKPEN.....	56	<i>kcl in dextrose-nacl</i> .....
HUMULIN R .....	56	<i>kcl-lactated ringers-d5w</i> .....
HUMULIN R U-500		KERENDIA.....
(CONCENTRATED).....	56	<i>ketoconazole</i> .....
HUMULIN R U-500		<i>ketoprofen</i> .....
KWIKPEN .....	56	<i>ketorolac tromethamine</i> ....
<i>hydralazine hcl</i> .....	68	KINERET .....
<i>hydrochlorothiazide</i> .....	67	KINRIX .....
<i>hydrocodone-acetaminophen</i> ...	3	KISQALI (200 MG DOSE)....
<i>hydrocodone-ibuprofen</i> .....	3	KISQALI (400 MG DOSE)....
<i>hydrocortisone</i> ....	74, 75, 85, 102	KISQALI (600 MG DOSE)....
		<i>hydrocortisone (perianal)</i> .....
		<i>hydrocortisone ace-pramoxine</i>
		.....
		<i>hydrocortisone butyrate</i> .....
		<i>hydrocortisone valerate</i> .....
		<i>hydrocortisone-acetic acid</i> ...
		<i>hydromorphone hcl</i> .....
		<i>hydroxychloroquine sulfate</i> ...
		<i>hydroxyurea</i> .....
		<i>hydroxyzine hcl</i> .....
		<i>hydroxyzine pamoate</i> .....
		HYFTOR .....
		<b>I</b>
		<i>ibandronate sodium</i> .....
		IBRANCE .....
		IBU .....
		<i>ibuprofen</i> .....
		<i>icatibant acetate</i> .....
		ICLUSIG .....
		<i>icosapent ethyl</i> .....
		IDHIFA .....
		ILEVRO .....
		<i>imatinib mesylate</i> .....
		IMBRUVICA .....
		<i>imipenem-cilastatin</i> .....
		<i>imipramine hcl</i> .....
		<i>imipramine pamoate</i> .....
		<i>imiquimod</i> .....
		IMOVAX RABIES .....
		INCASSIA.....
		INCRELEX .....
		<i>indapamide</i> .....
		INFANRIX .....
		INLYTA .....
		INQOVI.....
		INREBIC .....
		<i>insulin glargine</i> .....
		<i>insulin glargine max solostar</i> .
		<i>insulin glargine solostar</i> .....
		<i>insulin lispro</i> .....
		<i>insulin lispro (1 unit dial)</i> .....
		<i>insulin lispro junior kwikpen</i> ..
		<i>insulin lispro prot &amp; lispro</i> ....
		INTELENCE .....
		INTRAROSA .....
		INVEGA HAFYERA.....
		INVEGA SUSTENNA.....
		INVEGA TRINZA .....
		IPOL .....



KISQALI FEMARA (200 MG DOSE) .....	29	LEUKINE.....	58	LUPRON DEPOT (3-MONTH) .....	92
KISQALI FEMARA (400 MG DOSE) .....	29	<i>leuprolide acetate</i> .....	92	LUPRON DEPOT (4-MONTH) .....	92
KISQALI FEMARA (600 MG DOSE) .....	29	<i>leuprolide acetate (3 month)</i> ..	92	LUPRON DEPOT (6-MONTH) .....	92
KORLYM.....	55	<i>levalbuterol hcl</i> .....	110	LUPRON DEPOT-PED (1-MONTH) .....	92
KOSELUGO .....	33	<i>levalbuterol tartrate</i> .....	110	LUPRON DEPOT-PED (3-MONTH) .....	92
KRAZATI .....	29	<i>levetiracetam</i> .....	14	LUPRON DEPOT-PED (6-MONTH) .....	92
<b>L</b>		<i>levetiracetam er</i> .....	14	<i>lurasidone hcl</i> .....	42
<i>labetalol hcl</i> .....	62	<i>levobunolol hcl</i> .....	106	LUTERA .....	88
<i>lacosamide</i> .....	17	<i>levocarnitine</i> .....	79	LYBALVI.....	42
<i>lactulose</i> .....	80	<i>levocetirizine dihydrochloride</i>	108	LYLEQ.....	90
LAGEVRIO .....	50	.....		LYNPARZA.....	29
<i>lamivudine</i> .....	44, 47	<i>levofloxacin</i> .....	12, 105	LYSODREN.....	27
<i>lamivudine-zidovudine</i> .....	48	<i>levofloxacin in d5w</i> .....	12	LYTGOBI (12 MG DAILY DOSE) .....	34
<i>lamotrigine</i> .....	14	LEVONEST .....	88	LYTGOBI (16 MG DAILY DOSE) .....	34
<i>lamotrigine er</i> .....	13	<i>levonorgestrel-ethinyl estrad</i> ..	88	LYTGOBI (20 MG DAILY DOSE) .....	34
<i>lamotrigine starter kit-blue</i> ....	14	LEVO-T.....	91	LYZA .....	90
<i>lamotrigine starter kit-green</i> ..	14	<i>levothyroxine sodium</i> .....	91	<b>M</b>	
<i>lamotrigine starter kit-orange</i>	14	LEVOXYL .....	91	<i>magnesium sulfate</i> .....	77
LAMPIT .....	37	LEXIVA .....	49	<i>malathion</i> .....	76
<i>lansoprazole</i> .....	82	<i>lidocaine</i> .....	5	<i>maraviroc</i> .....	48
<i>lanthanum carbonate</i> .....	79	<i>lidocaine hcl</i> .....	5	MARPLAN.....	19
LANTUS .....	57	<i>lidocaine viscous hcl</i> .....	5	MATULANE.....	27
LANTUS SOLOSTAR .....	57	<i>lidocaine-prilocaine</i> .....	5	MAVYRET .....	45
<i>lapatinib ditosylate</i> .....	33	<i>linezolid</i> .....	7	MAYZENT.....	71
<i>latanoprost</i> .....	107	LINZESS .....	80	MAYZENT STARTER PACK .....	71
<i>leflunomide</i> .....	94	<i>liothyronine sodium</i> .....	91	<i>meclizine hcl</i> .....	22
<i>lenalidomide</i> .....	28	<i>lisinopril</i> .....	60	<i>medroxyprogesterone acetate</i> ..	90
LENVIMA (10 MG DAILY DOSE) .....	33	<i>lisinopril-hydrochlorothiazide</i>	65	<i>mefloquine hcl</i> .....	37
LENVIMA (12 MG DAILY DOSE) .....	33	<i>lithium</i> .....	52	<i>megestrol acetate</i> .....	90
LENVIMA (14 MG DAILY DOSE) .....	33	<i>lithium carbonate</i> .....	52	MEKINIST .....	34
LENVIMA (18 MG DAILY DOSE) .....	33	<i>lithium carbonate er</i> .....	52	MEKTOVI.....	34
LENVIMA (20 MG DAILY DOSE) .....	33	LOKELMA .....	78	<i>meloxicam</i> .....	2
LENVIMA (24 MG DAILY DOSE) .....	33	LONSURF.....	29	<i>memantine hcl</i> .....	17
LENVIMA (4 MG DAILY DOSE) .....	33	<i>loperamide hcl</i> .....	80	<i>memantine hcl er</i> .....	17
LENVIMA (8 MG DAILY DOSE) .....	33	<i>lopinavir-ritonavir</i> .....	49	MENACTRA.....	100
<i>letrozole</i> .....	30	<i>lorazepam</i> .....	51	MENEST .....	87
<i>leucovorin calcium</i> .....	29	LORAZEPAM INTENSOL ...	51	MENQUADFI .....	100
LEUKERAN .....	27	LORBRENA .....	33, 34	MENVEO .....	100
		LORYNA .....	88	<i>meprobamate</i> .....	51
		<i>losartan potassium</i> .....	60		
		<i>losartan potassium-hctz</i> .....	65		
		<i>loteprednol etabonate</i> .....	106		
		<i>lovastatin</i> .....	67		
		<i>loxapine succinate</i> .....	40		
		<i>lubiprostone</i> .....	80		
		LUMAKRAS.....	29		
		LUMIGAN .....	107		
		LUPRON DEPOT (1-MONTH) .....	92		

<i>mercaptapurine</i> .....	28	<i>morphine sulfate er</i> .....	2	NITRO-BID.....	69
<i>meropenem</i> .....	11	MOVANTIK .....	80	NITRO-DUR .....	69
<i>mesalamine</i> .....	102	<i>moxifloxacin hcl</i> .....	12, 105	<i>nitrofurantoin</i> .....	7
<i>mesalamine er</i> .....	102	<i>moxifloxacin hcl in nacl</i> .....	12	<i>nitrofurantoin macrocrystal</i> .....	7
MESNEX .....	29	MULTAQ.....	61	<i>nitrofurantoin monohyd macro</i> .....	7
<i>metformin hcl</i> .....	53	<i>multiple electro type 1 ph 5.5</i> .....	77	<i>nitroglycerin</i> .....	69
<i>metformin hcl er</i> .....	53	<i>mupirocin</i> .....	77	<i>nizatidine</i> .....	81
<i>methadone hcl</i> .....	2	<i>mupirocin calcium</i> .....	77	NORA-BE .....	90
<i>methazolamide</i> .....	107	<i>mycophenolate mofetil</i> .....	98	<i>norethin ace-eth estrad-fe</i> .....	88
<i>methenamine hippurate</i> .....	7	<i>mycophenolate sodium</i> .....	98	<i>norethindrone</i> .....	90
<i>methimazole</i> .....	93	MYRBETRIQ .....	83	<i>norethindrone acetate</i> .....	90
<i>methotrexate sodium</i> .....	98	<b>N</b>		<i>norethindrone-eth estradiol</i> .....	88
<i>methotrexate sodium (pf)</i> .....	98	<i>na sulfate-k sulfate-mg sulf</i> .....	81	<i>norethindron-ethinyl estrad-fe</i> .....	88
<i>methsuximide</i> .....	15	<i>nabumetone</i> .....	2	<i>norgestimate-eth estradiol</i> .....	88
<i>methylphenidate hcl</i> .....	70	<i>nadolol</i> .....	62	NORTREL 1/35 (21).....	89
<i>methylphenidate hcl er</i> .....	70	<i>nafcilin sodium</i> .....	10	NORTREL 1/35 (28).....	89
<i>methylphenidate hcl er (osm)</i> .....	69, 70	<i>naloxone hcl</i> .....	5	NORTREL 7/7/7 .....	89
<i>methylprednisolone</i> .....	85	<i>naltrexone hcl</i> .....	5	<i>nortriptyline hcl</i> .....	22
<i>metoclopramide hcl</i> .....	81	<i>naproxen</i> .....	2	NORVIR.....	49
<i>metolazone</i> .....	67	<i>naproxen sodium</i> .....	2	NOXAFIL.....	24
<i>metoprolol succinate er</i> .....	62	<i>naratriptan hcl</i> .....	26	NUBEQA .....	28
<i>metoprolol tartrate</i> .....	62	NATACYN .....	105	NUEDEXTA .....	70
<i>metoprolol-hydrochlorothiazide</i> .....	65	<i>nateglinide</i> .....	53	NUPLAZID .....	42
<i>metronidazole</i> .....	7	NAYZILAM.....	16	NUTRILIPID.....	79
<i>metyrosine</i> .....	65	<i>nebivolol hcl</i> .....	62	NYLIA 1/35.....	89
<i>mexiletine hcl</i> .....	61	<i>nefazodone hcl</i> .....	20	NYLIA 7/7/7 .....	89
<i>micafungin sodium</i> .....	24	<i>neomycin sulfate</i> .....	6	NYMYO .....	89
<i>miconazole 3</i> .....	24	<i>neomycin-bacitracin zn-polymyx</i> .....	105	<i>nystatin</i> .....	24
<i>midazolam hcl</i> .....	113	<i>neomycin-polymyxin-dexameth</i> .....	104	<i>nystatin-triamcinolone</i> .....	76
<i>midazolam hcl (pf)</i> .....	113	<i>neomycin-polymyxin-gramicidin</i> .....	104	<b>O</b>	
<i>midodrine hcl</i> .....	59	<i>neomycin-polymyxin-hc</i> .....	104, 108	<i>octreotide acetate</i> .....	92
<i>mifepristone</i> .....	55	NERLYNX.....	34	ODEFSEY .....	48
<i>miglitol</i> .....	53	NEUPRO.....	38	ODOMZO.....	34
<i>miglustat</i> .....	82	<i>nevirapine</i> .....	46	OFEV.....	112
MILI .....	88	<i>nevirapine er</i> .....	46	<i>ofloxacin</i> .....	12, 105, 108
<i>minocycline hcl</i> .....	13	<i>niacin er (antihyperlipidemic)</i> .....	68	OGSIVEO.....	30
<i>minoxidil</i> .....	69	<i>nicardipine hcl</i> .....	62	OJJAARA.....	34
<i>mirtazapine</i> .....	18	NICOTROL.....	6	<i>olanzapine</i> .....	42
<i>misoprostol</i> .....	81	NICOTROL NS.....	6	<i>olanzapine-fluoxetine hcl</i> .....	19
M-M-R II.....	100	<i>nifedipine er</i> .....	62	<i>olmesartan medoxomil</i> .....	60
<i>modafinil</i> .....	114	<i>nifedipine er osmotic release</i> .....	63	<i>olmesartan medoxomil-hctz</i> .....	65
<i>moexipril hcl</i> .....	60	NIKKI.....	88	<i>olmesartan-amlodipine-hctz</i> .....	65
<i>molindone hcl</i> .....	40	<i>nilutamide</i> .....	27	<i>omega-3-acid ethyl esters</i> .....	68
<i>mometasone furoate</i> .....	75, 109	NINLARO .....	29	<i>omeprazole</i> .....	82
<i>montelukast sodium</i> .....	109	<i>nisoldipine er</i> .....	63	OMNITROPE.....	86
<i>morphine sulfate</i> .....	4	<i>nitazoxanide</i> .....	37	<i>ondansetron</i> .....	23
<i>morphine sulfate (concentrate)</i> .....	4			<i>ondansetron hcl</i> .....	23

04/18/2024

ORENCIA CLICKJECT .....	94	<i>phenytoin</i> .....	17	PREZISTA .....	49
ORGOVYX .....	29	<i>phenytoin sodium extended</i> ....	17	PRIFTIN .....	26
ORKAMBI .....	111	PIFELTRO .....	46	<i>primaquine phosphate</i> .....	37
<i>orphenadrine citrate er</i> .....	113	<i>pilocarpine hcl</i> .....	72, 107	<i>primidone</i> .....	14
ORSERDU .....	28	<i>pimecrolimus</i> .....	75	PRIORIX .....	101
<i>oseltamivir phosphate</i> .....	50	<i>pimozide</i> .....	40	PROAIR RESPICLICK.....	110
OTEZLA .....	98	<i>pindolol</i> .....	62	<i>probenecid</i> .....	25
<i>oxaprozin</i> .....	2	<i>pioglitazone hcl</i> .....	53	<i>prochlorperazine</i> .....	22
<i>oxcarbazepine</i> .....	17	<i>pioglitazone hcl-glimepiride</i> ...53		<i>prochlorperazine maleate</i> .....	22
<i>oxybutynin chloride</i> .....	84	<i>pioglitazone hcl-metformin hcl</i>		PROCTO-MED HC.....	75
<i>oxybutynin chloride er</i> .....	83	.....	54	PROCTOSOL HC .....	75
<i>oxycodone hcl</i> .....	4	<i>piperacillin sod-tazobactam so</i>		PROCTOZONE-HC.....	75
<i>oxycodone hcl er</i> .....	2	.....	10, 11	<i>progesterone</i> .....	90
<i>oxycodone-acetaminophen</i> .....	4	PIQRAY (200 MG DAILY		PROGRAF.....	98
OZEMPIC (0.25 OR 0.5		DOSE) .....	34	PROLASTIN-C .....	83
MG/DOSE).....	53	PIQRAY (250 MG DAILY		PROLIA.....	103
OZEMPIC (1 MG/DOSE).....	53	DOSE) .....	34	PROMACTA.....	58, 59
OZEMPIC (2 MG/DOSE).....	53	PIQRAY (300 MG DAILY		<i>promethazine hcl</i> .....	22
<b>P</b>		DOSE) .....	34	PROMETHEGAN .....	22
<i>paliperidone er</i> .....	42	<i>pirfenidone</i> .....	112	<i>propafenone hcl</i> .....	61
PANRETIN .....	76	<i>piroxicam</i> .....	2	<i>propranolol hcl</i> .....	25, 62
<i>pantoprazole sodium</i> .....	82	PLASMA-LYTE A .....	77	<i>propranolol hcl er</i> .....	25, 62
<i>paricalcitol</i> .....	103	<i>podofilox</i> .....	76	<i>propylthiouracil</i> .....	93
<i>paroxetine hcl</i> .....	21	<i>polymyxin b-trimethoprim</i> ....	104	PROQUAD.....	101
<i>paroxetine hcl er</i> .....	20, 21	POMALYST .....	28	<i>protriptyline hcl</i> .....	22
PAXLOVID (150/100).....	50	<i>posaconazole</i> .....	24	PULMOZYME.....	111
PAXLOVID (300/100).....	50	<i>potassium chloride</i> .....	78	PURIXAN .....	28
PEDIARIX .....	100	<i>potassium chloride crys er</i> ....	77	<i>pyrazinamide</i> .....	27
PEDVAX HIB.....	100	<i>potassium chloride er</i> .....	77, 78	<i>pyridostigmine bromide</i> .....	26
<i>peg 3350-kcl-na bicarb-nacl</i> ..	81	<i>potassium chloride in nacl</i> ....	78	<i>pyridostigmine bromide er</i> ....	26
<i>peg-3350/electrolytes</i> .....	81	<i>potassium citrate er</i> .....	78	<i>pyrimethamine</i> .....	37
PEGASYS .....	96	<i>potassium cl in dextrose 5%</i> ...78		<b>Q</b>	
PEMAZYRE .....	34	<i>pramipexole dihydrochloride</i> .38		QINLOCK .....	34
PENBRAYA .....	100	<i>pravastatin sodium</i> .....	67	QUADRACEL .....	101
<i>penicillamine</i> .....	84	<i>prazosin hcl</i> .....	60	<i>quetiapine fumarate</i> .....	42
<i>penicillin g potassium</i> .....	10	<i>prednisolone</i> .....	85	<i>quetiapine fumarate er</i> .....	42
<i>penicillin g sodium</i> .....	10	<i>prednisolone acetate</i> .....	106	<i>quinapril hcl</i> .....	61
<i>penicillin v potassium</i> .....	10	<i>prednisolone sodium phosphate</i>		<i>quinidine sulfate</i> .....	61
PENTACEL .....	100	.....	85, 106	<i>quinine sulfate</i> .....	38
<i>pentamidine isethionate</i> .....	37	<i>prednisone</i> .....	85	<b>R</b>	
<i>pentoxifylline er</i> .....	65	PREDNISON INTENSOL...85		RABAVERT.....	101
<i>perindopril erbumine</i> .....	60	<i>preferred plus insulin syringe</i> .57		<i>raloxifene hcl</i> .....	103
PERIOGARD .....	72	<i>pregabalin</i> .....	71	<i>ramelteon</i> .....	113
<i>permethrin</i> .....	76	PREHEVBRIO.....	100	<i>ramipril</i> .....	61
<i>perphenazine</i> .....	40	PREMARIN .....	87	<i>ranolazine er</i> .....	65
<i>perphenazine-amitriptyline</i> ....	19	<i>prenatal</i> .....	79	<i>rasagiline mesylate</i> .....	39
PERSERIS.....	42	PREVALITE .....	68	RAVICTI.....	83
<i>phenelzine sulfate</i> .....	19	PREVYMIS.....	44	RECLIPSEN.....	89
<i>phenobarbital</i> .....	14	PREZCOBIX.....	49	RECOMBIVAX HB.....	101

04/18/2024

RECTIV .....	69	<i>sapropterin dihydrochloride</i> ...	83	<i>streptomycin sulfate</i> .....	6
REGRANEX .....	76	SAVELLA .....	71	STRIBILD .....	46
RELENZA DISKHALER .....	50	SAVELLA TITRATION PACK .....	71	<i>sucralfate</i> .....	82
RELI-ON INSULIN SYRINGE .....	57	SCEMBLIX .....	35	<i>sulfacetamide sodium</i> .....	105
<i>repaglinide</i> .....	54	<i>scopolamine</i> .....	22	<i>sulfacetamide sodium (acne)</i> ..	12
REPATHA .....	68	SECUADO .....	43	<i>sulfacetamide-prednisolone</i> ..	104
REPATHA PUSHTRONEX SYSTEM .....	68	<i>selegiline hcl</i> .....	39	<i>sulfadiazine</i> .....	12
REPATHA SURECLICK .....	68	<i>selenium sulfide</i> .....	75	<i>sulfamethoxazole-trimethoprim</i> .....	12
RETACRIT .....	59	SELZENTRY .....	48	<i>sulfasalazine</i> .....	102
RETEVMO .....	34	SEREVENT DISKUS .....	110	<i>sulindac</i> .....	2
REVLIMID .....	28	<i>sertraline hcl</i> .....	21	<i>sumatriptan succinate</i> .....	26
REXULTI .....	43	<i>sevelamer carbonate</i> .....	79, 80	<i>sunitinib malate</i> .....	35
REYATAZ .....	50	SHAROBEL .....	90	SUNLENCA .....	48
REZLIDHIA .....	34	SHINGRIX .....	101	SUTAB .....	81
REZUROCK .....	98	SIGNIFOR .....	92	SYMLINPEN 120 .....	54
RHOPRESSA .....	107	<i>sildenafil citrate</i> .....	80, 112	SYMLINPEN 60 .....	54
<i>ribavirin</i> .....	45	<i>silodosin</i> .....	84	SYMPAZAN .....	16
<i>rifabutin</i> .....	27	<i>silver sulfadiazine</i> .....	76	SYMTUZA .....	46
<i>rifampin</i> .....	27	SIMBRINZA .....	107	SYNAREL .....	92
<i>riluzole</i> .....	70	<i>simvastatin</i> .....	67	SYNJARDY .....	54
<i>rimantadine hcl</i> .....	50	<i>sirolimus</i> .....	99	SYNJARDY XR .....	54
RINVOQ .....	94	SIRTURO .....	27	SYNTHROID .....	91
<i>risedronate sodium</i> .....	103, 104	SKYRIZI .....	94, 95	<b>T</b>	
RISPERDAL CONSTA .....	43	SKYRIZI PEN .....	94	TABLOID .....	28
<i>risperidone</i> .....	43	<i>sodium chloride</i> .....	78	TABRECTA .....	35
<i>ritonavir</i> .....	50	<i>sodium fluoride</i> .....	78	<i>tacrolimus</i> .....	75, 99
<i>rivastigmine</i> .....	18	<i>sodium oxybate</i> .....	114	<i>tadalafil</i> .....	84
<i>rivastigmine tartrate</i> .....	18	<i>sodium polystyrene sulfonate</i> ..	78	TAFINLAR .....	35
RIVFLOZA .....	84, 85	<i>sofosbuvir-velpatasvir</i> .....	45	TAGRISSE .....	35
<i>rizatriptan benzoate</i> .....	26	SOHONOS .....	83	TALZENNA .....	35
ROCKLATAN .....	107	SOLIQUA .....	57	<i>tamoxifen citrate</i> .....	28
<i>roflumilast</i> .....	111	SOLTAMOX .....	28	<i>tamsulosin hcl</i> .....	84
<i>ropinirole hcl</i> .....	38	SOMAVERT .....	92	TASIGNA .....	35
<i>ropinirole hcl er</i> .....	38	<i>sorafenib tosylate</i> .....	35	<i>tazarotene</i> .....	72
<i>rosuvastatin calcium</i> .....	67	<i>sotalol hcl</i> .....	61	TAZORAC .....	72
ROTARIX .....	101	<i>sotalol hcl (af)</i> .....	61	TAZTIA XT .....	63
ROTATEQ .....	101	SPIRIVA RESPIMAT .....	110	TAZVERIK .....	35
ROZLYTREK .....	35	<i>spironolactone</i> .....	66	TDVAX .....	101
RUBRACA .....	35	<i>spironolactone-hctz</i> .....	66	TEFLARO .....	9
<i>rufinamide</i> .....	17	SPRINTEC 28 .....	89	<i>telmisartan</i> .....	60
RUKOBIA .....	48	SPRITAM .....	14	<i>telmisartan-amlodipine</i> .....	66
RYBELSUS .....	54	SPRYCEL .....	35	<i>telmisartan-hctz</i> .....	66
RYDAPT .....	35	SPS .....	78	<i>temazepam</i> .....	113
RYTARY .....	39	SRONYX .....	89	TENIVAC .....	101
<b>S</b>		SSD .....	76	<i>tenofovir disoproxil fumarate</i> ..	48
SANDIMMUNE .....	98	STELARA .....	95	TEPMETKO .....	35
SANTYL .....	76	STIOLTO RESPIMAT .....	113	<i>terazosin hcl</i> .....	60
		STIVARGA .....	35	<i>terbinafine hcl</i> .....	24

04/18/2024

<i>terbutaline sulfate</i> .....	110	<i>travoprost (bak free)</i> .....	107	<i>valsartan-hydrochlorothiazide</i> .....	66
<i>terconazole</i> .....	24	<i>trazodone hcl</i> .....	21	VALTOCO 10 MG DOSE .....	16
<i>teriparatide (recombinant)</i> ...	104	TREATOR .....	27	VALTOCO 15 MG DOSE .....	16
<i>testosterone</i> .....	86	TRELEGY ELLIPTA.....	113	VALTOCO 20 MG DOSE .....	16
<i>testosterone cypionate</i> .....	86	TRELSTAR MIXJECT .....	93	VALTOCO 5 MG DOSE .....	16
<i>testosterone enanthate</i> .....	86	<i>tretinoin</i> .....	37, 72	<i>vancomycin hcl</i> .....	8
<i>tetrabenazine</i> .....	71	<i>triamcinolone acetonide</i> ...	72, 75	VANDAZOLE .....	8
<i>tetracycline hcl</i> .....	13	<i>triamterene-hctz</i> .....	66	VANFLYTA.....	36
THALOMID.....	28	<i>trientine hcl</i> .....	78	VAQTA .....	102
<i>theophylline</i> .....	111	TRI-ESTARYLLA .....	89	<i>varденаfil hcl</i> .....	80
<i>theophylline er</i> .....	111	<i>trifluoperazine hcl</i> .....	40	<i>varenicline tartrate</i> .....	6
<i>thioridazine hcl</i> .....	40	<i>trifluridine</i> .....	45	<i>varenicline tartrate (starter)</i> ....	6
<i>thiothixene</i> .....	40	<i>trihexyphenidyl hcl</i> .....	38	VARIVAX.....	102
TIADYLT ER .....	63	TRIJARDY XR .....	54	VASCEPA .....	68
<i>tiagabine hcl</i> .....	16	TRIKAFTA .....	111	VEMLIDY .....	44
TIBSOVO.....	35	TRI-LEGEST FE.....	89	VENCLEXTA .....	36
TICOVAC .....	101	<i>trimethobenzamide hcl</i> .....	22	VENCLEXTA STARTING PACK .....	36
<i>tigecycline</i> .....	7	<i>trimethoprim</i> .....	7	<i>venlafaxine besylate er</i> .....	21
TILIA FE.....	89	TRI-MILI.....	89	<i>venlafaxine hcl</i> .....	21
<i>timolol maleate</i> .....	62, 106	<i>trimipramine maleate</i> .....	22	<i>venlafaxine hcl er</i> .....	21
<i>tinidazole</i> .....	7	TRINTELLIX.....	21	<i>verapamil hcl</i> .....	64
<i>tiotropium bromide</i> <i>monohydrate</i> .....	110	TRI-NYMYO .....	89	<i>verapamil hcl er</i> .....	63
TIVICAY .....	46	TRI-SPRINTEC .....	89	VERQUOVO.....	66
TIVICAY PD .....	46	TRIUMEQ.....	48	VERSACLOZ.....	44
<i>tizanidine hcl</i> .....	44	TRIUMEQ PD.....	49	VERZENIO .....	36
TOBI PODHALER .....	111	TRIVORA (28).....	89	VESTURA.....	89
<i>tobramycin</i> .....	105, 111	TRIZIVIR.....	48	<i>vigabatrin</i> .....	16
<i>tobramycin sulfate</i> .....	6	TROPHAMINE.....	79	VIGADRONE .....	16
<i>tobramycin-dexamethasone</i> ..	104	<i>trospium chloride</i> .....	84	VIGPODER.....	16
<i>tolterodine tartrate</i> .....	84	<i>trospium chloride er</i> .....	84	VIJOICE .....	83
<i>tolterodine tartrate er</i> .....	84	TRULICITY .....	54	<i>vilazodone hcl</i> .....	21
<i>topiramate</i> .....	26	TRUMENBA.....	101	VIRACEPT.....	50
<i>topiramate er</i> .....	26	TRUQAP .....	35	VIREAD .....	48
<i>toremifene citrate</i> .....	28	TUKYSA.....	36	VITRAKVI.....	36
<i>toremide</i> .....	66	TURALIO .....	36	VIZIMPRO.....	36
TOUJEO MAX SOLOSTAR.....	57	TWINRIX.....	101	VONJO .....	36
TOUJEO SOLOSTAR .....	57	TYBOST .....	49	<i>voriconazole</i> .....	25
TPN ELECTROLYTES .....	79	TYMLOS.....	104	VOSEVI .....	45
TRADJENTA.....	54	TYPHIM VI .....	101, 102	VOTRIENT .....	36
<i>tramadol hcl</i> .....	4	<b>U</b>		VRAYLAR.....	43
<i>tramadol hcl (er biphasic)</i> .....	2	UBRELVY .....	26	VYFEMLA.....	89
<i>tramadol hcl er</i> .....	2	UNITHROID.....	91	<b>W</b>	
<i>tramadol-acetaminophen</i> .....	4	<i>ursodiol</i> .....	81	<i>warfarin sodium</i> .....	58
<i>trandolapril</i> .....	61	<b>V</b>		WELIREG .....	29
<i>trandolapril-verapamil hcl er</i> ..	66	<i>valacyclovir hcl</i> .....	45	WIXELA INHUB.....	113
<i>tranexamic acid</i> .....	59	VALCHLOR .....	27	<b>X</b>	
<i>tranylcypramine sulfate</i> .....	19	<i>valganciclovir hcl</i> .....	44	XALKORI .....	36
TRAVASOL.....	79	<i>valproic acid</i> .....	14		
		<i>valsartan</i> .....	60		

04/18/2024

XARELTO .....	58	XPOVIO (100 MG ONCE WEEKLY).....	29	ZARXIO .....	59
XARELTO STARTER PACK .....	58	XPOVIO (40 MG ONCE WEEKLY).....	29	ZEJULA .....	36
XATMEP .....	29	XPOVIO (40 MG TWICE WEEKLY).....	30	ZELBORAF .....	36
XCOPRI .....	15	XPOVIO (60 MG ONCE WEEKLY).....	30	ZEMDRI.....	6
XCOPRI (250 MG DAILY DOSE) .....	14	XPOVIO (60 MG TWICE WEEKLY).....	30	ZENATANE.....	72
XCOPRI (350 MG DAILY DOSE) .....	15	XPOVIO (80 MG ONCE WEEKLY).....	30	ZENPEP .....	83
XDEMVI .....	105	XPOVIO (80 MG TWICE WEEKLY).....	30	<i>zidovudine</i> .....	48
XELJANZ .....	95	XTANDI.....	28	ZIEXTENZO .....	59
XELJANZ XR.....	95	<b>Y</b>		ZILBRYSQ.....	95
XERMELO.....	80	YF-VAX .....	102	ZIMHI.....	5
XGEVA.....	104	YONSA .....	28	<i>ziprasidone hcl</i> .....	43
XIFAXAN.....	8	YUVAFEM .....	87	<i>ziprasidone mesylate</i> .....	43
XIGDUO XR.....	54, 55	<b>Z</b>		ZOKINVY .....	83
XIIDRA .....	106	<i>zafirlukast</i> .....	109	ZOLINZA.....	30
XOFLUZA (40 MG DOSE)...	50	<i>zaleplon</i> .....	113	<i>zolpidem tartrate</i> .....	114
XOFLUZA (80 MG DOSE)...	50			ZONISADE .....	15
XOLAIR.....	95			<i>zonisamide</i> .....	15
XOSPATA .....	36			ZOVIA 1/35 (28).....	89
				ZTALMY .....	15
				ZURZUVAE.....	19
				ZYDELIG.....	36, 37
				ZYKADIA.....	37

MCS Classicare is an HMO plan subscribed by MCS Advantage, Inc.

This formulary was updated on 04/18/2024. For more recent information or other questions, please contact MCS Classicare Customer Service Call Center at 1-866-627-8183 (Toll free) (TTY users should call 1-866-627-8182), from Monday through Sunday from 8:00 a.m. to 8:00 p.m. from October 1 to March 31 and 8:00 a.m. to 8:00 Monday through Friday and Saturday from 8:00 a.m. to 4:30 p.m. from April 1 to September 30 or visit [www.mcsclassicare.com](http://www.mcsclassicare.com).

# Complete Health

# **MCS** Classicare

(HMO)



**1.866.627.8183**  
(Toll Free)



**1.866.627.8182**  
TTY (Hearing Impaired)



Monday through Sunday from 8:00 a.m. to 8:00 p.m. from October 1 to March 31.  
Our hours of operation from April 1 to September 30 are Monday through Friday  
8:00 a.m. to 8:00 p.m. and Saturday from 8:00 a.m. to 4:30 p.m.